

Miteq 3324-4

Multi-Octave Type N 4-Way Power Divider



\$275.00

In Stock

Qty Available: 2

Used and in Excellent Condition

Open Web Page

<https://www.artisanng.com/69823-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.



2-18 GHz

Multi-Octave Type N 2- and 4-Way Power Dividers

- Precision, Multi-Octave Units Covering 2 to 18 GHz
- Excellent Phase and Amplitude Tracking
- Low Input VSWR
- High Isolation Between Output Ports

Specifications

Type N (F), 2-Way, 2 to 18 GHz, 30 W

FREQUENCY RANGE (GHz)	MODEL	BAND SEGMENTS (GHz)	VSWR (max.)		INSERTION LOSS (dB max.)	ISOLATION (dB min.)	AMPLITUDE BALANCE (dB max.)	PHASE BALANCE (max.)	AVERAGE POWER* (W max.)			WEIGHT	
			INPUT	OUTPUT					A	B	C	oz.	gr.
2-8	3324-2	2-4	1.35	1.25	0.7	20	0.2	3°	30	10	1	5.0	140
		4-8	1.35	1.25	0.7	20	0.3	4°	30	10	1		
6-18	3326B-2**	6-12.4	1.60	1.50	0.6	20	0.2	3°	30	10	1	4.8	135
		12.4-18	1.60	1.50	1.1	17	0.3	6°	30	10	1		
2-18	3456B-2	2-8	1.50	1.40	0.7	20	0.3	6°	30	10	1	7.1	200
		8-18	1.50	1.40	1.5	19	0.5	9°	30	10	1		

Type N (F), 4-Way, 2 to 18 GHz, 30 W

FREQUENCY RANGE (GHz)	MODEL	BAND SEGMENTS (GHz)	VSWR (max.)		INSERTION LOSS (dB max.)	ISOLATION (dB min.)	AMPLITUDE BALANCE (dB max.)	PHASE BALANCE (max.)	AVERAGE POWER* (W max.)			WEIGHT	
			INPUT	OUTPUT					A	B	C	oz.	gr.
2-8	3324-4	2-8	1.45	1.35	0.9	18	0.4	7°	30	10	1	9.7	275
5-18	3326B-4**	5-12.4	1.50	1.45	1.4	18	0.5	7°	30	20	1	8.9	250
		12.4-18	1.65	1.45	1.4	18	0.5	7°	30	20	1		


* Average Power Rating into a load VSWR of (A) 1.2 to 1, (B) 2 to 1 and (C) ∞VSWR

** Custom-order basis: minimum quantity may apply




Power Dividers


Outline Drawings



MODEL	A	B
3324-2	.84	1.69
3326B-2	.50	1.00



MODEL 3456B-2



MODEL	A	B
3324-4	3.44	1.72
3326B-4	1.42	0.71

Allow .020 for sealant build-up per surface.
Dimensions in inches (mm in parentheses), unless otherwise specified.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanTG.com](https://www.artisanTG.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanTG.com | [artisanTG.com](https://www.artisanTG.com)

