

New Focus 9952

1.0 in. Clean-Passivated Optical Pedestal



\$25.00

In Stock

Qty Available: 3

Used and in Excellent Condition

Open Web Page

<https://www.artisanng.com/86052-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.











1.0 in. Clean-Passivated Optical Pedestals

When an application requires components to be cleaner and more resistant to corrosion than typical standard products, these 1 in. (24.5 mm) passivated stainless steel optical pedestals are the best choice. They provide highly stable and versatile mounting of optics and mount directly to optical tables using pedestal-base fork clamps. Available in eight different heights, each featuring a cross-drilled hole to aid in tightening and loosening posts.



- Extra clean, passivated stainless steel
- 1.0 in. (25.4 mm) diameter pedestals mount anywhere on tables with fork clamps
- More stable and economical than traditional magnetic bases
- Available in eleven heights between 0.5 in. (12.7 mm) and 6.0 in. (127 mm)
- English or metric thread versions

[See All Features](#)

Compare	Model	Availability?	Price
	9951 Optical Pedestal, Clean-Passivated, 0.5 in. Height, 1 in. Diameter, 8-32	In Stock 	\$22
	9957 Optical Pedestal, Clean-Passivated, 0.75 in. Height, 1 in. Diameter, 8-32	In Stock 	\$23
	9952 Optical Pedestal, Clean-Passivated, 1.0 in. Height, 1 in. Diameter, 8-32	In Stock 	\$23
	9953 Optical Pedestal, Clean-Passivated, 1.5 in. Height, 1 in. Diameter, 8-32	In Stock 	\$27
	9954 Optical Pedestal, Clean-Passivated, 2.0 in. Height, 1 in. Diameter, 8-32	In Stock 	\$27

Specifications

Type	Optical Pedestal	Material	Stainless Steel
Thread Type	8-32, M4	Inside Diameter	25.4 mm



Features

Extra Clean, Passivated Pedestals

Stainless steel is already known as being corrosion-resistant, however the passivation process further strengthens its natural coating by improving the exterior surface of the overall part. The passivation process also removes unwanted debris and oils from the surface resulting in a post that is extra clean.



Cross-Drilled Hole for Easy Tightening and Loosening

These pedestals feature a 0.234 in. (5.9 mm) diameter cross-drilled hole. By inserting a 3/16 in. (5 mm) hex wrench (or similar tool) into this hole, it can be used to easily attach or detach an extension post or optical mount on its top.

Multiple Fixed Pedestal Heights











These pedestals are available with lengths of 0.5 in. (12.7 mm), 0.75 in. (19.1 mm), 0.88 in. (22.4 mm), 1.0 in. (25.4 mm), 2.0 in. (50.8 mm), 3.0 in. (76.2 mm), 4.0 in. (101.6 mm), and 6.0 in. (152.4 mm) and have cross-drilled holes large enough to use 3/16 in. (5 mm) hex wrenches aid in tightening and loosening posts.



High Stability for Mounting Optical Components

These 1 in. (25.4 mm) diameter stainless-steel optical posts are made from precision ground stainless steel to maintain long-term optical system alignment and come in a variety of heights. Using any of the available pedestal base clamping forks, these stackable pedestals can be clamped anywhere on a table or breadboard. Pedestal bases are machined directly into the posts. Cross-drilled holes large enough to use 3/16 in. (5 mm) hex wrenches aid in tightening and loosening posts. Both ends of each of these posts have a centered 8-32 (M4) threaded hole for mounting components and accessories, as well as attaching posts together.

Accessories

Compare	Description	Drawings, CAD & Specs	Avail.	Price
	9141-M Post Clamp, 25.4 mm Diameter Pedestals and Posts, M4 Thread	  	In Stock 	\$60
	9141NF Post Clamp, 1.0 in. Diameter Pedestals and Posts, 8-32 Thread	  	In Stock 	\$61

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisan^{tg}.com](https://www.artisantg.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisan^{tg}.com | [artisan^{tg}.com](https://www.artisantg.com)

