

Spectracom CA01-0N0N-3100

GPS Coax Antenna Cable (100 ft)



© Artisan Technology Group

Limited Availability
Used and in Excellent Condition

Open Web Page

<https://www.artisanTG.com/53812-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanTG.com | artisanTG.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

Product Code	Product Description	List Price	Current Lead Time	Warranty
SecureSync Time and Frequency Synchronization Systems				
SecureSync 1200 Base units				
1200-003	SecureSync Time and Frequency Synchronization System with AC power, standard TCXO oscillator, and commercial GNSS module. Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 3,400	8 Weeks	5 Years
1200-013	SecureSync Time and Frequency Synchronization System with AC power, standard OCXO oscillator, and commercial GNSS module. Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 3,940	8 Weeks	5 Years
1200-023	SecureSync Time and Frequency Synchronization System with AC power, Low Phase Noise OCXO oscillator, and commercial GNSS module. Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 5,570	8 Weeks	5 Years
1200-031	SecureSync Time and Frequency Synchronization System with AC power, Rubidium oscillator, and without commercial GNSS module (an Option Card with an input reference must be added). Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 6,910	8 Weeks	5 Years (2 Years on Rb Osc.)
1200-033	SecureSync Time and Frequency Synchronization System with AC power, Rubidium oscillator, and commercial GNSS module. Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 7,730	8 Weeks	5 Years (2 Years on Rb Osc.)
1200-103	SecureSync Time and Frequency Synchronization System with AC and DC (12 VDC) power, TCXO oscillator, and commercial GNSS module. Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 4,430	8 Weeks	5 Years
1200-113	SecureSync Time and Frequency Synchronization System with AC and DC (12 VDC) power, standard OCXO oscillator, and commercial GNSS module. Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 4,970	8 Weeks	5 Years
1200-123	SecureSync Time and Frequency Synchronization System with AC and DC (12 VDC) power, Low Phase Noise OCXO oscillator, and commercial GNSS module. Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 6,600	8 Weeks	5 Years
1200-133	SecureSync Time and Frequency Synchronization System with AC and DC (12 VDC) power, Rubidium oscillator, and commercial GNSS module. Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 8,760	8 Weeks	5 Years (2 Years on Rb Osc.)
1200-203	SecureSync Time and Frequency Synchronization System with AC and DC (24-48 VDC) power, TCXO oscillator, and commercial GNSS module. Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 4,430	8 Weeks	5 Years

Product Code	Product Description	List Price	Current Lead Time	Warranty
1200-213	SecureSync Time and Frequency Synchronization System with AC and DC (24-48 VDC) power, standard OCXO oscillator, and commercial GNSS module. Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 4,970	8 Weeks	5 Years
1200-223	SecureSync Time and Frequency Synchronization System with AC and DC (24-48 VDC) power, Low Phase Noise OCXO oscillator, and commercial GNSS module. Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 6,600	8 Weeks	5 Years
1200-233	SecureSync Time and Frequency Synchronization System with AC and DC (24-48 VDC) power, Rubidium oscillator, and commercial GNSS module. Includes an ancillary kit, CD documentation, and quick start guide. Order an AC power cord as a no charge line item.	\$ 8,760	8 Weeks	5 Years (2 Years on Rb Osc.)
1200-303	SecureSync Time and Frequency Synchronization System with DC (12 VDC) power, standard TCXO oscillator, and commercial GNSS module. (Includes an ancillary kit, CD documentation, and quick start guide)	\$ 3,940	8 Weeks	5 Years
1200-313	SecureSync Time and Frequency Synchronization System with DC (12 VDC) power, standard OCXO oscillator, and commercial GNSS module. (Includes an ancillary kit, CD documentation, and quick start guide)	\$ 4,490	8 Weeks	5 Years
1200-323	SecureSync Time and Frequency Synchronization System with DC (12 VDC) power, Low Phase Noise OCXO oscillator, and commercial GNSS module. (Includes an ancillary kit, CD documentation, and quick start guide)	\$ 6,110	8 Weeks	5 Years
1200-333	SecureSync Time and Frequency Synchronization System with DC (12 VDC) power, Rubidium oscillator, and commercial GNSS module. (Includes an ancillary kit, CD documentation, and quick start guide)	\$ 8,270	8 Weeks	5 Years (2 Years on Rb Osc.)
1200-403	SecureSync Time and Frequency Synchronization System with DC (24-48 VDC) power, standard TCXO oscillator, and commercial GNSS module. (Includes an ancillary kit, CD documentation, and quick start guide)	\$ 3,940	8 Weeks	5 Years
1200-413	SecureSync Time and Frequency Synchronization System with DC (24-48 VDC) power, standard OCXO oscillator, and commercial GNSS module. (Includes an ancillary kit, CD documentation, and quick start guide)	\$ 4,490	8 Weeks	5 Years
1200-423	SecureSync Time and Frequency Synchronization System with DC (24-48 VDC) power, Low Phase Noise OCXO oscillator, and commercial GNSS module. (Includes an ancillary kit, CD documentation, and quick start guide)	\$ 6,110	8 Weeks	5 Years
1200-433	SecureSync Time and Frequency Synchronization System with DC (24-48 VDC) power, Rubidium oscillator, and commercial GNSS module. (Includes an ancillary kit, CD documentation, and quick start guide)	\$ 8,270	8 Weeks	5 Years (2 Years on Rb Osc.)

Orolia - Proprietary Information

Product Code	Product Description	List Price	Current Lead Time	Warranty

Product Code	Product Description	List Price	Current Lead Time	Warranty
SecureSync 2400 Base units				
2402-003	SecureSync 2400 Time & Frequency synchronization system with 2 expansion slots for option cards, single fixed AC power supply, TCXO oscillator, and L1 GNSS reference. Includes a SMA to N-type conversion RF cable, front panel mounting ears and quick start guide. Order AC power cord(s) as a no charge line item (for AC power supply configuration only).	\$ 3,620	8 Weeks	5 Years
2402-603	SecureSync 2400 Time & Frequency synchronization system with 2 expansion slots for option cards, support for AC or DC dual hot swappable power supply modules (modules not included), TCXO oscillator, and L1 GNSS reference. Includes a SMA to N-type conversion RF cable, front panel mounting ears and quick start guide. Order AC power cord(s) as a no charge line item (for AC power supply configuration only).	\$ 3,980	8 Weeks	5 Years
2402-613	SecureSync 2400 Time & Frequency synchronization system with 2 expansion slots for option cards, support for AC or DC dual hot swappable power supply modules (modules not included), OCXO oscillator, and L1 GNSS reference. Includes a SMA to N-type conversion RF cable, front panel mounting ears and quick start guide. Order AC power cord(s) as a no charge line item (for AC power supply configuration only).	\$ 4,440	8 Weeks	5 Years
2402-633	SecureSync 2400 Time & Frequency synchronization system with 2 expansion slots for option cards, support for AC or DC dual hot swappable power supply modules (modules not included), rubidium oscillator, and L1 GNSS reference. Includes a SMA to N-type conversion RF cable, front panel mounting ears and quick start guide. Order AC power cord(s) as a no charge line item (for AC power supply configuration only).	\$ 8,120	8 Weeks	5 Years (2 Years on Rb Osc.)
2406-003	SecureSync 2400 Time & Frequency synchronization system with 6 expansion slots for option cards, single fixed AC power supply, TCXO oscillator, and L1 GNSS reference. Includes a SMA to N-type conversion RF cable, front panel mounting ears and quick start guide. Order AC power cord(s) as a no charge line item (for AC power supply configuration only).	\$ 3,990	8 Weeks	5 Years
2406-603	SecureSync 2400 Time & Frequency synchronization system with 6 expansion slots for option cards, support for AC or DC dual hot swappable power supply modules (modules not included), TCXO oscillator, and L1 GNSS reference. Includes a SMA to N-type conversion RF cable, front panel mounting ears and quick start guide. Order AC power cord(s) as a no charge line item (for AC power supply configuration only).	\$ 4,350	8 Weeks	5 Years
2406-613	SecureSync 2400 Time & Frequency synchronization system with 6 expansion slots for option cards, support for AC or DC dual hot swappable power supply modules (modules not included), OCXO oscillator, and L1 GNSS reference. Includes a SMA to N-type conversion RF cable, front panel mounting ears and quick start guide. Order AC power cord(s) as a no charge line item (for AC power supply configuration only).	\$ 4,810	8 Weeks	5 Years
2406-633	SecureSync 2400 Time & Frequency synchronization system with 6 expansion slots for option cards, support for AC or DC dual hot swappable power supply modules (modules not included), rubidium oscillator, and L1 GNSS reference. Includes a SMA to N-type conversion RF cable, front panel mounting ears and quick start guide. Order AC power cord(s) as a no charge line item (for AC power supply configuration only).	\$ 8,490	8 Weeks	5 Years (2 Years on Rb Osc.)

Product Code	Product Description	List Price	Current Lead Time	Warranty
SecureSync Options/Option Cards				
1204-01	SecureSync Option Card with (1) 1 PPS Input, (1) 1 PPS Output, and (1) Frequency Input. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 540	2 Weeks	5 Years
1204-02	SecureSync Option Card with (1) ASCII Time Code Input and (1) ASCII Time Code Output [RS-232]. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 600	2 Weeks	5 Years
1204-03	SecureSync Option Card with (1) 1 PPS Input, (1) 1 PPS Output, and (1) Frequency Input. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 540	2 Weeks	5 Years
1204-04	SecureSync Option Card with (1) ASCII Time Code Input and (1) ASCII Time Code Output [RS-485]. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 600	2 Weeks	5 Years
1204-05	SecureSync Option Card with (1) IRIG Input and (2) IRIG Outputs. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 810	2 Weeks	5 Years
1204-06	SecureSync Option Card with (3) Gigabit Ethernet Ports. Limit 1 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,620	2 Weeks	5 Years
1204-08	SecureSync Option Card with (3) 5 MHz Outputs. Limit 4 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 730	2 Weeks	5 Years
1204-0A	SecureSync Option Card with selectable 1.544 MHz or 2.048 MHz Output, and 2 x selectable 1.544 Mb/sec T1 or 2.048 Mb/sec E1 Outputs per GR-499-CORE (100 ohms) or ITU-T G703 (120 ohms) on a terminal block. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,020	2 Weeks	5 Years
1204-0F	SecureSync Option Card 3x Dry Contact Alarm Relay Outputs. Limit 1 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 310	2 Weeks	5 Years
1204-10	SecureSync Option Card with 4 x Have Quick TTL Outputs. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,070	2 Weeks	5 Years
1204-13	SecureSync Option Card with 4 x independently programmable Sine Wave Outputs from 1 Hz to 25 MHz in 0.1 Hz steps. The output frequency is locked to the SecureSync disciplined oscillator. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,540	2 Weeks	5 Years
1204-14	SecureSync Option Card with CTCSS/Data Clock/Data Sync Outputs. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 640	2 Weeks	5 Years
1204-15	SecureSync Option Card with 4 x IRIG Outputs. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 810	2 Weeks	5 Years
1204-17	SecureSync Option Card with 4 x Programmable TTL Outputs. Period Range = 100 ns - 20,000 s. Pulse Width Range = 20 ns - 900 ms. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,050	2 Weeks	5 Years
1204-18	SecureSync Option Card with 4 x 1 PPS TTL level Outputs. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 640	2 Weeks	5 Years
1204-1C	SecureSync Option Card with 3 x 10 MHz Outputs. Limit 4 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 730	2 Weeks	5 Years
1204-1E	SecureSync Option Card with 4 x IRIG Fiber Outputs (DCLS-only, multi-mode, ST connector). Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,620	2 Weeks	5 Years
1204-21	SecureSync Option Card with 4 x 1 PPS RS-485 level Outputs. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,050	2 Weeks	5 Years
1204-22	SecureSync Option Card with 4 x IRIG RS-485 level Outputs (DCLS-only). Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,050	2 Weeks	5 Years
1204-23	SecureSync Option Card featuring Event Capture (TTL) w/ Broadcast [RS-232]. Limit 2 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 640	2 Weeks	5 Years

Product Code	Product Description	List Price	Current Lead Time	Warranty
1204-27	SecureSync Option Card with (1) IRIG Fiber Input and (2) IRIG Fiber Outputs (DCLS-only, multi-mode, ST connector). Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,620	2 Weeks	5 Years
1204-28	SecureSync Option Card with (1) 1 PPS Input and (3) 1 PPS TTL Outputs . Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 810	2 Weeks	5 Years
1204-29	SecureSync Option Card with (1) Have Quick Input and (3) Have Quick TTL Outputs. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,070	6 Weeks	5 Years
1204-2E	SecureSync Option Card with revertive selection for automatic failover. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 810	2 Weeks	5 Years
1204-2F	SecureSync Option Card with 4 x independently programmable TTL square wave Outputs from 1 PPS to 25 MPPS in 0.1 PPS steps. The output frequency is locked to the SecureSync disciplined oscillator. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,540	2 Weeks	5 Years
1204-30	SecureSync Option Card with 4 x independently programmable square wave outputs from 1 PPS to 25 MPPS in 0.1 PPS steps. The output frequency is locked to the SecureSync disciplined oscillator. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,540	2 Weeks	5 Years
1204-32	SecureSync High-Speed 1Gb Precision Time Protocol (PTP) Master Option Card. Fully IEEE 1588-2008 (PTPv2) compliant. Interface includes one BNC connector and one SFP port. Please note that an SFP Module (copper or fiber optic interface) is required for all 1Gb PTP Option Card installations. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 2,600	2 Weeks	5 Years
1204-3E	SecureSync STL Option Card. (Limit 1 per system) -This card is required for STL service. -STL service subscription is purchased separately. -Uses 1 available option card slot. -Add STL-ANC-KIT as a line item for each STL option card.	\$ 1,620	4 Weeks	5 Years
1204-49	SecureSync 2400 Option Card with (2) Gigabit Ethernet Ports via SFP interfaces (SFP modules not included). Supports NTP capability on each port. Limit 2 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,850	8 Weeks	5 Years
1204-4A	SecureSync 2400 Option Card with (4) Gigabit Ethernet Ports via SFP interfaces (SFP modules not included). Supports NTP capability on each port. Limit 2 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 2,120	8 Weeks	5 Years
1204-4C	SecureSync Option Card with 4 x selectable 1.544 Mb/sec T1 or 2.048 Mb/sec E1 Outputs per GR-499-CORE (100 ohms) or ITU-T G703 (120 ohms) on a terminal block. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,620	12 Weeks	5 Years
1204-53	SecureSync Option Card with 4 x selectable 1.544 Mb/sec T1 or 2.048 Mb/sec E1 Outputs into 75 ohms per GR-499-CORE or ITU-T G703 on BNC connectors. Limit 6 per system. (Includes ancillary kit and installation guide if purchased uninstalled)	\$ 1,620	12 Weeks	5 Years
2400-HS-A1	Hot Swappable AC Power Supply 100-240 VAC 50/60 Hz - IEC60320 connector ; Compatible only with SecureSync 2400 configuration with Hot Swap power supply support. Limit 2 per system.	\$ 500	8 Weeks	5 Years
SFP-COPPER	SFP Module for copper interface (RJ-45) with 1Gb networks ; Compatible with 1204-32 Ooption Card and SecureSync 2400 base unit.	\$ 170	2 Weeks	1 Year
SFP-FIBER-SM	SFP Module for single mode fiber optic interface (LC Duplex for 9/125 um cable) with 1Gb networks.	\$ 220	2 Weeks	1 Year
SFP-FIBER-MM	SFP Module for multi mode fiber optic interface (LC Duplex for 50/125 um or 62.5/125 um cable) with 1Gb networks.	\$ 170	2 Weeks	1 Year

Product Code	Product Description	List Price	Current Lead Time	Warranty
Other SecureSync Options and Services				
SS-OPT-JADE	This software-only option for SecureSync 1200 adds GPS/GNSS signal jamming detection algorithm support. Note : this requires an End-User statement.	\$ -	8 Weeks	
SS-OPT-BSH	This software-only option for SecureSync adds GPS/GNSS signal interference and spoofing detection algorithm support	\$ 3,790	8 Weeks	5 Years
STL-SS-1Y	1 Year STL Subscription. Hardware purchased separately. Monthly breakdown is \$450/mo (EUR390,GBP345) but must be purchased with a 1 year commitment. Contact product manager for quantity and multi-year discounts. Completed End User Form required at time of the order.	\$ 5,570		
PS06R-2Z1M-DT01	SecureSync / SAS Dual AC Power Option. This feature provides a second AC power input to the system. NOTE: This option can only be ordered with SecureSync units with 24 VDC power input option, i.e., Model Numbers 1200-2XX.	\$ 470	1 Week	5 Years
PSP	Premium Support Package with in-country terms: 24/7 technical customer support if mission critical systems go down *Express 24-hour loaner service (loaners are sent out by next business day) For overnight loaner equipment, a comparable unit will be sent (It may not be the exact configuration) *Free loaners (normally \$250 /month minimum charge) *Priority repair service first class ranking (standard repair is 10-14 days) * Proactive notification of software upgrades (available under Warranty) *Free ground shipping of repairs (normally a one way charge). Orolia Service Support Plans: https://www.orolia.com/products-services/support-plans	calculate		
Gold PSP	Gold Premium Support Package (GPSP) with in-country terms: 24/7 technical customer support * Advanced replacement * Proactive notification of software upgrades (available under Warranty) * If repair option is selected: Priority repair service first class ranking (standard repair is 10-14 days) * Free ground shipping of repairs (normally a one way charge). Orolia Service Support Plans: https://www.orolia.com/products-services/support-plans	calculate		
Rb Osc Extended Warranty	SecureSync/NetClock Extended Warranty (per year) for Rubidium component (years 3, 4 or 5). Standard is 2 years.	\$ 490		Per Year
1200-0000-0704	SecureSync Anc Kit for Rugged Installation including: Rear rack mounting brackets, AC cord retention hardware	\$ 180	1 Week	NA
1200-0000-0711	SecureSync Anc Kit, AC Only including: Front rack ears, Handles, Mounting hardware	\$ 78	1 Week	NA
1200-0000-0712	SecureSync Anc Kit, AC/DC including: Front rack ears, Handles, Mounting hardware, DC power connector and cable clamp	\$ 130	1 Week	NA
Manual	Printed and bound. Specify model.	\$ 150	2 Weeks	
Ext Warranty	Extended warranties can be purchased at time of order or during warranty years for up to two years	\$ -		Per Year
Power Cords				
CA06R-1413-0001	AC Power Cord, North America C14 style plug (IEC60320) to C13 style coupler (IEC60320),17AWG,10A,250V, 70C. Cost is included in the price of the unit.	\$ -	1 Week	
CA06R-1513-0001	AC Power Cord, North America NEMA 5-15 compliant plug to C13 style coupler (IEC60320),18AWG,10A,250V, 70C. Cost is included in the price of the unit.	\$ -	1 Week	
GNSS Antennas and Accessories				
GNSS Antennas and Mounts				

Product Code	Product Description	List Price	Current Lead Time	Warranty
8230	GPS/GNSS Outdoor Antenna supporting GPS L1, GLONASS L1, BeiDou B1, Galileo E1, and QZSS L1, with L-bracket for vent pipe/pole mounting via metal straps (included). Compatible with CA01-0N0N, CAL7XXX or CALP7XXX cables.	\$ 270	1 Week	1 Year
8230AJ	GPS/GNSS Passive, Horizon Blocking Anti-Jam Outdoor Antenna supporting GPS L1, GLONASS L1, BeiDou B1, Galileo E1, and QZSS L1, with L-bracket for vent pipe/pole mounting via metal straps (included). Compatible with CA01-0N0N, CAL7XXX or CALP7XXX cables.	\$ 1,050	4 Weeks	1 Year
8235	1" schedule 40 PVC pipe for mounting 8230 antenna, 48.9 cm / 19.25 inches long, supplied with hose clamps for mounting to a roof top vent or post; compatible with 8213 antenna mount for flat roof	\$ 78	1 Week	NA
8213	GPS Antenna Mount for Flat Roof, mounts GPS outdoor antenna attached to a post for a flat roof (includes sand ballast).	\$ 78	8 Weeks	1 Year
1142-0000-5001	Outdoor antenna connector weatherproofing kit, with weather-proofing wrap, vinyl electrical tape and instructions.	\$ 103	1 Week	1 Year
ANT-KT	Rugged Post Mount Kit compatible with 8230 and ANT-35.	\$ 102	2 Weeks	1 Year
Surge Suppressor (highly recommended)				
8226	GPS Surge protector, highly recommended for all outdoor GPS antenna installations. Includes MP10-0000-0002 Mounting Bracket. Compatible with cable with Type N connectors. Recommended to purchase 2 GPS antenna cables to and from 8226.	\$ 280	1 Week	1 Year
8226-0002-0600	Grounding Kit for Model 8226 Surge Protector. Kit contains a copper grounding plate on melamine covered particle board, mounting hardware, hardware to secure protective devices to the copper plate, 20 feet of 1.5 inch wide copper strap, two strap clamps, 10 feet of #4 AWG ground wire, ground clamp, #4 lug and copper paste.	\$ 410	2 Weeks	1 Year
Solutions for long antenna runs (longer than 400 ft)				
8227	GPS antenna inline amplifier extends the normal range of GPS RF antenna cable. >20 dB gain (typ 24 dB) for L1/L2 (1.1-1.7 GHz). Type N connectors. Includes 5' of jumper coax cable.	\$ 870	1 Week	1 Year
1201-KIT-RF1-DUC	The down-up converter antenna link offers long runs between the GPS antenna and a GPS master clock up to 1,500 ft of RG58 coaxial cable. Includes GPS antenna/down converter assembly, up converter with power supply (USA plug type), surge protector (TNC-TNC) and cable adapters. Three lengths of coaxial cable required and provided by others (RG-58 from antenna to surge protector, RG-58 from surge protector to up-converter, and from up-converter to GPS receiver - LMR400 equivalent recommended).	\$ 3,090	4 Weeks	1 Year
1201-KIT-FIB2-C	Fiber optic singlemode antenna link offers electrical isolation, signal strength and long runs between the GNSS antenna and a GNSS master clock. The kit includes fiber link transmitter, receiver, power supplies, and adapter cables. Order two AC power cords as no charge items.	\$ 4,330	4 Weeks	1 Year
GNSS RF Splitters				
8224-20000	Passive GPS RF splitter, one input, two output power divider for L1 and L2. DC blocked from RF outputs to antenna input. Type N connectors on all ports.	\$ 550	2 Weeks	1 Year
8224-20051	Passive GPS RF splitter, one input, two output power divider for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by customer. Mating power connector supplied. Type N connectors on all ports.	\$ 760	2 Weeks	1 Year
8224-20052	Passive GPS RF splitter, one input, two output power divider for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by an included 110VAC transformer. Type N connectors on all ports.	\$ 840	2 Weeks	1 Year
8224-20053	Passive GPS RF splitter, one input, two output power divider for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by an included 220VAC transformer (EU plug type). Type N connectors on all ports.	\$ 840	2 Weeks	1 Year
8224-20151	Active GPS RF splitter, one input, two output amplifier for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by customer. Mating power connector supplied. Type N connectors on all ports.	\$ 970	2 Weeks	1 Year
8224-20152	Active GPS RF splitter, one input, two output amplifier for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by an included 110VAC transformer. Type N connectors on all ports.	\$ 970	2 Weeks	1 Year

Product Code	Product Description	List Price	Current Lead Time	Warranty
8224-20153	Active GPS RF splitter, one input, two output amplifier for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by an included 220VAC transformer (EU plug type). Type N connectors on all ports.	\$ 970	2 Weeks	1 Year
8224-20154	Active GPS RF splitter, one input, two output amplifier for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by an included 240VAC transformer (UK plug type). Type N connectors on all ports.	\$ 970	2 Weeks	1 Year
8224-21050	Passive GPS RF splitter, one input, two output power divider for L1 and L2. DC pass from one RF output to antenna input. Type N connectors on all ports.	\$ 550	2 Weeks	1 Year
8224-21150	Active GPS RF splitter, one input, two output amplifier for L1 and L2. DC pass from one RF output to antenna input. Type N connectors on all ports.	\$ 840	2 Weeks	1 Year
8224-40000	Passive GPS RF splitter, one input, four output power divider for L1 and L2. DC blocked from RF outputs to antenna input. Type N connectors on all ports.	\$ 760	2 Weeks	1 Year
8224-40052	Passive GPS RF splitter, one input, four output power divider for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by an included 110VAC transformer. Type N connectors on all ports.	\$ 1,080	2 Weeks	1 Year
8224-40053	Passive GPS RF splitter, one input, four output power divider for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by an included 220VAC transformer (EU plug type). Type N connectors on all ports.	\$ 1,080	2 Weeks	1 Year
8224-40151	Active GPS RF splitter, one input, four output amplifier for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by customer. Mating power connector supplied. Type N connectors on all ports.	\$ 1,190	2 Weeks	1 Year
8224-40152	Active GPS RF splitter, one input, four output amplifier for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by an included 110VAC transformer. Type N connectors on all ports.	\$ 1,210	2 Weeks	1 Year
8224-40153	Active GPS RF splitter, one input, four output amplifier for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by an included 220VAC transformer (EU plug type). Type N connectors on all ports.	\$ 1,190	2 Weeks	1 Year
8224-40154	Active GPS RF splitter, one input, four output amplifier for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by an included 240VAC transformer (UK plug type). Type N connectors on all ports.	\$ 1,190	2 Weeks	1 Year
8224-41050	Passive GPS RF splitter, one input, four output power divider for L1 and L2. DC pass from one RF output to antenna input. Type N connectors on all ports.	\$ 760	2 Weeks	1 Year
8224-41150	Active GPS RF splitter, one input, four output amplifier for L1 and L2. DC pass from one RF output to antenna input. Type N connectors on all ports.	\$ 980	2 Weeks	1 Year
8224-80152	Active GPS RF splitter, one input, eight output amplifier for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by an included 110VAC transformer. High isolation option. Type N connectors on all ports.	\$ 2,870	2 Weeks	1 Year
8224-80154	Active GPS RF splitter, one input, eight output amplifier for L1 and L2. DC blocked from RF outputs to antenna input. 5VDC provided on antenna input. DC power input supplied by an included 240VAC transformer (UK plug type). High isolation option. Type N connectors on all ports.	\$ 2,870	2 Weeks	1 Year
LMR-400 equivalent cables and connector adapters				
CA01-0N0N-3005	GPS 5 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 72	2 Weeks	1 Year
CA01-0N0N-3010	GPS 10 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 98	2 Weeks	1 Year
CA01-0N0N-3025	GPS 25 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 160	2 Weeks	1 Year
CA01-0N0N-3050	GPS 50 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 250	2 Weeks	1 Year
CA01-0N0N-3075	GPS 75 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 340	2 Weeks	1 Year
CA01-0N0N-3100	GPS 100 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 410	2 Weeks	1 Year
CA01-0N0N-3125	GPS 125 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 460	2 Weeks	1 Year
CA01-0N0N-3150	GPS 150 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 520	2 Weeks	1 Year
CA01-0N0N-3175	GPS 175 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 570	2 Weeks	1 Year
CA01-0N0N-3200	GPS 200 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 620	2 Weeks	1 Year

Product Code	Product Description	List Price	Current Lead Time	Warranty
CA01-0N0N-3225	GPS 225 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 670	2 Weeks	1 Year
CA01-0N0N-3250	GPS 250 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 740	2 Weeks	1 Year
CA01-0N0N-3275	GPS 275 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 790	2 Weeks	1 Year
CA01-0N0N-3300	GPS 300 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 840	2 Weeks	1 Year
CA01-0N0N-3325	GPS 325 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 930	4 Weeks	1 Year
CA01-0N0N-3350	GPS 350 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 1,010	4 Weeks	1 Year
CA01-0N0N-3375	GPS 375 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 1,090	4 Weeks	1 Year
CA01-0N0N-3400	GPS 400 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 1,180	4 Weeks	1 Year
CA01-0N0N-3xxx	Coax Antenna Cable Terminated With Type N Connectors. Calculate price: USD domestic: \$150 + \$3.5/ft; USD export: \$165 + \$3.85/ft; GBP: £100 + £2.35/ft; EUR: 120? + 2.75?/ft	\$ -	5 Weeks	1 Year
CA01-0N0N-6050	GPS 50 ft. Plenum-rated Coax Antenna Cable Terminated With Type N Connectors.	\$ 620	4 Weeks	2 Year
CA01-0N0N-6100	GPS 100 ft. Plenum-rated Coax Antenna Cable Terminated With Type N Connectors.	\$ 1,040	4 Weeks	1 Year
CA01-0N0N-6150	GPS 150 ft. Plenum-rated Coax Antenna Cable Terminated With Type N Connectors.	\$ 1,580	4 Weeks	1 Year
CA01-0N0N-6200	GPS 200 ft. Plenum-rated Coax Antenna Cable Terminated With Type N Connectors.	\$ 2,220	4 Weeks	1 Year
CA01-0N0N-6xxx	GPS Plenum-rated Antenna Cable Terminated With Type N Connectors. Calculate price: USD domestic: \$150 + \$9.50/ft.; USD export \$165 + \$10.45/ft.; GBP: £100 + £6.4/ft; EUR: 120? + 7.4?/ft	\$ -	5 Weeks	1 Year
CA01-0N0N-9050	Watertight GPS 50 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 400	4 Weeks	1 Year
CA01-0N0N-9100	Watertight GPS 100 ft. Coax Antenna Cable Terminated With Type N Connectors.	\$ 480	4 Weeks	1 Year
67022	ADAPTER, N (F) - N (F)	\$ 35	1 Week	1 Year
CP01R-0001-5004	BNC-to-SMA Female-to-Male Connector.	\$ 23	1 Week	1 Year
CP08R-0014-5001	BNC-to-MCX Female-to-Male Connector.	\$ 51	1 Week	1 Year

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanTG.com](https://www.artisanTG.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanTG.com | [artisanTG.com](https://www.artisanTG.com)

