
Analog General Purpose Water Bath



Limited Availability
Used and in Good Condition

Open Web Page

https://www.artisantg.com/59812-5



- We buy your excess, underutilized, and idle equipment
- · Full-service, independent repair center



Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisantg.com | artisantg.com

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

In stock / Ready-to-ship

Critical and expedited services

Precision Analog General Purpose Water Baths

Precision® offers the broadest range of bath sizes and models, set-it-and-forget-it accuracy, faster heat-up to temperature and easy calibration. Only Precision still offers -at no extra charge - all steel construction, a gable cover and diffuser shelf.

Product Detail

These baths are available in eight different sizes, from 1.5 to 43 liters. They feature a temperature range from ambient + 5°C to 99.9°C, with temperature uniformity as tight as \pm 0.2°C at 37°C. All bath sizes are available with analog temperature control. The baths are extremely easy to use and maintain. Temperature setpoint is easily adjusted or programmed from the front mounted control panel. The one-piece stainless steel interior, along with the tough epoxy-polyester powder coated exterior make clean-up a breeze!

Standard features include:

Easy to maintain seamless stainless steel interior chamber and epoxy powder coated exterior resist corrosion and chemical damage.

Free stainless steel gable cover and diffuser shelf, all baths except Models 181

Models 181 have a polypropylene gable cover.

Free thermometer

Eight sizes: choose chamber capacities ranging from 1.5 to 43 liters.

Over-temperature safety circuitry prevents thermal runaway.

Front mounted controls simplify operation.

Precision Analog General Purpose Water Baths

Product#	Price	Description	Bath Pan Capacity (gallon/liters)	Voltage
51221070	-	Model 180	0.4/1.5	120V-60Hz
51221071	-	Model 180	0.4/1.5	230V- 50/60Hz
51221064	-	Model 181	0.7/2.5	120V-60Hz
51221211	-	Model 181	0.7/2.5	230V-50/60Hz
51221073	-	Model 182	1.5/5.5	120V-60Hz
51221068	-	Model 182	1.5/5.5	230V-50/60Hz
51221060	-	Model 183	3.2/12	120V-60Hz
51221062	-	Model 183	3.2/12	230V-50/60Hz
51221075	-	Model 184	5.2/19.5	120V/60Hz
51221069	-	Model 184	5.2/19.5	230V-50/60Hz
51221065	-	Model 185	4.9/18	120V/60Hz
51221066	-	Model 185	4.9/18	230V - 50/60Hz
51221072	-	Model 186	11.4/43	120V/60Hz
51221074	-	Model 186	11.4/43	230V/50-60Hz
51221061	-	Model 188 (Dual Chamber)	2x 3.2/12	120V/60Hz
51221063	-	Model 188 (Dual Chamber)	2 x 3.2/12	230V-60Hz

^{**} UL Listed (120V) and CE Marked (230V)

	1			
Specifications:				
Temperature Control:	Analog			
Temperature display :	Thermometer			
Maximum temperature (with gable cover):				
180 model: :	95.0°C			
All other models: :	99.9°C			
Temperature uniformity:	± 0.2°C at 37°C			
Temperature sensitivity:	± 0.1°C at 37°C			
Bath pan dimensions (L x W x H):				
Model 180 :	6 x 11.5 x 2 in. / 15.2 x 29.2 x 5.1 cm			
Model 181:	6 x 5 x 6 in. / 15.2 x 12.7 x 16.2 cm			
Model 182:	11.5 x 6 x 6 in. / 29.2 x 15.2 x 15.2 cm			
Model 183:	11.5 x 12.5 x 6 in. / 29.2 x 31.7 x 15.2 cm			
Model 184:	14 x 12 x 8 in. / 35.6 x 30.5 x 20.3 cm			
Model 185:	19.5 x 11.5 x 6 in. / 49.5 x 29.2 x 15.2 cm			
Model 186:	16 x 28 x 6.5 in. / 40.6 x 71.1 x 16.5 cm			
Model 188 (Dual chamber, each chamber):	11.5 x 12.5 x 6 in. / 29.2 x 31.7 x 15.2 cm			

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at artisantg.com for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today? (217) 352-9330 | sales@artisantg.com | artisantg.com

