

Greenspring CPCI-200B-BP
IndustryPack Carrier Board



In Stock

Used and in Excellent Condition

Open Web Page

<https://www.artisanng.com/73766-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

CPCI-200A

Four Slot IndustryPack Carrier for CompactPCI

Application Information

The CPCI-200A IndustryPack carrier board provides four IndustryPack slots on 6U CompactPCI card. Two versions are available: the CPCI-200A-FP provides shielded 50-pin SCSI2-style front panel connectors for IndustryPack I/O; the CPCI-200A-BP provides IndustryPack I/O via the CompactPCI J4 and J5 connectors. Rear-panel transition modules, the BIO-3 and BIO-4 are available.

The CPCI-200A provides an IndustryPack clock that is software-selectable between 8 and 32 MHz on a per-slot basis. The standard 8 MB memory space is available for each IndustryPack site. High speed 32-bit PCI host address space permits desirable linear mapping and fixed address partitions of memory, I/O and ID spaces for each IndustryPack module.

The CPCI-200A uses a PLX PCI9080 controller as the PCI bus interface chip and Altera FPGA logic, which provides fully configurable PCI interrupt vector space. The PCI bus interface automatically handles 3.3 V or 5.0 V signalling levels.

The CPCI-200A meets the PCI specification and conforms to the VITA-4 IndustryPack Logic Interface Specification. This guarantees compatibility with a wide range of IndustryPacks.

Features

- Four IndustryPack slots on a 6U CompactPCI board
- I/O via four 50-pin SCSI2-style shielded connectors (-FP version)
- I/O via CompactPCI backplane J4 and J5 connectors (-BP version)
- Switchable 8/32 MHz IndustryPack bus for each slot
- Four LEDs for IndustryPack access and four for power monitors on PCB
- Filtered power rails and resettable fuses
- Interrupt acknowledge space for retrieving IndustryPack vectors
- Reduced memory-map version available by special order

Specifications

Form Factor	6U CompactPCI
PCI	PCI Specification, Revision 2.1
PCI Controller	PLX PCI9080
Number of IndustryPack Slots	Four Supports up to two double-wide IndustryPacks
IndustryPack Bus Clock	Switchable 8/32 MHz per IndustryPack slot
IndustryPack Features Supported	I/O space, ID space, memory space, interrupt acknowledge cycles
IndustryPack Memory Size	8 Mbytes per IndustryPack*
Carrier Board Memory Space	64 Mbytes*
IndustryPack Interrupts Supported	Int0* and Int1* for each slot
PCI Bus Interrupts Generated	INTA# only
I/O Access	-FP: One SCSI2-style shielded connector per IndustryPack on front panel -BP: Via CompactPCI J4 and J5
Indicators	One green LED per slot for CPU access on PCB One amber LED per slot for power monitor on PCB
Fuses	Resettable 2.5A @ 20° C for 5 VDC Resettable 2.0A @ 20° C for +/-12 VDC
Dimensions	160 mm x 233 mm
Weight	0.32 kg (0.71 lb)
Power Requirements	+5V VDC, 250 mA typ +12 V DC, 10 mA typ -12 V DC, 10 mA typ Extra power required for IndustryPack modules
Environmental	Operating temperature: 0 to 70°C Humidity: 5 to 95% non-condensing Storage: -40 to +85°C

*A reduced memory map version of the CPCI-200A is available by special order. Contact sales for more information.

Order Information

CPCI-200A-FP	Four slot 6U CompactPCI IndustryPack with front panel I/O
CPCI-200A-BP	Four slot 6U CompactPCI IndustryPack with rear panel I/O
EK-CPCI-200A-FP	Engineering Kit for CPCI-200A-FP. Contains: Printed hardware user manual Floppy disk containing: SDpacK SDK for Windows NT Driver software license agreement Floppy disk containing: Example PCI programming code Bill of materials Assembly drawing Circuit schematic PLX PCI9080 data sheet
EK-CPCI-200A-BP	Engineering Kit for CPCI-200A-BP. Contains: Printed hardware user manual Floppy disk containing: SDpacK SDK for Windows NT Driver software license agreement Floppy disk containing: Example PCI programming code Bill of materials Assembly drawing Circuit schematic PLX PCI9080 data sheet

Associated Products

CPCI-100A-FP	Two slot 3U CompactPCI IndustryPack with front panel I/O
CPCI-100A-BP	Two slot 3U CompactPCI IndustryPack with rear panel I/O
BIO-3	CompactPCI rear panel transition module for CPCI-200A-BP with ribbon headers
BIO-4	CompactPCI rear panel transition module for CPCI-200A-BP for IEEE 1011.11 back panel
C-HD50M-HD50M	Six foot cable HD50 male to HD50 male
IP-TERM-HD50	50-pin screw terminal block with HD50 female



181 Constitution Drive, Menlo Park, California 94025
(650) 327-1200 • sales@greenspring.com • www.sbs.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanTG.com](https://www.artisanTG.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanTG.com | [artisanTG.com](https://www.artisanTG.com)

