

AEG LS07
Mini-Contactor



© Artisan Technology Group

**Limited Availability
Used and in Excellent Condition**

Open Web Page

<https://www.artisanng.com/98090-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group


(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship
- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.



MINI-CONTACTORS TYPE LS07

AEG

POSITIVE GUIDED TYPE SH04 RELAYS AND TYPE LS07 CONTACTORS

Certified as Positive Guided
AEG Relays and Contactors

1. Independent Test Lab Certified per IEC 947-5-1
2. 100% Quality Tested per IEC 947-5-1

H.P. RATING					AMPS (OPEN) Resistive	Cat. No.	OPEN LIST	TYPE M1 NEMA1 LIST	TYPE 4X ▶ LIST	Auxiliary Contacts	
1 Phase		3 Phase								NO	NC
115V	230V	208V	230V	460V							
AC OPERATED MINI CONTACTOR TYPE LS07					16A 16A	LS07.10- LS07.01- LS07.22 LS07.40	-★0 \$36 -★0 36 -★0 36 -★0 36	-★1 \$105 -★1 105	-★4X \$128 -★4X 128	1 -	- 1
With Pressure Wire Screw Terminals											
1	2	3	3	3							
1	2	3	3	3							
With Flat Plug (Spade) Connectors											
1	2	3	3	3							
1	2	3	3	3							
CONTACT CODE		POWER N.O. N.C.		AUXILIARIES N.O. N.C.	SPADE CONNECTOR (Single or Double Spade) Check with factory for cost.						
LS07.10		3	-	1 -							
LS07.01		3	-	- 1							
LS07.22		2	2	- -							
LS07.40		4	-	- -							
DC OPERATED MINI CONTACTOR TYPE LS07					16A 16A	LS07.10- LS07.01-	-★0 \$46 -★0 46	★COIL VOLTAGE SUFFIX AC★ 60HZ 50HZ DC★ -A 120V 110V -MSW 12VDC -C 208/230V 220V -NSW 24VDC -D 380V -OSW 48VDC -E 480V 440V -PSW 120VDC -G 24V 22V -RSW 220VDC + \$10 LIST for DC Coil • SW Single Winding DC Power Plant			
3 Pole Non-Reversing											
With Pressure Wire Screw Terminals											
1	2	3	3	3							
1	2	3	3	3							
With Flat Plug (Spade) Connectors											
1	2	3	3	3							
1	2	3	3	3							

▶ **TYPE 4X ENCLOSED STARTERS.** Type XLS starters are UL/CSA Listed starters enclosed in type 4X U.L. Listed enclosures. Type 4X enclosures are designed for outdoor/hose down/dust tight applications and are non-metal corrosion resistant.

DESCRIPTION

Minicontactor Type LS07, designed for motor control, and distinct *small* size. As such, they are recommended for space saving in industrial control, electronic control and distribution systems.

The Type LS07


Minicontactor has been proven dependable on both three phase and single

phase systems when controlling motor loads. LS07 is particularly recommended for metal and woodworking machines, for textile and construction machinery and other commercial and industrial applications.


Other loads for minicontactors are resistive, such as heating and lighting circuits, or inductive loads repre-

sented by solenoid valves and clutch couplings.

CONTACT CONFIGURATION



10 E
Type LS 07.10



01 E
Type LS 07.01

For TYPE LS05 - MINI Contactor, 20 Amp 600V, see LS05 Miniature Contactor System.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanng.com](https://www.artisanng.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanng.com | [artisanng.com](https://www.artisanng.com)

