

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.


Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Thermo / Kendro / Sorvall GSA* at our website: ***Click HERE***



GSA

Aluminum Rotor
6-Place, 250 ml
Tube Dimensions: 61 × 153 mm
Fixed-Angle: 28°
Maximum Speed: 13,000 rpm
K Factor: 2023
Rotor Mass: 14.9 kg
Autoclavable: 121°C

	RCF (*g*)	R (cm)
Max.	27,485	14.56
Min.	—	3.77

		RC-28S	RC-26 *Plus*	RC-24[1]	RC-5C *Plus* RC-5C[1]	RC-5B *Plus* RC-5B[1] RC-5[1]	RC-2B[1] RC-2[1]	SS-3[1] SS-4[1]	RC-3B[1] RC-3B *Plus* RC-3C[1] RC-3C *Plus*
GSA	**Max Speed (rpm)**	13,000	13,000	13,000	13,000	13,000	13,000	9,000	—
	Max RCF (*g*)	27,485	27,485	27,485	27,485	27,485	27,485	13,173	—

Catalog No. 08136

Includes:
- GSA Rotor
- Rotor Cover Assembly **08130**
- Cover O-ring **60356**
- Rotor Extractor **01047**
- Instruction Manual **28505**

B-2

TUBES, BOTTLES

CAPACITY (ml)			MAX	DIMEN-	TUBE	SEALING ASSEMBLY*		ADAPTER REQ'D		
NOM-INAL	FILL	DESCRIPTION	SPEED (rpm)	SIONS (mm)	CAT. NO. (Qty/Pkg)	CAT. NO. (Qty/Pkg)	DESCRIPTION	CAT. NO. (Qty/Pkg)	NO. OF PLACES	NOTES
315	315	Stainless Steel Bottle	13,000	61 × 153	**00522** (1)	**00518** (1)	Stainless Steel, Sealing	—	—	Requires Wrench **01014**.
285	285	Stainless Steel Bottle	13,000	61 × 140	**00530** (1)	Included with Bottle	Stainless Steel, Sealing	—	—	
250	200	Polyallomer Oak Ridge Bottle	13,000	60 × 20	**54477** (6)	**54421** (1)	Delrin® Screw Cap	**00516** (1) **12002** (1)	1 1	
250	250	Polypropylene Oak Ridge Bottle	13,000	61 × 124	**03937** (12)	**03278** (12)	Polypropylene, Sealing	**00516** (1)	1	Nonsealing Cap **03927** (12/pkg) available.
250	265	Polycarbonate Oak Ridge Bottle	13,000	61 × 124	**03939** (12)	**03278** (12)	Polypropylene, Sealing	**00516** (1)	1	Nonsealing Cap **03927** (12/pkg) available.
250	280	Polypropylene DRY-SPIN	13,000	61 × 146	**03069** (12)	Included with Bottle	Polypropylene, Sealing	**00516** (1)	1	Replacement O-rings for sealing assembly **03545** (24/pkg). Replacement caps **06841** (12/pkg).
250	270	Polycarbonate DRY-SPIN	13,000	61 × 146	**03098** (12)	Included with Bottle	Polypropylene, Sealing	**00516** (1)	1	Replacement O-rings for sealing assembly **03545** (24/pkg). Replacement caps **06841** (12/pkg).
200	—	Stainless Steel Tube	13,000	61 × 124	**00521** (1)	—	—	—	—	
150	144	Polycarbonate Thick-Walled Tube	13,000	45 × 132	**03143** (25)	—	—	**00458** (1)	1	

(continued on next page)

(1)Instrument no longer available.

*Sealing Assembly replacement parts may be available. See section E for availablity.

All trademarks are the property of their respective owners.

TUBES, BOTTLES FOR GSA (continued)

CAPACITY (ml)			MAX SPEED (rpm)	DIMENSIONS (mm)	TUBE CAT. NO. (Qty/Pkg)	SEALING ASSEMBLY*		ADAPTER REQ'D		NOTES
NOMINAL	FILL	DESCRIPTION				CAT. NO. (Qty/Pkg)	DESCRIPTION	CAT. NO. (Qty/Pkg)	NO. OF PLACES	
150	120	Corex® Bottle	5,000	53 × 132	**03229** (1)	Included with Bottle	Polypropylene, Nonsealing	**00372** (1)	1	Bottle no longer available
125	100	Corex® Bottle	5,000	53 × 118	**03231** (1)	Included with Bottle	Polypropylene, Nonsealing	**00372** (1)	1	Bottle no longer available
100	100	Pyrex® Bottle	3,000	44 × 137	**03230** (1)	Included with Bottle	Polypropylene, Nonsealing	**00371** (1)	1	
50	—	Tissue Culture Tube, Conical	—	30 × 115	—	—	—	**03072** (1)	1	
35	—	Polyallomer Nalgene® Conical Oak Ridge Tube	—	29 × 105	—	—	—	**03072** (1)	1	
35	—	Polycarbonate Nalgene® Conical Oak Ridge Tube	—	29 × 105	—	—	—	**03072** (1)	1	
30	31	Corex® Tube	10,000	24 × 105	**03163** (10)	—	—	**00449** (1)	3	Bottle no longer available
15	—	Tissue Culture Tube, Conical	—	17 × 120	—	—	—	**00456** (1)	5	
14	14	Pyrex® Tube	5,000	18 × 120	**03111** (50)	—	—	**00456** (1)	5	
12	10	Polypropylene Flanged Tube	13,000	16 × 100	**03116** (50)	**03266** (50)	Polypropylene, Snap-on	**00389** (1)	7	
12	11	Polycarbonate Flanged Tube	13,000	16 × 100	**03115** (50)	**03266** (50)	Polypropylene, Snap-on	**00389** (1)	7	
10	8	Pyrex® Tube	—	13 × 100	—	—	—	**00369** (1) in **00456** (1)	1 5	Adapters **00369** and **00456** must be used together.
5	—	Standard Glass Tube	5,000	12 × 75	—	—	—	**00388** (1)	12	
5	5	Pyrex® Tube	5,000	12 × 75	**03102** (50)	—	—	**00388** (1)	12	
4	—	Standard Glass Tube	—	10 × 75	—	—	—	**00388** (1)	12	
4	3	Polypropylene Flanged Tube	13,000	11 × 75	**03105** (50)	**03264** (50)	Polypropylene, Snap-on	**00388** (1)	12	
4	3	Polycarbonate Flanged Tube	13,000	11 × 75	**03104** (50)	**03264** (50)	Polypropylene, Snap-on	**00388** (1)	12	
3	3	Pyrex® Tube	5,000	10 × 75	**03100** (50)	—	—	**00370** (1) in **00456** (1)	1 5	Adapters **00370** and **00456** must be used together.

*Sealing Assembly replacement parts may be available. See section E for availablity.

All trademarks are the property of their respective owners.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP