

Thermo 3000P  
**High-Voltage Power Supply**



**Limited Availability  
Used and in Excellent Condition**

**Open Web Page**

<https://www.artisanth.com/67604-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source  
for quality pre-owned  
equipment.

**Artisan Technology Group**

(217) 352-9330 | [sales@artisanth.com](mailto:sales@artisanth.com) | [artisanth.com](http://artisanth.com)

- Critical and expedited services
- In stock / Ready-to-ship
- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

# 3000P High Voltage Power Supply

## Features

- Suitable for submarine electrophoresis, SDS page, DNA sequencing and multiple step IEF
- All models offer constant voltage, constant current and constant power operating modes, with automatic cross-over
- Four output connectors allow multiple chambers to be run simultaneously
- All models feature an auto restart function in case of temporary power interruption

## Programmable Power Supplies

- Allows up to 20 programs to be stored, each having up to 10 different steps
- "Smart Key" programming eliminates confusion and the need to refer to the operating manual



**3000P High Voltage Power Supply**

## Specifications

<b>Model</b>	<b>3000P</b>
<b>Maximum Voltage</b>	3000 V
<b>Maximum Current</b>	300 mA
<b>Maximum Power</b>	300 W
<b>Output Modes</b>	Constant power, constant voltage or constant current with automatic cross-over
<b>Regulation</b>	1%
<b>Accuracy</b>	±1.5% full scale for each display.
<b>Output Terminals</b>	Four recessed sets of 4 mm sockets (female)
<b>Auto-Restart Function</b>	Yes
<b>Safety Features</b>	Ground Leakage Detection, No Load Detection, Overcurrent Detection, Overheating Detection
<b>Dimensions W x D x H</b>	320 x 310 x 158 mm
<b>Weight (net)</b>	5.46 Kgs
<b>Programming</b>	
Max Programs	20
Max Steps/Programs	10
<b>Timer</b>	00.00 - 99.59
<b>Volt-hour Integrator</b>	999,999 V-H maximum
<b>mA-hour Integrator</b>	99,999 mA-H maximum
<b>W-hour Integrator</b>	99,999 W-H maximum
<b>Catalog Number</b>	
115 V	3000PECA-115
230 V	3000PECA-LVD

# MicroAmp Adapter

Today's Isoelectric Focusing experiments require extremely low current to run. The microamp adapter is designed to enable our high voltage power supplies to operate at a current less than 2mA.

## Specifications

	<b>MicroAmp Adapter</b>
<b>Voltage</b>	4KV DC
<b>Current</b>	2mA
<b>Resistance</b>	3M Ohms
<b>Catalog Number</b>	
115 V 60 Hz	159-1700-00
230 V 50 Hz	159-1710-00



MicroAmp Adapter

# Artisan Technology Group is an independent supplier of quality pre-owned equipment

## Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

## Learn more!

Visit us at [artisanTG.com](https://www.artisanTG.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

**We're here to make your life easier. How can we help you today?**

(217) 352-9330 | [sales@artisanTG.com](mailto:sales@artisanTG.com) | [artisanTG.com](https://www.artisanTG.com)

