

Revco ULT1386-5-A31

Elite 379L Ultra-Low Temperature Freezer



In Stock

Used and in Excellent Condition

Open Web Page

<https://www.artisanng.com/66639-1>

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.



Your **definitive** source
for quality pre-owned
equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisanng.com | artisanng.com

- Critical and expedited services
- In stock / Ready-to-ship

- We buy your excess, underutilized, and idle equipment
- Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

Space Saving -86°C Ultra-Low Temperature Freezers

Our Thermo Scientific Revco 379 L (13.4 cu. ft.) upright freezers are precision-engineered to provide reliable, user-friendly operation and the safe, protected ultra-low temperature environment your precious samples require.



Ultima II – for critical storage needs

Our Ultima II control features an intuitive microprocessor control system that offers 4 – 20 milliamp output option for remote temperature monitoring capabilities, as well as dry contacts for remote alarm monitoring.

- Exclusive Thermo Scientific IntrLogic microprocessor control system with touchpad data entry and digital display of all functions
- A.I.M. (Automatic Incident Monitor) identifies any temperature deviation beyond alarm setpoints, with rapid flash for current event, slow flash if event was self-corrected; A.I.M. archives most deviated temperature
- Lifeguard compressor protection monitors performance and automatically adjusts to internal and external conditions, extending compressor life, further protecting precious samples

Elite – high performance and safety standards

Our Elite control incorporates an easy-to-use, solid-state control system with dry contacts for remote alarm monitoring.

- Digital temperature display
- Key-operated main power switch
- Integrated overtemperature safety alarm with battery back-up and audible warning of temperature deviation

Value –cost-effective for non-critical storage

Our Value freezers feature rugged cabinet construction and a reliable solid-state control for basic but dependable operation.

- Digital temperature display
- Key-operated main power switch
- Integrated overtemperature safety alarm with battery back-up and audible

Thermo Scientific Revco 379L (13.4 cu. ft.) -86°C Freezers Specifications

Temperature Range -50°C to -86°C

Model No.	Capacity cu. ft. (L)	Electrical	Amps/Breaker (Plug)	Interior Dimensions H x W x D inches (mm)	Exterior Dimensions H x W x D inches (mm)	Shipping Weight lbs (kg)
ULT-1386-9-A (Ultima II)	13.4 (379)	115V/60Hz 1Ø	16/20 (NEMA 5-20 plug)	50.5 x 23.5 x 19.5 (1283 x 597 x 495)	77.5 x 37.1 x 31.3 (1969 x 942 x 795)	297 (655)
ULT-1386-9-D (Ultima II)		208-230V/50Hz 1Ø	12/15 (NEMA 6-15 plug)			
ULT-1386-9-V (Ultima II)		230V/50Hz 1Ø	12/16 (European plug)			
ULT-1386-9-W (Ultima II)		230V/50Hz 1Ø	12/13 (British plug)			
ULT-1386-5-A (Elite)	13.4 (379)	115V/60Hz 1Ø	16/20 (NEMA 5-20 plug)	50.5 x 23.5 x 19.5 (1283 x 597 x 495)	77.5 x 37.1 x 31.3 (1969 x 942 x 795)	297 (655)
ULT-1386-5-D (Elite)		208-230V/50Hz 1Ø	12/15 (NEMA 6-15 plug)			
ULT-1386-5-V (Elite)		230V/50Hz 1Ø	12/16 (European plug)			
ULT-1386-5-W (Elite)		230V/50Hz 1Ø	12/13 (British plug)			
ULT-1386-3-A (Value)	13.4 (379)	115V/60Hz 1Ø	16/20 (NEMA 5-20 plug)	50.5 x 23.5 x 19.5 (1283 x 597 x 495)	77.5 x 37.1 x 31.3 (1969 x 942 x 795)	297 (655)
ULT-1386-3-D (Value)		208-230V/50Hz 1Ø	12/15 (NEMA 6-15 plug)			
ULT-1386-3-V (Value)		230V/50Hz 1Ø	12/16 (European plug)			
ULT-1386-3-W (Value)		230V/50Hz 1Ø	12/13 (British plug)			

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at [artisanth.com](https://www.artisanth.com) for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisanth.com | [artisanth.com](https://www.artisanth.com)

