### VXI Technology SMP5003 **General Purpose Relay**



In Stock

**New From Surplus Stock** 

**Open Web Page** 

https://www.artisantg.com/81878-13

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.

- Critical and expedited services · We buy your excess, underutilized, and idle equipment
- In stock / Ready-to-ship · Full-service, independent repair center



Your definitive source for quality pre-owned equipment.

**Artisan Technology Group** 

(217) 352-9330 | sales@artisantg.com | artisantg.com

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

# SMP5001/5002/5003



# **General Purpose 2 A Relays**

# **N** verview

These high-density basic switch modules are designed for general purpose switching where individual relays can be used to route signals to/from the units under test (UUT), or combined externally to form user-defined configurations. The latter approach allows the same switch module to be used for testing multiple UUTs by simply changing the configuration within a UUT-specific external adapter. Up to 480 individual SPST relays, 300 individual SPDT, or 156 SP4T relays can be accommodated in a double-slot VXIbus card (SMP1200) for maximum density.

### **Specifications**

Maximum Switching Voltage: 300 V ac, 300 V dc

**Maximum Switching Current:** 2 A

60 W dc, 125 VA Maximum Switching Power:

Path Resistance:  $<300 \text{ m}\Omega$ 

Insulation Resistance:  $>1x10^{9}\Omega$ 

**Maximum Thermal Offset** 

per Channel (HI-LO): <7 µV

Capacitance:

Open Channel: <50 pF Channel-Mainframe: <80 pF High-Low: <50 pF

Bandwidth (-3 dB): > 100 MHz

Insertion Loss:

100 kHz: <0.1 dB 1 MHz: <0.2 dB 10 MHz: <1.0 dB

Crosstalk:

100 kHz: <-80 dB 1 MHz: <-60 dB 10 MHz: <-40 dB

Isolation:


100 kHz: <-50 dB 1 MHz: <-45 dB 10 MHz: <-40 dB


**Rated Switch Operations:** 

Mechanical:  $1 \times 10^{7}$ 


Electrical: 5 x 105 at full load

**Switching Time:** <3ms





SMP5002 - 1 of 50 SPDT



SMP5003 - 1 of 26 SP4T

SMP5001 80 SPST 2 A Relays SMP5002 50 SPDT 2 A Relays SMP5003 26 SP4T 2 A Relays

> High Channel Counts - up to 480 SPST Relays in Two VXIbus Card

Can be Mixed and Matched to Create Application Specific Configurations

Ideal for General Purpose Switching

SPST Relays can be Paired to Configure 40 DPST Relays per SMP5001

SPDT Relays can be Paired to Configure 25 DPDT Relays per SMP5002

# Artisan Technology Group is an independent supplier of quality pre-owned equipment

### **Gold-standard solutions**

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

### Learn more!

Visit us at artisantg.com for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today? (217) 352-9330 | sales@artisantg.com | artisantg.com

