Wavetek LT 8600T **LAN Cable Tester**



Limited Availability Used and in Excellent Condition

Open Web Page

https://www.artisantg.com/71207-1

ARTISAN'

Your definitive source for quality pre-owned equipment.

Artisan Technology Group

(217) 352-9330 | sales@artisantg.com | artisantg.com

All trademarks, brandnames, and brands appearing herein are the property of their respective owners.

- Critical and expedited services
- In stock / Ready-to-ship

- · We buy your excess, underutilized, and idle equipment
- · Full-service, independent repair center

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

Most Advanced Instrument in the Wavetek Wandel Goltermann Family of LAN Cable Testers.



The LT 8600 is a 300 MHz Level III high-performance cable tester that exceeds the requirements for emerging CAT 6/Class E testing standards

The competitive nature of the cable installation market demands that you are prepared to complete testing activities for every type of network design. The LT 8600 allows you to perform all required tests, including tests for emerging CAT 6/Class E standards, helping you keep pace with new business opportunities.

Price/Performance

Price and performance go hand in hand in today's competitive market place. Wavetek Wandel Goltermann is committed to providing the most flexible testing capabilities to meet your needs.

Future Proof Your Equipment Investment

Wavetek Wandel Goltermann's Investment Protection program lets you use the LT 8600 for testing CAT 5/5e and draft CAT 6/Class E standards when you are ready.

Supported By The Best

In 1998, Wavetek Corporation and Wandel & Goltermann merged to become the world's second largest manufacturer and distributor of communications test equipment.

- Tests up to 300 MHz exceeding the requirement for emerging CAT 6/Class E standards.
- Performs all advanced Power
 Sum measurements up to 300 MHz.
- Supports up to 15 different tests individually or in a test suite.
- Supports identification of Distance-to-Fault.
- Options for single-mode and multimode fiber optic and talkset capabilities.
- LT-Record Manager software supports all record keeping, reporting and certification requirements.
- Easy-to-use button interface.
- Investment
 Protection Program
 allows you to
 upgrade to LT 8600.
- Backed by Wavetek Wandel Goltermann's world class customer service.



LT 8600 Specifications

Comprehensive Testing Capabilities For Today and Tomorrow.

SPECIF	I C A T	I O N S	T A B L E
Parameter	Range	Resolution	Accuracy
Length	0-1100 ft.	1 ft.	±(3%+3 ft.)
Delay	0-8000 ns	1 ns	±(3% + 1 ns)
Average Impedance	35-180 Ω	0.1 Ω	±(3% + 1 Ω)
Capacitance (Bulk)	0-100 nF	1 pF or 3 dig	±(2% + 20 pF)
Capacitance (per ft.)	0-100 pF/ft.	0.1 pF	±(2% + 1 pF)
DC Loop Resistance	0-200 Ω	0.1 Ω	±(1% + 2 Ω)
Attenuation	1-300 MHz 0 to limit (FEXT) +5dB	0.1 dB	Level III
NEXT	1-300 MHz 0 to limit (FEXT) +5dB	0.1 dB	Level III
Return Loss	1-300 MHz 0 to limit (FEXT) +5dB	0.1 dB	Level III
ELFEXT	1-300 MHz 0 to limit (FEXT) +5dB	0.1 dB	Level III

Wavetek Wandel Goltermann is the world leader in providing communications testers for telecom networks, enterprise networks, multimedia and wireless networks. Because of the new combined strength of Wavetek Wandel Goltermann, you can expect superior quality assurance and customer service from Wavetek Wandel Goltermann's family of LAN cable testers.



See Your WWG Distributor For a Free Cable Tester Demonstration Today.

The Only Cable Testers You'll Ever Need**

Your Local Representative:

© 1999 Wavetek Wandel Goltermann

SS11 9/99

ı	Storage Capacity:	1,500 Autotests		
ı	Test Standard	TIA/EIA 568A, TSB67, TSB95		
ı	Compliance:	CAT 5/5e, CAT 6 (draft), ISO 11801,		
		Class C, D & E (draft), AS/NZS		
		3080, IEEE 802.3 Ethernet,		
		IEEE 802.5 Token Ring,		
		EN50173, DIN 44312-1		
	Cable Types:	UTP/ScTP/FTP;		
		CAT 3/5/5E/6; ISO C/D/E		
		(Link & Channel)		
		IBM STP Type 1,2,6, Coax		
	Dimensions:	10" x 4.25" x 2.5"		
	(Display & Remote)	250mm x 108mm x 64mm		
	Weight:	1.75 lb (800g)-display		
		1.6 lb (728g)-remote		
	Battery Packs:	NiMH (rechargeable)		
	Typical Oper. Life (Battery): 8 hrs			
	Max. Operating Temp: 0°C - 50°C			
	Max. Storage Tem	Max. Storage Temp: -20°C to +70°C		
	Humidity:	5 - 90% noncondensing		

ACCESSORIES AND OPTIONS.

LT86SRA	Additional Remote Handset
LT8CHANNE	L Set of 2 Channel Link Adapters
LT8110	Set of 2 110-Block Adapters
LT8IBMA	Set of 2 Token-Ring Adapters
LT8COAXA	Kit Coaxial Adapters
LT8BTCHG12	20 120V dual-bay quick battery charger
LT8BTCHG24	40 240V dual-bay quick battery charger
LT8DCCA	Deluxe hard-shell carrying case
LT8TALKSET	Set of 2 earphone/microphone headsets
LT8BATTPAC	CK Extra NiMH battery
LT8KIT	Professional installer's kit
(Includes all	of above and (2) extra batteries)
FiberKit+850	Fiber optic cable test kit:
	Includes power meter and 850nm
	Multimode LED light source modules,
	ST adapters, user guide, and case
FiberKit+MM	1 Same as above except with Dual
	Wavelength 850nm/1300nm LED
	Light Source module
FiberKit+ALL	Includes all of +MM kit above, plus
	1310nm and 1550nm Single-Mode
	laser light source modules
542SP	Tone sensing speaker probe

Wavetek Wandel Goltermann **Sales Offices**

North & South America 9145 Balboa Avenue

San Diego, CA 92123, U.S.A. Tel: (1) 858-279-2955 Fax: (1) 858-565-9558 Toll free: (800) 854-2708

Germany
Tel: (49) 89-996-410 Fax: (49) 89-996-41160

Asia Tel: (61) 3 9690 6700

Fax: (61) 3 9690 6750 **United Kingdom** Tel: (44) 1603-256-600 Fax: (44) 1603-256-762

Web Site:

www.wwgsolutions.com

lansupport@wwgsolutions.com



Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at artisantg.com for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today? (217) 352-9330 | sales@artisantg.com | artisantg.com

