

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

**Artisan Technology Group**
(217) 352-9330 | sales@artisantg.com | artisantg.com

**Full-service, independent repair center**
with experienced engineers and technicians on staff.

**We buy your excess, underutilized, and idle equipment**
along with credit for buybacks and trade-ins.


**Custom engineering**
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

**Expert team | Trust guarantee | 100% satisfaction**

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Abaco Systems / Ramix PMC423* at our website: *Click HERE*




# PMC423

## *16 Port Serial Controller, Front and Rear I/O*

### Benefits

The PMC423 provides a uniquely effective solution for integrating serial I/O requirements into a VMEbus or CompactPCI system. Implemented on a single PMC card, the PMC423 is fully compatible with current generation VMEbus and CPCI Single Board Computers, as well as any special purpose processor that includes a PMC connector. In addition, card edge PCI systems can be accommodated using Abaco Systems' PMC239 adapter for rapid prototype and development.

Traditional single and multi-port Serial Interfaces place a high overhead on the host processor by requiring per-character-attention (i.e. each received and transmitted character generates interrupts and programmed I/O from the host.) Six features of the PMC423 remove this overhead:

- Data transfer in Byte, Word and Double-word, capable of Read/Write Burst
- FIFO buffers to avoid data overrun (64 Bytes on each port)
- Transmit and Receive FIFO Level Counters
- Automatic Xon/Xoff Software Flow Control
- Interrupt Source Register for all 16 ports
- RS485 Half-duplex Control with Selectable Delay

Each of the sixteen ports has individually programmable line drivers to set any of the most popular signaling types: RS232, RS422 and RS485 (full duplex & half duplex with termination or non-termination option). The signaling characteristics are set by software. Baud rate of each serial port is separately programmable. Supported rates are from 150bps to 6.25 Mbps. The PMC423 does not route the RTS/CTS and DTR/DSR signals to the I/O ports.

In addition, the PMC423 has two 16-bit general purpose Timer/Counters.

### External Connection

Depending on the application's requirements, the PMC423 offers both front and rear I/O. The front I/O is a high density 68-pin connector. The 68-pin connector mates with a separate cable to provide standard connection to 16 DB-9 male connectors (purchased separately). For applications that require rear I/O, the ports are wired to the J4 connector of the PMC423. Custom cables can be fabricated by Abaco Systems on request.

## FEATURES:

- 16 Port Serial Controller with two 16-bit Timer/Counters
- PMC/PCI Form Factor (66 MHz Capable)
- 16 ports routed to the front and rear
- Read/Write Burst Operation
- Baud Rate from 150bps - 6.25Mbps
- Software selectable RS232, RS422 & RS485 (Full Duplex & Half Duplex)
- All Ports Fully Independent (16C550 Compatible Registers)

abaco SYSTEMS

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

# PMC423 *16 Port Serial Controller, Front and Rear I/O*

## Specifications

**Serial Characteristics**
- Ports: RS485/RS422/RS232
- Port Routing: Front, 8 x serial ports via 68 pin SCSI

**Power Specifications**
- Power (Total): 4 watts
- @3.3 V: 0.6 amps
- @5 V: 0.4 amps

**MTBF**
- MIL 217-F Nav Shel 25 °C: 213,000 hours

**Form Factor**
- PMC Single Slot


**Temperature**
- Operating: 0 to +60 °C
- Storage: -40 to +85 °C

**Humidity**
- Operating: 5% to 95% noncondensing
- Storage: 5% to 95% noncondensing

**Conformal Coating**
- Optional

**PCI Bus Characteristics**
- Signaling +3 & +5 V
- Specification 2.2
- Speed 33/66 MHz
- Width 32 bits

## Block diagram




## Ordering information

| | |
|---|---|
| **PMC423** | |
| **PMC423** | PMC Serial Controller, 16-port Front or Rear I/O |
| **PMC423/IND** | PMC Serial Controller, 16-port Front or Rear I/O, Industrial Temperature |
| **06-2600001** | Serial cable with 16 DB-9 connectors for the PMC423 |

WE INNOVATE. WE DELIVER. YOU SUCCEED.

**Americas:** 866-OK-ABACO or +1-866-652-2226 **Asia & Oceania:** +81-3-5544-3973

**Europe, Africa, & Middle East:** +44 (0) 1327-359444

**Locate an Abaco Systems Sales Representative visit:** abaco.com/products/sales

**abaco.com** @AbacoSys

©2016 Abaco Systems. All Rights Reserved. All other brands, names or trademarks are property of their respective owners. Specifications are subject to change without notice.



Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

**Artisan Technology Group** is an independent supplier of quality pre-owned equipment

## Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

## Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP