ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Abaco Systems / VMIC VMICPCI-7456-x10* at our website: ***Click HERE***

VMICPCI-7456
EMC Hard Drive Assembly with Optional Floppy Drive

- One 3.5-inch IDE hard drive
- 3.5-inch 1.44 Mbyte floppy drive (optional)
- 2-slot 6U CompactPCI® front entry
- Type IV injector/extractor handles
- EMC front panel
- IDE, floppy, and power cables provided
- Does not utilize backplane
- IEEE 1101.1 compliant

INTRODUCTION — VMIC provides a 2-slot hard drive/floppy drive assembly for CompactPCI systems. The assembly includes a 2-slot 6U EMC front panel with a mounted hard drive, IDE cabling (may be used with VMIC's VMIACC-0559 transition board), and power cables. The floppy drive option provides cabling and mounted floppy drive.



SPECIFICATIONS

Dimensions: 2-slot CompactPCI standard double height Eurocard

User Connectors: 34-pin floppy drive connector, 40-pin IDE connector

Ambient Temperature:
All Disks: 5 to 50 °C, operating
Both Disks: 10 to 50 °C, operating
Storage: -40 to 60 °C
Rate: 20 °C per hr maximum

Humidity: 20 to 80 percent, noncondensing, maximum wet bulb 29 °C

Hard Drive Access Time:
Ordering Option A = 4 or 5:
Average Access Time: 14 ms
Average Latency: 6.67 ms

Ordering Option A = 6:
Average Access Time: <8.7 ms
Average Latency: 4.17 ms

Power Requirements: +5 V, 1.0 A maximum
+12 V, 1.2 A maximum

TRADEMARKS

The VMIC logo is a registered trademark of VMIC. CompactPCI is a registered trademark of PCI Industrial Computer Manufacturers' Group. Other registered trademarks are the property of their respective owners.

Ordering Options								
July 6, 2001 800-657456-000 B		A	B	C	–	D	E	F
VMICPCI-7456	–			0	–			

A = Density
0 = Reserved
1 = Reserved
2 = Reserved
3 = Reserved
4 = 10.2 Gbyte Hard Drive
5 = 13.0 Gbyte Hard Drive
6 = 40.0 Gbyte Hard Drive, ATA-100, 7,200 RPM

B = Floppy Option
0 = Floppy Not Included
1 = Floppy Drive Included

C = 0 (Option reserved for future use)

For Ordering Information, Call:
1-800-322-3616 or 1-256-880-0444 • FAX (256) 882-0859
E-mail: info@vmic.com Web Address: www.vmic.com
Copyright © February 1999 by VMIC
Specifications subject to change without notice.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP