

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

TEAC®

NEW
Product Information


DVD Super Multi Drive


DV-W28S-V

8x DVD±R **8x DVD+RW**
6x DVD±R DL **6x DVD−RW**

- Half inch height (12.7mm) standard design
- Buffer underrun Prevention
- Supporting disc-at-once, session-at-once, packet write, incremental, over write, track-at-once recording mode, sequential write, multi-session, and back ground format
- Horizontal and vertical mounting for most system configuration







DV-W28S-V93

(±0.4)
(Unit:mm)

Write Speed (Max Speed)	DVD+R		8x (CAV)
	DVD+R DL		6x (ZCLV)
	DVD-R		8x (CAV)
	DVD-R DL		6x (ZCLV)
	DVD+RW		8x (ZCLV)
	DVD-RW		6x (ZCLV)
	DVD-RAM		5x (ZCLV)
	CD-R		24x (CAV)
	CD-RW	US	24x (ZCLV)
		HS	10x (CLV)
		MS	4x (CLV)
Read Speed (Max Speed)	DVD-ROM		8x (CAV)
	DVD±R		8x (CAV)
	DVD+R DL (Finalized Disc)		8x (CAV)
	DVD-R DL (Finalized Disc)		6x (CAV)
	DVD±RW		8x (CAV)
	DVD-RAM (4.7G)		5x (ZCLV)
	CD-ROM		24x (CAV)
	CD-R/RW		24x (CAV)
	CD-DA (DAE)		24x (CAV)
Disc Diameter	12cm, 8cm		
Interface	SerialATA Revision2.6		
Data Transfer Rate	Gen1 i 1.5GB / sec		
Access Time	150ms (typ) DVD-ROM		
	140ms (typ) CD-ROM		
Data Buffer	2MB		
Loading Mechanism	Drawer Type		
Environmental Conditions			
Ambient Temperatures	Operating		5 to 45℃
	Non Operating		-20 to 60℃
	Transportation		-40 to 65℃
Ambient Humidity	Operating		8 to 80% (non-condensing) *
	Non Operating		5 to 95% (non-condensing) *
	Transportation		5 to 95% (non-condensing) *
Power Requirements	DC5V±5%		
Current Consumption	Standby / Sleep 45mA / 32mA (Average current max)		
	During starting / Seek 1500mA (Max, Spikes less 1ms)		
MTBF	60,000POH (10% duty)		
Safty / EMI Standards	UL, CUL, TÜV, CB, CE and BSMI		
Dimensions	128.0W x 12.7H x 129.4D (mm)		
Mass (Weight)	172g or less		
RoHS	Complied		

Remark

Please check the specification sheets for detailed conditions and other information.

＊ The maximum wet-bulb temp. is 29.4 degree C

DVD is a trademark of DVD Format/Logo Licensing Corporation registered in the U.S., Japan and other countries.

and are trademarks of Koninklijke Philips Electronics N.V .

Corporate and product names are the respective trademarks or registered trademarks of the companies mentioned. Features and specifications are subject to change without notice. Precaution : To ensure safe handling and operation, read the Instruction Manual before use.

TEAC CORPORATION Data Storage Products Division

TEAC CORPORATION (http://www.teac.co.jp) 1-47 Ochiai, Tama-shi, Tokyo 206-8530 Japan Phone:81-42-356-9153 Fax:81-42-356-9184
TEAC AMERICA, INC. (http://www.teac.com) 7733 Telegraph Road, Montebello, California 90640, U.S.A. Phone:1-323-726-0303 Fax:1-323-727-7656
TEAC EUROPE GmbH. (http://www.teac.de) Bahnstrasse 12, 65205 Wiesbaden-Erbenheim, Germany Phone:49-611-71580 Fax:49-611-7158-392
TAIWAN TEAC CORPORATION (http://www.teac.com.tw) 3F No.45, Sec.1 Min Chuan E. Road, 104 Taipei, Taiwan R.O.C. Phone:886-2-2597-8608 Fax:886-2-2597-8591
TEAC ELECTRONICS (M) SDN BHD (http://www.teac.com.my) Lot 22, Batu Berendam Ftz Ⅲ, Batu Berendam, 75350 Melaka, Malaysia. Phone:60-6-2843402 Fax:60-6-2843471

© Copyright TEAC CORPORATION 2009

PRINTED IN JAPAN Jul.'07 PDF . DS-287

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP