



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

IP445 Isolated Digital Output

IP445 modules provide 32 isolated solid-state relay outputs to safely control discrete devices.

A major IP445 advantage is its flexibility. The module supports wide range bipolar (AC or DC) voltage switching. Each port can be configured for high or low-side switches. The outputs are TTL-compatible when configured as low-side switches using on-board socketed pull-up resistors.

Isolation protects your computer system from noise, transient signals, and field wiring faults. Outputs are grouped into four 8-channel ports. Ports are isolated via solid-state relays from the logic and from each other.


Readback buffers simplify output status monitoring. And for easy closed-loop monitoring of critical control signals, use the IP445 with an IP440 input module.

Features

- 32 bipolar solid state relays
- High/low-side switch configuration
- Port-isolated output channels
- ±60V AC/DC voltage range
- High speed processing (0 wait states)
- TTL-compatible
- Failsafe power-up and system reset
- Output readback function
- Socketed pull-up resistors for low-side switching applications
- Current-limited solid-state relays

Benefits

- Unique ground reference points for each port permits AC and DC switching on one module.
- Pin are compatible with IP440 input module for loopback monitoring.



When used together, the IP440 input module and IP445 output module simplify loop-back monitoring of your critical signals.

Specifications

Digital Outputs

Output channel configuration: 32 isolated solid-state relays support AC or DC (high/low-side switching) operation.

Isolation: Logic and field connections are optically isolated by solid-state relays. Individual ports are also isolated from each other. Output lines of an individual port share a common connection and are not isolated from each other. IP Logic and field lines are isolated from each other for voltages up to 250V AC or 354V DC on a continuous basis (unit will withstand a 1000V AC dielectric strength test for one minute without breakdown).

Voltage range: 0 to ±60V DC or peak AC.

Output ON current range: 140mA maximum continuous (up to 1A total per port).

Turn on time: 1mS typical, 2mS maximum.

Turn off time: 1mS typical, 2mS maximum.

Output pull-up resistors: 4.7K ohms, socketed.

IP Compliance (ANSI/VITA 4)

Meets IP specifications per ANSI/VITA 4-1995.

IP data transfer cycle types supported:
Input/output (IOSel*), ID read (IDSel*).

Access times (8MHz clock): 0 wait states (250ns cycle).

Updates: Requires four 8-bit writes to update all channels.

Environmental

Operating temperature: 0 to 70°C (IP445)
or -40 to 85°C (IP445E model).

Storage temperature: -40 to 125°C (all models).

Relative humidity: 5 to 95% non-condensing.

MTBF: 713,455 hrs at 25°C, MIL-HDBK-217F, Notice 2.

Power:

+5V (±5%) all outputs on: 400mA maximum.

±12V (±5%): 0mA (not used).

Ordering Information

Industry Pack Modules IP445

Digital output module.

IP445E

Same as IP445 plus extended temperature range.

Acromag offers a wide selection of [Industry Pack Carrier Cards](#).

Software (see [software documentation](#) for details)

IPSW-API-VXW

VxWorks® software support package

IPSW-API-QNX

QNX® software support package

IPSW-API-WIN

Windows® DLL driver software support package

IPSW-LINUX

Linux™ support (website download only)

See [accessories documentation](#) for additional information.

All trademarks are the property of their respective owners.



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com