ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Adlink cPCI-3538R* at our website: *Click HERE*

cPCI-3534/3538 Series

4/8-port Asynchronous Serial Communications Modules


cPCI-3534


cPCI-3534R


cPCI-3538


cPCI-3538R

Features

- 32-bit CompactPCI, PICMG 2.0 Rev 2.1
- Plug-and-play, IRQ & I/O address automatically assigned by PCI BIOS
- 4/8 asynchronized communications ports with intelligent buffer
- Three RS-232 ports and one isolated RS-422/RS-485 port with 2500 VRMS isolation voltage (cPCI-3534)
- Eight RS-232 ports (cPCI-3538)
- Supports up to 2 cards per system
- Suitable for modems, data display, data collection, telecommunications
- Rear I/O version is available for cPCI-3534R and cPCI-3538R
- Support multiple OS
- Surge protector in TXD/RXD signal line
- Rugged DB-37 connector for cPCI-3534
- Rugged DB-62 connector for cPCI-3538

Applications

- Factory automation
- Distributed monitoring & control systems
- Telecommunications
- POS systems
- Stock market systems
- Traffic control systems

Software Support

- Windows® 2000/ME/XP
- Linux drivers

Specifications

Serial Communications Controller	Type: 16C550A compatible
System I/O Mapping	Assigned by PCI BIOS
	Shared IRQ
Port Capability	cPCI-3534: 3 independent RS-232 ports, and 1 isolated switch selectable RS-422/485 port
	cPCI-3538: 8 independent RS-232 ports (Max. two cards per system, 8-port max.)
Baud Rate	Each port can be configured to 50 to 115,200 bps
Isolation Voltage	2500 VRMS
Connector	DB37 female connector for cPCI-3534
	DB62 female connector for cPCI-3538
Operating Temperature	0°C to +60°C
Storage Temperature	-20°C to +70°C
Humidity	5% to 95%, non-condensing
Cable	External cable with 4 standard DB25 (C425M) / DB9 (C409M) connectors for cPCI-3534
	External cable with 8 standard DB25 (C825M) / DB9 (C809M) connectors for cPCI-3538

Ordering Information

- **cPCI-3534**
  4-port asynchronous serial communications module
- **cPCI-3534R**
  4-port asynchronous serial communications module with rear I/O support
- **cPCI-3538**
  8-port asynchronous serial communications module
- **cPCI-3538R**
  8-port asynchronous serial communications module with rear I/O support and C809M

Accessories

- **C409M**
  DB-37 to four DB-9 male cable for cPCI-3534
- **C425M**
  DB-37 to four DB-25 male cable for cPCI-3534
- **C809M**
  DB-62 to eight DB-9 male cable for cPCI-3538
- **C825M**
  DB-62 to eight DB-25 male cable for cPCI-3538

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP