

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions


Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

NuPRO-842/P

Full-Size Intel® Pentium® 4 Processor SBC with VGA, Dual GbE, USB 2.0



Features

- High computing capability, supports up to 533MHz FSB Hyper-Threading Pentium® 4
- High communication bandwidth, supports dual Gigabit Ethernet ports
- Supports USB 2.0 and generic features, including VGA, COM, KB, mouse and hardware monitoring
- 32-bit/33MHz Mini PCI slot for functional expansion
- DVO interface for digital LCD interfaces (LVDS or DVI) expansion

Specifications

Processor System

CPU	Intel® Pentium® 4 processor, 2.8GHz, 533MHz FSB, 512KB L2 Cache, 0.13um, 69W TDP, mPGA478
	Intel® Celeron®, 2.0GHz, 400MHz FSB, 128KB L2 Cache, 0.13um, 53W TDP, mPGA478
Chipset	Intel® 845GV GMCH + ICH4 chipset
Memory	2x 184-pin DIMM sockets, up to 2GB unbuffered non-ECC DDR-200/266 memory
BIOS	Award 4 Mb flash memory
Watchdog Timer	1-255 sec or 1-255 min software programmable, can generate system reset
Hardware Monitor	Monitoring CPU temperatures, fan speed, system temperature, and Vcore and DC voltages
Operating Systems	Windows® 2000/XP

I/O Interfaces

IDE (PATA)	2x UltraATA 66/100
MiniPCI	One MiniPCI Rev 1.0 compatible Type III slot for functions expansion such as SCSI
USB	1x USB port via on-board bracket, 4 USB pin header on board Compliant with USB Specification Rev. 2.0.
KB/MS	1x PS/2 keyboard/mouse
Floppy	Standard 34-pin connector
Parallel Port	Printer port supported
Serial Port	1x RS-232, 1x RS-232/422/485

Display

Graphics	Integrated 2D/3D Graphics Accelerator,
VRAM	Shared Memory size up to 64MB
CRT	External Dsub-15 connector

Ethernet

Controller	10/100/1000Mbps Ethernet ports by Intel® 82540EM Ethernet Controller
Interface	PCI™ bus
Wake On LAN	Yes

Mechanical and Environmental

Form Factor	Full-Size PICMG® 1.0 CPU board
Dimensions	338 mm x 122 mm (L x W)
Operating Temp.	0˚C to 55˚C
Storage Temp.	-20˚C to 80˚C
Certifications	CE, FCC Class A
Relative Humidity	10% to 90%, non-condensed

Ordering Information

Model Number	Description/Configuration
NuPRO-842DV/P	Full-Size Intel® Pentium® 4 Processor SBC with VGA, Dual GbE, USB 2.0
NuPRO-842LV/P	Full-Size Intel® Pentium® 4 Processor SBC with VGA, GbE, USB 2.0

Optional Accessories

Model Number	Description/Configuration
DB-AC97S	AC'97 audio daughter board

Packing List

NuPRO-842/P	1x COM port cable with bracket
1x Y-cable for PS/2 keyboard/mouse	1x CPU Cooler
1x UltraATA 100 IDE cable	Driver CD
1x Floppy cable	User's manual
2x USB 2.0 cable bracket (2-port)	

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP