

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

NuPRO-900A

PICMG 1.2 Full-Size Intel® Xeon™ SBC with ATi Rage XL graphics card, DDR, Dual GbE and Cooler kit



Features

- *High computing capability, supports dual Intel® Xeon™ low voltage processor or single Intel® Xeon™ processor with standard voltage*
- *High bus bandwidth, supports dual PCI-X bus, compliant to PICMG 1.2 specification*
- *Large memory banks, up to 8GB DDR SDRAM with ECC*
- *High communication bandwidth, supports dual Gigabit Ethernet ports*

Ordering Information

NuPRO-900A	PICMG 1.2 Full-Size Intel® Xeon™ SBC with ATi Rage XL graphics card, DDR, Dual GbE and two CPU Coolers

Recommended Systems

Model Name	Chassis	Backplane	Power Supply
NS-400BX-13S4-460	BX-400 (BlueExpress)	HPX-13S4	APS-946XA-EPS12
NS-200BX-D5S4C-460	BX-200 (BlueExpress)	HPX-D5S4C	APS-946XA-EPS12

Specifications

System

CPU	Dual Low Voltage Intel® Xeon™ processor with 512K L2 cache
	Single Intel® Xeon™ processor with 512K L2 cache
FSB	533/400MHz
Chipset	Intel® E7501 + ICH3-S
Memory	Dual-Channel DDR200/266 Registered memory with ECC, up to 8GB (4 x DIMMs)
BIOS	Award 4Mb flash memory
Watchdog Timer	1-255 sec or 1-255 min software programmable and can generate system reset
Hardware Monitor	CPU/System temperature, fan speed and onboard DC voltages

I/O Interfaces

IDE	Two channels UltraATA 66/100
Mini PCI	One Mini PCI slot for mPCI-8750C graphics card
USB	2 x USB 1.1 ports by onboard pin header
Multi I/O	2 x RS232, 1 x LPT, 1 x Floppy, 1 x PS/2 keyboard/mouse

Display

VGA	ATi Rage XL graphics card via Mini-PCI slot

Ethernet

Gigabit LAN	Onboard two Intel® 82546 GbE controllers support 10/100/1000Base-T dual Gigabit Ethernet

Mechanical and Environmental

Form Factor	Standard Full-Size ePCI-X SHB (System Host Board)
	PICMG 1.2
Dimensions	338mm x 122mm (L x W)
Operating Temp.	0 to 55˚C
Storage Temp.	-20 to 80˚C
Shock	15G peak-to-peak, 11ms duration, non-operation
Vibration	Non-operation: 1.88Grms, 5-500Hz, each axis
	Operation: 0.5Grms, 5-500Hz, each axis
Measured Power Consumption	Dual Low Voltage Xeon 1.6GHz CPU with 2GB RAM: 10.28A @ +5V, 13.16A @ +3.3V, 1.04A @ +12V
Compliance	CE, FCC Class A

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP