

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

**Artisan Technology Group**
(217) 352-9330 | sales@artisantg.com | artisantg.com

**Full-service, independent repair center**
with experienced engineers and technicians on staff.

**We buy your excess, underutilized, and idle equipment**
along with credit for buybacks and trade-ins.

**Custom engineering**
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions


**Expert team | Trust guarantee | 100% satisfaction**

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

**Visit our website - *Click HERE***

# PCI-1750/1750SO

## 32-ch Isolated Digital I/O and 1-ch Counter PCI Card



## Features

- 16 isolated DI and 16 isolated DO channels
- High voltage isolation on all isolated channels (2,500 $V_{DC}$)
- High source current on isolated output channels (200 mA/channel)
- Supports dry contact or 5 ~ 50 $V_{DC}$ isolated inputs
- Interrupt handling capability
- Timer/counter interrupt capability

## Introduction

PCI-1750/1750SO offers 16 isolated digital input channels, 16 isolated digital output channels, and one isolated counter/timer for the PCI bus. With isolation protection of 2,500 $V_{DC}$, and dry contact support, PCI-1750/1750SO is ideal for industrial applications where high-voltage protection is required. Each I/O channel of the PCI-1750/1750SO corresponds to a bit in a PC I/O port. This makes PCI-1750/1750SO very easy to program. This card also offers a counter or timer interrupt and two digital input interrupt lines to a PC, so you can then easily configure the card with software.

## Specifications

### Isolated Digital Input

- **Channels** 16
- **Input Voltage** Logic 0: 2 V max.
  Logic 1: 5 V min. (50 $V_{DC}$ max.) or dry contact
- **Interrupt Capable Ch.** 2
- **Isolation Protection** 2,500 $V_{DC}$
- **Opto-Isolator Response** 100 µs

### Isolated Digital Output

- **Channels** 16
- **Sink Current** 200mA max. / channel (PCI-1750 NPN type)
- **Source Current** 200mA max. / channel (PCI-1750SO PNP type)
- **Isolation Protection** 2,500 $V_{DC}$
- **Output Voltage** 5 ~ 40 $V_{DC}$
- **Source Current** 200 mA max. per channel
- **Opto-Isolator Response** 100 µs
- **Sufficient Withstanding current** 1.6A max. per PCOM
- **Over current ground** CN5 (wiring necessary if totally current over 1.6A)

### Counter/Timer

- **Channels** 1
- **Resolution** 1 x 16-bit isolated counter
- **Input Voltage** Logic 0: 2V max.
  Logic 1: 5V min. (50$V_{DC}$ max.)
- **Max. Input Frequency** 1 MHz
- **Isolation Protection** 2,500 $V_{DC}$

### General

- **Bus Type PCI** V2.2
- **I/O Connectors** 1 x DB37 female connector
  1 x 2-pin terminal block for extended ground
- **Dimensions (L x H)** 175 x 100 mm (6.9" x 3.9")
- **Power Consumption** Typical: 5 V @ 850 mA
  Max.: 5 V @ 1.0 A
- **Operating Temperature** 0 ~ 70°C (32 ~ 158°F)
- **Storage Temperature** -20 ~ 80°C (-4 ~ 176°F)
- **Storage Humidity** 5 ~ 95% RH, non-condensing


## Ordering Information

- **PCI-1750** 32-ch Isolated Digital I/O (NPN DO) and Counter PCI Card
- **PCI-1750SO** 32-ch Isolated Digital I/O (PNP DO) and Counter PCI Card

### Accessories

- **PCL-10137-1E** DB37 Cable, 1 m
- **PCL-10137-2E** DB37 Cable, 2 m
- **PCL-10137-3E** DB37 Cable, 3 m
- **ADAM-3937** DB37 DIN-rail Wiring Board

## Pin Assignments






All product specifications are subject to change without notice

Last updated : 1-Jul-2016

**Artisan Technology Group** is an independent supplier of quality pre-owned equipment

## Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

## Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP