ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions


Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Advantech PCI-7030G2* at our website: *Click HERE*

PCI-7030

Intel® Atom™ N270 PCI Half-size SBC with Dual GbE LAN/LVDS/DVI/SATA/6 COM



Features


- Ultra Low power Fanless Intel® Atom™ processor N270 1.6 GHz
- One/Dual Gigabit Ethernet
- Supports up to 6 COM (Optional module 4 x RS-485 w/auto-flow control by PCA-COM485 module)
- 1600 x 1200 @ 18/36-bit LVDS, DVI support

Specifications

Processor System	CPU	Intel Atom N270 processor 1.6 GHz
	FSB	400/533
	L2 Cache	512 KB cache
	Chipset	Intel 945GSE + Intel ICH7M
	BIOS	Award SPI 8 MB
Bus	PCI	32-bit/ 33 MHz
Memory	Technology	Single Channel DDR2 SODIMM 400/533 MHz
	Max. Capacity	2 GB
	Socket	Yes
Graphics	Controller	Intel 945GSE integrated VGA mode: Supports up to QXGA 2048 x 1536 pixels with 32-bit color @ 75 Hz
	VRAM	Shared system memory up to 224 MB (DVMT 3.0)
	LVDS	Supports 18/36-bit up to UXGA 1600 x 1200
	DVI	Maximum pixel lock of 400 MHz up to 1600 x 1200 pixels and 1920 x 1200 (reduced blanking) resolutions @ 75 Hz
	Dual Display	VGA, LVDS, DVI
Ethernet	Interface	10/100/1000 Mbps Ethernet
	Controller	Intel 82574L
	Connector	RJ-45 x 1 for VG ; RJ-45 x 2 for G2
EIDE	Mode	Ultra ATA 100/66/33
	Channel	1
SATA (150 MB/s)	Port	2 for SATA1, 150 MB/s
I/O Interface	USB	6 USB2.0 for VG; 5 USB2.0 for G2 480 Mbps; 4 ports onboard and 2 for VG/1 for G2 ports on rear I/O
	Serial	6 COM (2 x RS-232 onboard; Optional: 4 x RS-422/485 w/auto-flow by PCA-COM485 module)
	Parallel	1 (via super I/O)
	FDD	1
	GPIO	8-bit ; CMOS Level (0 ~ 5 V)
	PS/2	6-pin DIN socket on bracket for PS/2 keyboard and mouse (via super I/O) 6-pin (2.54 mm) wafer box connector for keyboard only
Watchdog Timer	Output	System reset
	Interval	1 min/sec or Max 65535 min/sec
Miscellaneous	Audio Output	Intel High Definition audio interface (requires an audio extension module P/N: PCA-AUDIO-HDA1E)
	Solid State Disk	CompactFlash socket (Type I/II), shared with secondary IDE
Power Requirement	CPU/RAM	Atom 1.6G + DDR2 2G (533)
	Voltage	+12 V (0.31 A) +5 V (2.19 A) +3.3 V (0A) +5 VSB (0.04A) +2 V (0A)
Environment		Operating / Non-Operating (Storage)
	Temperature	0 ~ 60° C (32 ~ 140° F) (operating humidity: 40° C @ 85% RH Non-Condensing) / -40° C ~ 85° C and 60° C @ 95% RH Non-Condensing
Physical	Dimensions	185 mm (L) x 122 mm (W) (7.3" x 4.8")

All product specifications are subject to change without notice

Board Diagram



Ordering Information

P/N	VGA	LVDS	DVI	USB	LAN	COM
PCI-7030VG-00A1E	Yes	Yes	-	6	1 (82574L)	2
PCI-7030G2-00A1E	Yes	Yes	Yes	5	2 (82574L)	2

Optional Accessories

Part Number	Description
MBPC-641BP-60E	4-slot chassis w/150 W power supply
IPC-6806SB-15ZBE	6-slot chassis w/150 W power supply
PCA-AUDIO-HDA1E	HD audio-card
PCA-SATAP2-00A1E	IDE/SATA adapter for CPU cards
1701140201	COM port cable without bracket
PCA-COM485-00A1E	4 x 422/485 COM module
PCA-COM232-00A1E	4 x 232 COM module

Packing List

Part Number	Description	Quantity
1700060202	Y-cable for PS/2 keyboard, PS/2 mouse	x 1
1701340603	FDD cable (600 mm)	x 1
1700000265	Power cable	x 1
1700002343	ATX feature cable	x 1
1703150102	Serial ATA HDD power cable	x 1
1700003194	Serial ATA HDD data cable	x 1
1701400452	EIDE (HDD) cable	x 1
1700002223	Parallel port cable (2.0 mm w/BKT)	x 1
1700008887	USB cable with 4 ports (2.0 mm pitch)	x 1
1700008762	Dual-COM port cable kit for COM1-2	x 1
9689000002	Jumper pack	x 1

Bracket View



PCI-7030G2-00A1E

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP