



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com


PCM-3712

PCM-3718H/HG


2-ch. Analog Output Module

12-bit Multifunction Module
with Programmable Gain

NEW



PCM-3712



PCM-3718H/HG



Features

- 2 channels analog output module
- 0 to 5 V, 0 to 10 V, -2.5 V to +2.5 V, -5 V to +5 V, -10 V to +10 V, or 4 to 20 mA output range
- 12-bit resolution

Specifications

- Output of Channels** 2
- Voltage Range Unipolar** 0 to 5 V, 0 to 10 V
- Bipolar** ± 2.5 V, ± 5 V, ± 10 V
- Current Range** 4 ~ 20 mA
- Output Current Range** ± 5 mA
- Impedance** 0.1 max./0.02 typ.
- Resolution** 12-bit
- Nonlinearity** ± 1 LSB
- Differential Nonlinearity** $\pm 1/2$ LSB
- System Accuracy** $\pm 0.025\%$ FSR (Voltage)
 $\pm 0.05\%$ FSR (Current)
- Dynamic Performance** 5 V step: 16 μ s
0.3V/ μ s typ. (Voltage)
1.2mA/ μ s (Current)
- Settling Time to 1/2 LSB** 10 V step: 33 μ s
- Slew Rate** 0.3 V/ μ s typ. (Voltage)
1.2 mA/ μ s (Current)
- D/A Converter Single Channel** 33 KHz bit resolution

Ordering Information

- PCM-3712** 2-channel analog output module
- ADAM-3909** DB-9 cable wiring for DIN-rail mounting

Features

- 16 single-ended or 8 differential analog inputs
- 12-bit A/D converter, up to 100 KHz sampling rate with DMA transfer
- Two 8-bit digital input/output TTL level channels

Specifications

Analog Input

- Channels** 16 single-ended or 8 differential inputs
- Resolution** 12 bits
- Input Range** Bipolar: ± 10 , ± 5 , ± 2.5 , ± 1.25 , ± 0.625
Unipolar (PCM-3718H): 0 ~ 10, 0 ~ 5, 0 ~ 2.5, 0 ~ 1.25
- Input Range** Bipolar: ± 10 , ± 5 , ± 1 , ± 0.5 , ± 0.1 , ± 0.05 , ± 0.01 , ± 0.005
Unipolar (PCM-3718HG): 0 ~ 10, 0 ~ 1, 0 ~, 0 ~ 0.01

Digital input/output

- Channels** two 8-bit TTL-level Digital I/O channels
- Input Voltage** Logic 0: 0.8 V max.
Logic 1: 2.0 V min.
- Output Voltage** Logic 0: 0.33 V max. @ 6mA (sink)
Logic 1: 3.84 V min. @ 6mA (source)
- Power Requirements** +5 V, $\pm 5\%$ tolerance on power supply
- Size/Weight** 96 x 90 mm (3.8" x 3.5"), 0.084 kg (0.185 lb)
- Temperature** Operating: 0 ~ 60° C (32 ~ 140° F)
Storage: -40 ~ 85° C (-40 ~ 185° F)
- Operating Humidity** 0% ~ 90% relative humidity, non-condensing

Ordering Information

- PCM-3718H/3718HG** 12-bit multifunction module with programmable gain (cable not included)
- ADAM-3920** 20-pin flat cable wiring terminal for DIN-Rail mounting
- PCLD-780** Screw-terminal board for 20-pin flat cable
- PCL-10120-1** 20-pin flat cable, 1 m
- PCL-10120-2** 20-pin flat cable, 2 m

1

IPPC & AWS

2

TPC

3

FPM

4

ATM

5

DA&C

6

cPCI

7

ADAM-3000

8

eConnectivity

9

ICOM

10

Software

11

UNO-2000/3000

12

VBOX

13

ADAM-4000

14

ADAM-5000

15

ADAM-6000

16

ADAM-8000



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com