

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.


Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Keysight / Agilent HP1* at our website: ***Click HERE***



Structure of Dimethylpolysiloxane

HP-1

- 100% Dimethylpolysiloxane
- Excellent general purpose column
- Superior performance for low molecular weight alcohols

ID(mm)	Length	Film	Iso/Prog	Cat. No.
0.20	12m	0.33µm	325/350	19091-60312
	25m	0.11µm	325/350	19091Z-002
	25m	0.33µm	325/350	19091Z-102
	25m	0.50µm	325/350	19091Z-202
	50m	0.11µm	325/350	19091Z-005
	50m	0.33µm	325/350	19091Z-105
	50m	0.50µm	325/350	19091Z-205
0.25	15m	0.10µm	325/350	19091Z-331
	15m	0.25µm	325/350	19091Z-431
	15m	1.00µm	325/350	19091Z-231
	30m	0.10µm	325/350	19091Z-333
	30m	0.25µm	325/350	19091Z-433
	30m	1.00µm	325/350	19091Z-233
	60m	0.25µm	325/350	19091Z-436
	60m	1.00µm	325/350	19091Z-236
	100m	0.50µm	325/350	19091Z-530
0.32	15m	0.25µm	325/350	19091Z-411
	15m	1.00µm	325/350	19091Z-211
	25m	0.17µm	325/350	19091Z-012
	25m	0.52µm	325/350	19091Z-112
	25m	1.05µm	325/350	19091Z-212
	30m	0.10µm	325/350	19091Z-313
	30m	0.25µm	325/350	19091Z-413
	30m	1.00µm	325/350	19091Z-213
	30m	3.00µm	260/280	19091Z-513
	30m	4.00µm	260/280	19091Z-613
	30m	5.00µm	260/280	19091Z-713
	50m	0.17µm	325/350	19091Z-015
	50m	0.52µm	325/350	19091Z-115
	50m	1.05µm	325/350	19091Z-215
	60m	0.25µm	325/350	19091Z-416
	60m	1.00µm	325/350	19091Z-216
	60m	5.00µm	260/280	19091Z-716
0.53	5m	0.15µm	to 400	19095Z-220
	5m	0.88µm	300/320	19095Z-020
	5m	2.65µm	260/280	19095S-100
	7.5m	5.00µm	260/280	19095Z-627
	10m	0.88µm	300/320	19095Z-021
	10m	2.65µm	260/280	19095Z-121
	15m	0.15µm	to 400	19095Z-221
	15m	1.50µm	300/320	19095Z-321
	15m	3.00µm	260/280	19095Z-421
	15m	5.00µm	260/280	19095Z-621
	30m	0.88µm	300/320	19095Z-023
	30m	1.50µm	300/320	19095Z-323
	30m	2.65µm	260/280	19095Z-123
	30m	3.00µm	260/280	19095Z-423
	30m	5.00µm	260/280	19095Z-623
	60m	5.00µm	260/280	19095Z-626

HP-1MS

- 100% Dimethylpolysiloxane
- Identical selectivity to HP-1
- Low bleed

ID(mm)	Length	Film	Iso/Prog	Cat. No.
0.20	25m	0.33µm	325/350	19091S-602
0.25	15m	0.25µm	325/350	19091S-931
	30m	0.10µm	325/350	19091S-833
	30m	0.25µm	325/350	19091S-933
	30m	0.50µm	325/350	19091S-633
	30m	1.00µm	325/350	19091S-733
	60m	0.25µm	325/350	19091S-936
0.32	15m	0.25µm	325/350	19091S-911
	25m	0.52µm	325/350	19091S-612
	30m	0.10µm	325/350	19091S-813
	30m	0.25µm	325/350	19091S-913
	30m	1.00µm	325/350	19091S-713
	60m	0.25µm	325/350	19091S-916

HP-5

- (5% Phenyl) - methylpolysiloxane
- Equivalent to USP Phase G27

ID(mm)	Length	Film	Iso/Prog	Cat. No.
0.20	12m	0.33µm	325/350	19091J-101
	25m	0.11µm	325/350	19091J-002
	25m	0.33µm	325/350	19091J-102
	25m	0.50µm	325/350	19091J-202
	50m	0.11µm	325/350	19091J-005
	50m	0.33µm	325/350	19091J-105
	50m	0.50µm	325/350	19091J-205
0.25	0.6m	1.00µm	325/350	19091J-236
	15m	0.25µm	325/350	19091J-431
	15m	1.00µm	325/350	19091J-231
	30m	0.10µm	325/350	19091J-333
	30m	0.25µm	325/350	19091J-433
	30m	1.00µm	325/350	19091J-233
	60m	0.25µm	325/350	19091J-436
0.32	15m	0.25µm	325/350	19091J-411
	15m	1.00µm	325/350	19091J-211
	25m	0.17µm	325/350	19091J-012
	25m	0.52µm	325/350	19091J-112
	25m	1.05µm	325/350	19091J-212
	30m	0.10µm	325/350	19091J-313
	30m	0.25µm	325/350	19091J-413
	30m	0.50µm	325/350	19091J-113
	30m	1.00µm	325/350	19091J-213
	50m	0.17µm	325/350	19091J-015
	50m	0.52µm	325/350	19091J-115
	50m	1.05µm	325/350	19091J-215
	60m	0.25µm	325/350	19091J-416
	60m	1.00µm	325/350	19091J-216
0.53	10m	2.65µm	260/280	19095J-121
	15m	1.50µm	300/320	19095J-321
	15m	5.00µm	260/280	19095J-621
	30m	0.88µm	300/320	19095J-023
	30m	1.50µm	300/320	19095J-323
	30m	2.65µm	260/280	19095J-123
	30m	5.0µm	260/280	19095J-623

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP