ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions


Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Alpha Data ADM-XRC-5T2* at our website: ***Click HERE***

ADM-XRC-5T2

31st March 2019 **Datasheet Revision: 1.3**



Applications

- Image/Video Processing
- JPEG2000
- Radar/Sonar Beamforming
- ELINT
- Data Encryption

Board Features


- 1GB DDRII-333 Memory
- Separate PCI Bridge FPGA
- XRM I/O Interface

Summary

The **ADM-XRC-5T2** is a high performance reconfigurable PMC (PCI Mezzanine Card) based on the Xilinx Virtex-5 LXT, SXT and FXT ranges of Platform FPGAs.

Features include high speed PCI-X interface, external memory, high density I/O, programmable clocks, temperature monitoring, battery backed encryption (by using an appropriate XRM I/O Module) and flash boot facilities.

A comprehensive cross platform API with support for **Microsoft Windows**, **Linux** and **VxWorks** provides access to the full functionality of these hardware features.



Target Devices

Xilinx Virtex-5: LX220T
(FFG1738)

Application Data Memory

2x SDRAM 512MB DDRII-333

FPGA Configuration Memory

BPI 256Mb Flash Memory
Configured as 2x Target

FPGA Configuration Modes

PCI Bus direct to SelectMAP port
From Flash direct on power up
External JTAG connector

Deliverables

ADM-XRC-5T2 Board
One Year Warranty
One Year Technical Support

Host Interface

PCI/PCI-X

Board Format

PMC/PMC-X (PCI/PCI-X Mezzanine Card, VITA 39)

Input/Output Interfaces

146x LVCMOS/LVDS I/O (Programmable signaling levels of 1.8V

8x High-Speed Serial Links to XRM2

64x GPIO (Programmable signaling levels of 2.5V or 3.3V)

8x High-Speed Serial Links via P15 connector - Only if the 'extra connector fitted' option is chosen

Support

The ADM-XRC-5T2 is supplied with the ADMXRC Support & Development kit (SDK) along with ADMXRC Driver for Windows / Linux / VxWorks.

Environmental Specification

Temperature Ranges

Cooling Option	Operating Temperatures		Storage Temperatures	
	Min	Max	Min	Max
AC0	0°C	55°C	-40°C	85°C
AC1	-40°C	70°C	-55°C	100°C
CC1	-40°C	70°C	-55°C	100°C

Operating Humidity : Up to 95% (non-condensing)

EMC Standards

FCC 47CFR Part 2
EN55022:2010 Equipment ClassB

Ordering Information

Order Code: ADM-XRC-5T2/z-y(m)(c)(x)

Option	Code	Description of Options
Virtex-5 device	z	LX220T, LX330T, SX240T, FX100T, FX130T, FX200T
Virtex-5 speed	y	1, 2, 3
Memory Size Fitted	m	blank = 512MBytes (2 bank boards) or 1GByte (4 bank boards), /1 = 1Gbyte of Memory (2 bank boards only), /2 = 2GBytes of Memory (4 bank boards only)
Cooling	c	blank = air cooled commercial, /AC1 = air cooled industrial, /CC1 = conduction cooled industrial
HS Serial Connector Fitted	x	blank = not fitted, /X = Connector fitted
Note1	not all FPGA speed grades available in all configurations. Contact Alpha Data for full details.	
Note2	The number of memory banks is dependent on the FPGA device selected. LX330T, SX240T and FX200T - have 4 banks of memory. LX220T, FX100T and FX130T - have 2 banks of memory	

Address: 160 Dundee Street, Suite 4A,
Edinburgh, EH11 1DQ, UK
Telephone: +44 131 558 2600
Fax: +44 131 558 2700
email: sales@alpha-data.com
website: http://www.alpha-data.com

Address: 611 Corporate Circle Suite H
Golden, CO 80401
Telephone: (303) 954 8768
Fax: (866) 820 9956 - toll free
email: sales@alpha-data.com
website: http://www.alpha-data.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP