ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Alphi Technology PMC-1553* at our website: *Click HERE*

www.alphitech.com

ALPHI TECHNOLOGY CORPORATION


PMC-1553

PMC Module

Summary

- MIL-STD-1553
- Options:
  0 to +70 degrees
  -25 to +80 degrees
  Conformal coating
- 128 Kbyte SRAM
- BC / RT / M modes
- Separate logic for the PMC interface
- Dual Redundant
  Channel (A)
  Channel (B)
- Internal external CLK
- 78 ohm X-formers
- Long / short stub
- Single 5 volt
- Low power
- LED Status
- Available Software
  - 'C' libs
  - Windows
  - Linux
  - VxWorks
- 32 Mhz PMC clock
- PICMG compliant

UTMC 1553 SUMMIT CONTROLLER
BUS CONTROLLER, REMOTE TERMINAL, BUS MONITOR MODES



PMC -1553

Features

- UTMC SUMMIT
- UT69151DX-GPC
- 128Kbytes Sram
- On-chip Transceivers
- On-board Transformers
- Long stub / Short stub

Memory

- 128 Kbyte external SRAM

I/O

- Dual 1553 bus levels
- TTL (5v) clock

Programmable via

- PMC Bus

PMC interface

- 8/32 Mhz clock
- 16 bit address
- 16 bit data
- Interrupts
- DMA

Operating: Environmental

- Operating temperature
  Commercial: 0 to +55 °C
  Optional: -25°C to +80°C
- Non-operating: -40°C to 85 °C
- Airflow requirement: .5 CFM
- Humidity: 5 to 90% (non-cond.)
- Altitude: 0 to 10'000 ft


Mechanical: Environmental

- Size: Single wide PMC
  2.92" x 5.87"
- Power: 1.5 watt
- Front panel I/O
- Vibration: 0.5G RMS
  20-2000 Hz rand
- Shock: 20 G, 11 ms, ½ sine
- Weight: tbd
- MTBF: >250000 hours

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

PMC-1553

PMC Module



Functional Block Diagram

Ordering Information

Part Number :	PMC-1553	MIL-1553, BC/RT/M, UTMC SUMMIT PMC module
Part Number :	PMC-1553-I	same as above with -20 to +85 temerature rating

Optional Accessories

Part Number :	EngKit-1553	2 T's, 2 Terminators, 2 1 meter cables
Part Number :	CBL-1553-1	Standard-standard 2 meter 1553 cable
Part Number :	CBL-1553-2	Standard-mini 2 meter 1553 cable
Part Number :	CBL-1553-3	Mini-mini 2 meter 1553 cable

Alphi Technology Corporation
6202 South Maple Ave, Suite 120
Tempe, Arizona 85283, USA
Tel: (480) 838 2428
Fax: (480) 838 4477

For ordering information: sales@alphitech.com Please visit our web site at www.alphitech.com

Products mentioned are trademarks or registered trademarks of their respective holders. Alphi Technology believes this information is accurate as of its publication date and is not responsible for any inadvertent errors. The information contained herein is subject to change without notice. Copyright © 2005 Alphi Technology Corp. document number: 718-0-001-4100 rev.p

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP