ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions


Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *AMP 869329-1* at our website: *Click HERE*

AMPLIMITE .050 Series, SCSI-2, High Density Narrow Terminators With Die Cast Shield, With Spring Latches

Plug, 50-Position



Material and Finish:

Backshells—Zinc, plated .000200 [0.00508] min. nickel over .000300 [0.0076] min. copper


Shell—Steel, plated .000200 [0.00508] min. tin or tin-lead over .000050 [0.00127] min. copper


Latching Springs and Screws—Stainless steel

Housing—UL 94V-0 rated thermoplastic, black


Contacts—Phosphor bronze, duplex plated .000030 [0.00076] min. gold on mating end over .000050 [0.00127] min. nickel

Resistors—Thick film resistor composition on alumina substrate







"A" Cable
Single-Ended, Active
Part No. 750381-1




"A" Cable
Differential
Part No. 749541-1



"A" Cable
Single-Ended
Part No. 749535-2



"A" Cable
Single-Ended with Capacitor
Part No. 869329-1




For drawings, technical data or samples, contact your AMP sales engineer or call the AMP Product Information Center: 1-800-522-6752
Dimensions are in inches and millimeters unless specified otherwise. Values in brackets are metric equivalents.
Specifications subject to change. Consult AMP Incorporated for latest specifications.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

AMPLIMITE .050 Series, SCSI-2, High Density Narrow Terminators With Internal Shield, All-Plastic Cover, Low Profile, With Spring Latches

Plug, 50-Position



Material and Finish:

Shell—Steel, plated .000200 [0.00508] min. tin or tin-lead over .000050 [0.00127] min. copper

Shield—Copper


Latching Springs—Stainless steel

Housing—UL 94V-0 rated thermoplastic, black


Cover—UL 94V-0 rated ABS, beige

Contacts—Phosphor bronze, duplex plated .000030 [0.00076] min. gold on mating end over .000050 [0.00127] min. nickel


Resistors—Thick film resistor composition on alumina substrate




"A" Cable
Single-Ended,
Part No. 750881-1



"A" Cable
Single-Ended, Active
Part No. 869546-1



"A" Cable
Differential
Part No. 869545-1




For drawings, technical data or samples, contact your AMP sales engineer or call the AMP Product Information Center: 1-800-522-6752.
Dimensions are in inches and millimeters unless specified otherwise. Values in brackets are metric equivalents.
Specifications subject to change. Consult AMP Incorporated for latest specifications.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

AMPLIMITE .050 Series, SCSI-2, High Density Narrow Terminators With Internal Shield, All-Plastic Cover, Standard Profile, With Spring Latches

Plug, 50-Position



Material and Finish:

Shell—Steel, plated .000200 [0.00508] min. tin or tin-lead over .000050 [0.00127] min. copper

Latching Springs—Stainless steel


Housing—UL 94V-0 rated thermoplastic, black

Cover—UL 94V-0 rated ABS, beige

Contacts—Phosphor bronze, duplex plated .000030 [0.00076] min. gold on mating end over .000050 [0.00127] min. nickel


Resistors—Thick film resistor composition on alumina substrate

Shield—Copper




Designator	Description
C1	6.8µF Tantalum Capacitor
C2, C4	0.1µF Ceramic Capacitor
C3	4.7µF Tantalum Capacitor
D1, D2	Schottky Diode
Q1	PNP Transistor

50-Position, Forced Perfect
Part No. 869593-1



50-Position, Forced Perfect With LED
Part No. 869903-1



For drawings, technical data or samples, contact your AMP sales engineer or call the AMP Product Information Center. 1-800-522-6752
Dimensions are in inches and millimeters unless specified otherwise. Values in brackets are metric equivalents
Specifications subject to change. Consult AMP Incorporated for latest specifications.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP