

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *SBE / Antares Microsystems 20-050-1058* at our website: *Click HERE*

SBus Series

S-1058

SBus Fast Ethernet

- 100Base-TX Ethernet Controller
- Uses Standard Solaris® Built-in Drivers
- Build Routers and Firewalls
- Routing Software is Built-in to Solaris
- Full-Duplex Simultaneous Transmit & Receive
- 100Base-TX/10Base-T Autosensing
- Supports Network Booting

Compatibility



Antares Part Number:	S-1058
Installation Guide:	**Download**
Operating Systems Supported:	Solaris® 8 Solaris® 7 Solaris® 2.4 and later Solaris 1.1.2
Systems Supported:	SPARCstation 4 SPARCstation 5 SPARCstation 10 SPARCstation 20 SPARCserver 6x0MP Ultra 1 Ultra 2 Enterprise 150 Enterprise 1000 Enterprise 1000E Enterprise 2000 Enterprise 2000E Enterprise/HPC 3000-10000 with SBus I/O
Software Drivers:	hme (included in Solaris®)
OpenBoot Support:	boot, test
Max Ethernet Rate	100 Mbits/sec.
Number of Ethernet channels:	1
Ethernet Connector:	RJ45 Modular Jack
Ethernet Address:	Shared with Motherboard
Local MAC Address:	No
Multiple Boards per System:	Yes
SBus Slots Required:	1
SBus Data Bus Width:	32 bits
SBus Clock Frequency:	16-25 MHz
SBus Data Transfer Method:	16-Byte Burst DMA
Warranty:	3 years
Support:	Lifetime
Dimensions:	83.82 mm W x 146.70 mm L
Temperature Range:	Operating: -5C to +60C Nonoperating: -15C to +70C
Humidity Range:	Operating: 20% - 80% noncondensing @ 40C Nonoperating: 95% noncondensing @ 40C
Altitude Range:	Operating: 0 to 3000 m (0 to 10000 ft) Nonoperating: 0 to 15000 m (0 to 50000 ft)

© 2003, Antares Microsystems. All rights reserved. The Antares Microsystems logo is a trademark of Antares Microsystems. Sun®, Sun Microsystems®, the Solaris logo, and Solaris® are registered trademarks of Sun Microsystems, Inc.® SPARC® is a registered trademark of SPARC International, Inc®. Products bearing SPARC® trademarks are based on an architecture developed by Sun Microsystems, Inc.® Legal Information

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP