



Artisan Scientific

QUALITY INSTRUMENTATION ... GUARANTEED

Looking for more information?

Visit us on the web at <http://www.artisan-scientific.com> for more information:

- Price Quotations
- Drivers
- Technical Specifications, Manuals and Documentation

Artisan Scientific is Your Source for Quality New and Certified-Used/Pre-owned Equipment

- Tens of Thousands of In-Stock Items
- Hundreds of Manufacturers Supported
- Fast Shipping and Delivery
- Leasing / Monthly Rentals
- Equipment Demos
- Consignment

Service Center Repairs

Experienced Engineers and Technicians on staff in our State-of-the-art Full-Service In-House Service Center Facility

InstraView™ Remote Inspection

Remotely inspect equipment before purchasing with our Innovative InstraView™ website at <http://www.instraview.com>

We buy used equipment! We also offer credit for Buy-Backs and Trade-Ins

Sell your excess, underutilized, and idle used equipment. Contact one of our Customer Service Representatives today!

Talk to a live person: 888-88-SOURCE (888-887-6872) | Contact us by email: sales@artisan-scientific.com | Visit our website: <http://www.artisan-scientific.com>

485OP

Optically Isolated RS-422/485 Repeater



- ✓ 2 KV Isolation
- ✓ Power Supply Included
- ✓ Modbus
- ✓ RS-422 or 2-Wire & 4-Wire RS-485
- ✓ UL Recognized

Model 485OP is an optically isolated RS-422/485 signal repeater. In addition to offering 2KV isolation on the data lines, it can be used to extend your RS-422/485 circuit an additional 4,000 ft, doubling the range. An added benefit is that you are able to add another 32 nodes to your RS-485 network and join 2 and 4 wire systems.

The compact design lets you fit this repeater almost anywhere. Terminal blocks allow easy installation. A 12 VDC wall transformer power supply is included with convenient stripped and tinned leads.

Serial Protocols

RS-422
 RS-485 4-Wire
 RS-485 2-Wire

Isolation

Lines Protected Data Lines
 Method Optical
 Rating 2000 V

Surge Suppression

Lines Protected Data Lines
 Method TVS
 Rating 6.5V bi-directional
 600W peak power dissipation

Industrial Bus

MODBUS ASCII/RTU

Power

Connector Terminal Block
 Voltage 10 to 14 VDC
 Power Consumption 1.0 W
 Source Included Wall Transformer or other 10 to 14 VDC Source

Included Wall Transformer Power Supply

Input Voltage 120 VAC
 Plug Style US
 Output Voltage 12 VDC @ 500 mA
 Output connection Leads stripped and tinned

Terminal Blocks

Wire Size 22 to 14 AWG
 Torque 0.5 Nm

LED Indicators

2 x DATA (RED) Flashes when data received

Enclosure

Material Plastic
 IP Rating 30
 Dimensions 3.8 x 2.4 x 1.0 in (9.7 x 6.1 x 2.5 cm)
 Mounting In line

Environmental


Operating Temperature 0 to 55 C (32 to 131 F)
 Operating Humidity 0 to 95% Non-condensing
 MTBF 453103 hours
 MTBF Calculation Method Parts Count Reliability Prediction

Agency Approvals

CE, FCC
 cULus Recognized, File E222870
 Declaration of Conformity available for download at www.bb.elec.com

Ordering Information

Model Number 485OP
 Replacement P. Supply 485PS4





Artisan Scientific

QUALITY INSTRUMENTATION ... GUARANTEED

Looking for more information?

Visit us on the web at <http://www.artisan-scientific.com> for more information:

- Price Quotations
- Drivers
- Technical Specifications, Manuals and Documentation

Artisan Scientific is Your Source for Quality New and Certified-Used/Pre-owned Equipment

- Tens of Thousands of In-Stock Items
- Hundreds of Manufacturers Supported
- Fast Shipping and Delivery
- Leasing / Monthly Rentals
- Equipment Demos
- Consignment

Service Center Repairs

Experienced Engineers and Technicians on staff in our State-of-the-art Full-Service In-House Service Center Facility

InstraView™ Remote Inspection

Remotely inspect equipment before purchasing with our Innovative InstraView™ website at <http://www.instraview.com>

We buy used equipment! We also offer credit for Buy-Backs and Trade-Ins

Sell your excess, underutilized, and idle used equipment. Contact one of our Customer Service Representatives today!

Talk to a live person: 888-88-SOURCE (888-887-6872) | Contact us by email: sales@artisan-scientific.com | Visit our website: <http://www.artisan-scientific.com>