ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.


Find the *Ledex 197354-001* at our website: ***Click HERE***

Technical Data
Foot-switch


Series F1 UN

Description **F1-SU1 MI RG 5K0,5W UN** Article number **6161800662**

Connection example



Wiring diagram



Electrical data		Microswitch	Potentiometer (POT)
Calibration current	I	5A	–
Sliding contact	I	–	< 0,1µA
Load	P	–	0,5W/40°C
Rated insulation voltage	U_i	250V AC	–
Max. enduring current	U_{max}	250V AC	$\sqrt{PxR}$ [V]
Connection resistance	R	–	5KΩ ±20%
Short-circuit protective device		–	Fuse
		–	F 10mA
Protection class		I (referred to the complete foot-switch)	

This document will not become the contractual basis; the details included herein do not constitute any descriptions of expected conditions, so that warranties/claims for defects on account of possible variations of the actual qualities from the qualities described herein are explicitly excluded. All rights reserved. Specifications subject to change without notice!

Bernstein AG, Tieloser Weg 6, D-32457 Porta Westfalica / www.bernstein-ag.de

Vorlage : 0850174283 Orig. 1
Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Technical Data
Foot-switch

Mechanical data		
Enclosure		AL
Protective guard (Accident protection cover UN)		AL
Actuator		Foot lever (PA)
Ambient air temperature		-25°C … +80°C
Contact type		1 changeover, 1 potentiometer (5kΩ)
Operating force		Approx. 10N (pedal centre)
Mechanical life	Microswitch	10 x 10^6 operating cycles
	Potentiometer	1 x 10^6 movements
Switching frequency		max. 20/min
Assembly		2 x M8
Connection		screw terminals (M2)
Number of connections		6 x M2
Protection ground		2 x M4
Conductor cross-sections		Solid: ≤ 1mm²
		Litz wire with or without ferrules: ≤ 1mm²
Cable entrance		1 x M20x1,5
Weight		Approx. 1,4kg
Protection type		IP65 in accordance with IEC/EN 60529

Regulations Microswitch	DIN EN 61058-1 (VDE 0630 Teil 1): 1993-05
	DIN EN 61058-1: 1992 ÷ A1: 1993-05
	Low voltage guideline 73/23/EWG

EU Conformity	CE

Notes

Not used tapped holes must be closed with pegs. The degree of protection (IP code) specified applies solely to a properly closed cover and the use of an at least equivalent cable gland or blind plugs.

This document will not become the contractual basis; the details included herein do not constitute any descriptions of expected conditions, so that warranties/claims for defects on account of possible variations of the actual qualities from the qualities described herein are explicitly excluded. All rights reserved. Specifications subject to change without notice!

Bernstein AG, Tieloser Weg 6, D-32457 Porta Westfalica / www.bernstein-ag.de

Vorlage : 0850174283 Orig. 1
Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP