

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Boonton 41-4B* at our website: *Click HERE*

Accessories



41-2A Detector Cable. 5 ft. special low noise twin cable connects output of 41-4 and 41-5 Series Power Detectors to 42 Series Microwattmeters.




41-4A Power Sensor. For 42B Series. 200 kHz–7 GHz, 1 nW–10 mW, 50 Ω type N, 300 mW cw overload.

41-4B Power Sensor. For 42B Series. 200 kHz–12.4 GHz, 1 nW–10 mW, 50 Ω type N, 300 mW cw overload.

41-4C Power Sensor. For 42B Series. 200 kHz–1 GHz, 1 nW–10 mW, 75 Ω type N, 300 mW cw overload.

41-4E Power Sensor. For 42B Series. 200 kHz–18 GHz, 1 nW–10 mW, 50 Ω type N, 300 mW cw overload.



41-5B Power Sensor. For 42C Series. 200 kHz–12.4 GHz, 10 nW–100 mW, 50 Ω type N, 2 W cw overload.

41-5E Power Sensor. For 42C Series. 200 kHz–18 GHz, 10 nW–100 mW, 50 Ω type N, 2 W cw overload.



62-1A Test Fixture Kit. For 62A Series. Comprises compensated test fixture with 30 inch leads, shorting bar and test clips.



62-2A 1 MHz Inductance Standard. For 62A Series. 3 values in each unit 62-2A/1: 1.2 and 3 μH. 62-2A/2: 10, 20 and 30 μH. 62-2A/3: 100, 200 and 300 μH. Accuracy ±0.5%.



72-4B Test Post Adapter (BNC). For 72 Series. 4 BNC female, test High/Low; differential High/Low.



72-5C Test Post Adapter (CLIPS) for 72 Series. 3 push clips for leaded components High/Low/ground.




76-2A Capacitance Standards. For 72B/BD/C and 76A. Values available from 0 to 1950 pF with residual G readings. For calibrating 76A. Accuracy ± 0.1%.




76-3A Precision Decade Capacitor. For 72 Series and 76A. 1 pF to 1221 pF in 1 pF steps. Accuracy basically 0.1%.



76-4A Conductance Standard. For 76A only. 18 values available from 0 to 1900 μS with residual C readings for calibrating 76A. Accuracy ±2.0%.



76-8A Test Kit. For 76A only. Comprises 17 values of 76-2A and 18 values of 76-4A plus other parts, accessories and test PROMS needed for full C & G calibration of 76A.




76-9A Test Fixture Kit. For 76A. Comprises 76-6A Test Fixture, 30 inch test cables, trigger lead, various adapters and test clips.



82-1A Rack Mount Kit. For 82AD. Two flanges with handles mount to both sides to adapt to 19 inch rack.



82-2A Extender Card. For 82AD. Allows plug-in boards to be operated in elevated position for servicing.



91-4C Low Frequency RF Probe. For all RF Millivoltmeters. 1 kHz to 250 MHz. Overload protection, 10 V ac and 200 V dc.



91-6C Unterminated BNC Adapter. For 91-12F probes. For coaxial connection up to approximately 100 MHz or to 400 MHz when fed from a low impedance source in an electrically-short system. Female.

91-6G Unterminated BNC Adapter. For all probes. Male. Electrically same as 91-6C.



91-7C 100:1 Voltage Divider. For 91-12F probes. Attenuates input signal by a factor of 100 ± (1% + 0.5% per 100 MHz). Measurements to 300 volts, r.m.s. measuring range to 3 volts, 50 kHz to 700 MHz. Maximum input, 1000 volts dc plus peak ac.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP