ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Canary Communications CTX-1170* at our website: *Click HERE*


Fast Ethernet Transceivers

100 Mbs Transceivers

CTX-1170 • CFX-1171 • CFX-1173 • CFX-1171-SM • CFX-1171-LSM

100 Mbs Transceivers feature:

- Compliant with IEEE 802.3(u) specifications.
- Full array of diagnostic LEDs to indication unit condition.
- All transceivers connect directly or via cable to a 40-pin MII port.
- Switch selection: Up and Running / Isolation mode



Canary's 100 Mbs Transceivers provide direct switch-to-switch or switch-to-router Fast Ethernet links over existing copper and fiber cabling. A switch-selectable "forced up and running" mode can be used when host software is unable to configure the internal, physical layer transceiver IC. IEEE 802.3(u) compliant, these transceivers connect to the host using a 40-pin Medium Independent Interface (MII) connector.

Technical Specifications
&
Ordering Information

Product Highlights | Product Specifications

Home | News | Products | About Canary | Careers | Contact

Copyright © 1997-2010 Canary Communications
All trademarks and registered trademarks are the properties of their respective companies.
Please contact the Canary Communications Webmaster with any comments or suggestions about this web site.

100 Mbs Transceivers

Specifications

CTX-1170 • CFX-1171 • CFX-1173 • CFX-1171-SM • CFX-1171-LSM

Ordering:

100 Mbs SERIES	DESCRIPTION / FEATURE DEFINITION			
CTX-1170	(40-pin connector) MII / 100BASE-TX			
CFX-1171	(40-pin connector) MII / 100BASE-FX	m/m	m/m	2 Km
CFX-1173	(40-pin connector) MII / 100BASE-FX	m/m	s/m	2 Km
CFX-1171-SM	(40-pin connector) MII / 100BASE-FX	s/m	m/m	20 Km
CFX-1171-LSM	(40-pin connector) MII / 100BASE-FX	s/m	m/m	40 Km

*MII - Medium Independent Interface

Product Description

100Mbs Transceivers
Diagnostic LED Indicators:
- Power
- Transmit
- Receive
- Link
- Auto Polarity / Full Duplex
- Collision
- 100Mbps

Regulatory:
- CIEEE 802.3u compliant; All Canary Fast Ethernet transceivers are compliant wit all the applicable IEEE 802.3u specifications.
- **ISO 9001 Certification**

Product Highlights | Product Specifications

Home | News | Products | About Canary | Careers | Contact

Copyright © 1997-2010 Canary Communications
All trademarks and registered trademarks are the properties of their respective companies.
Please contact the Canary Communications Webmaster with any comments or suggestions about this web site.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP