

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

Carter Motor Company

Classic Motors



* Class F insulation
* Sealed ball bearings
* Dynamically balanced armatures
* Replaceable brushes
* Custom designs
* Universal, shunt or PM DC

MODEL	HP	AMPS	RPM
115 VOLTS AC/DC UNIVERSAL MOTORS			
CUA3635	1/35	0.6	3600
CUA3620	1/20	.9	3600
CUB3618	1/18	1.0	3600
CUA5018	1/18	1.1	5000
CUA5025	1/25	.85	5000
CUB5015	1/15	1.2	5000
CUA7512	1/12	1.0	7500
CUA7520	1/20	.9	7500
CUB7510	1/10	1.8	7500
CUA1015	1/15	.7	10000
CUA1010	1/10	1.1	10000
CUB1007	1/7	1.8	10000
115V DC SHUNT MOTORS			
CSA1840	1/40	.45	1800
CSB1830	1/30	.55	1800
CSA3628	1/28	.6	3600
CSB3620	1/20	.7	3600
CSB5015	1/15	.9	5000
115V DC PERMANENT MAGNET MOTORS			
CPA1840E	1/40	.4	1800
CPB1830E	1/30	.5	1800
CPA3628E	1/28	.55	3600
CPB3620E	1/20	.65	3600
CPA5020E	1/20	.65	5000
CPB5015E	1/15	.85	5000

AC/DC UNIVERSAL MOTORS

Speed varies inversely with load and directly with voltage changes
Starting torque approximately 300% of full load torque
Base, face or pump mount
1/35 hp to 1/7 hp, 12 to 230 volt
Continuous duty, ventilated only
Intermittent duty, totally enclosed.
Clockwise, counterclockwise or four lead reversible available.

DC SHUNT OR PERMANENT MAGNET MOTORS

The field strength of a shunt motor may be varied independently for greater control. Starting torque approximately 150% of full load torque.
Base, face or pump mount
1/40 to 1/15 HP, 6 to 230 volt
Continuous duty, ventilated or totally enclosed
Intermittent duty, totally enclosed


Options include base or face mount.

UL Approved

File # 51948

Other options available consult factory

Outline Drawing



DIMENSIONS ARE REFERENCE ONLY

Carter Motor Company, 400 Stagecoach Trail, Warren, Illinois 61087
Phone (815) 745-2100 Fax (815) 745-2135 *e-mail sales@cartermotor.com*
www.cartermotor.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP