ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

**Artisan Technology Group**
(217) 352-9330 | sales@artisantg.com | artisantg.com

**Full-service, independent repair center**
with experienced engineers and technicians on staff.

**We buy your excess, underutilized, and idle equipment**
along with credit for buybacks and trade-ins.

**Custom engineering**
so your equipment works exactly as you specify.


- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

**Expert team | Trust guarantee | 100% satisfaction**

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *CGI 023PLX0200-VM-5586X* at our website: *Click HERE*

## SINGLE, DOUBLE, TRIPLE STAGE
## PRECISION HIGH PERFORMANCE GEARHEADS




| PART NUMBER | A PILOT DIAMETER (in.) | B SQUARE FLANGE (in.) | C SHAFT LENGTH (in.) | D SHAFT DIAMETER (in.) | E PILOT LENGTH (in.) | F FLANGE THICKNESS (in.) | G KEY LOCATION (in.) |
|---|---|---|---|---|---|---|---|
| 017PLX | .864/.866 | 1.65 | 1.25 | .4995/.5000 | 0.062 | 0.187 | 0.56 |
| 023PLX | 1.498/1.500 | 2.25 | 1.25 | .4995/.5000 | 0.062 | 0.250 | 0.56 |
| 034PLX | 2.873/2.875 | 3.25 | 1.50 | .7495/.7500 | 0.062 | 0.312 | 0.56 |
| 042PLX | 2.185/2.187 | 4.20 | 2.00 | .9995/1.0000 | 0.062 | 0.500 | 0.63 |
| 056PLX | 4.498/4.500 | 5.75 | 2.50 | 1.4995/1.5000 | 0.125 | 0.750 | 0.94 |
| 075PLX | 5.998/6.000 | 7.48 | 3.50 | 1.9995/2.0000 | 0.187 | 0.875 | 3.00 Lg |

| PART NUMBER | H KEY HEIGHT (in.) | I HOUSING DIAMETER (in.) | J BOLT HOLE DIAMETER (in.) | K BOLT HOLE CIRCLE (in.) | KEY WIDTH/ WOODRUFF KEY (in.) | RADIAL & AXIAL SHAFT LOADING (LBS.) |
|---|---|---|---|---|---|---|
| 017PLX | 0.063 | 2.05 | 0.125 | 1.725 | 0.125 / #404 | |
| 023PLX | 0.063 | 2.95 | 0.205 | 2.625 | 0.125 / #404 | |
| 034PLX | 0.094 | 4.38 | 0.220 | 3.875 | 0.187 / #606 | SEE PAGE 17 |
| 042PLX | 0.125 | 5.51 | 0.280 | 4.950 | 0.250 / #808 | |
| 056PLX | 0.187 | 7.87 | 0.410 | 7.000 | 0.375 / #1212 | |
| 075PLX | 0.157 | 9.64 | 0.560 | 8.465 | 3/8"x 5/8" RECT. | |

| AVAILABLE RATIOS | EFFICIENCY | SPECIFICATIONS |
|---|---|---|
| SINGLE STAGE : 3:1 / 4:1 / 5:1 / 5.5:1 / 7:1 / 10:1 | 90% | Input RPM: 6500 Max. |
| DOUBLE STAGE: 15:1/16:1/20:1/22:1/25:1/28:1/30:1/40:1/49:1/50:1/55:1/70:1/100:1 | 85% | Operating Temperature Range -60˚F to +255˚F |
| TRIPLE STAGE: 160:1 / 280:1 / 400:1 / 550:1 / 700:1 OTHER RATIOS AVAILABLE | 80% | Motor Mounting Hardware Supplied |



# PRIME™ IN TIME...72 HOUR SHIPPING.

**ALL SPECIFICATIONS SUBJECT TO CHANGE.**


Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

# PL SERIES: PRIME™ PLANETARY GEARHEADS

## SINGLE, DOUBLE, TRIPLE STAGE

| | | TORQUE RATING | | INERTIA | | BACKLASH | GEARHEAD | L |
|---|---|---|---|---|---|---|---|---|
| MODEL | RATIO | $T_C$ | $T_{PEAK}$ | INPUT PINION | GEARHEAD | STD/ LOW | WEIGHT | GEARHEAD |
| | | *IN LBS.* | *IN LBS.* | *0Z IN SEC²* | *0Z IN SEC²* | *ARC MINUTES* | *LBS.* | *LENGTH* |
| 017PLX | 3:1 | 167 | 261 | 2.163E-04 | 1.669E-04 | 6 / 3 | 1.0 | 2.62 |
| 017PLX | 4:1 | 158 | 248 | 1.352E-04 | 1.053E-04 | 6 / 3 | 1.0 | 2.62 |
| 017PLX | 5:1 | 148 | 231 | 1.203E-04 | 6.954E-05 | 6 / 3 | 1.0 | 2.62 |
| 017PLX | 5.5:1 | 143 | 223 | 1.174E-04 | 5.870E-05 | 6 / 3 | 1.0 | 2.62 |
| 017PLX | 7:1 | 119 | 158 | 1.143E-04 | 3.692E-05 | 6 / 3 | 1.0 | 2.62 |
| 017PLX | 10:1 | 56 | 84 | 1.132E-04 | 1.833E-05 | 6 / 3 | 1.0 | 2.62 |
| 017PLX | 15:1 | 178 | 277 | 1.203E-04 | 7.482E-05 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 16:1 | 169 | 264 | 1.352E-04 | 1.045E-04 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 20:1 | 170 | 266 | 1.203E-04 | 6.906E-05 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 22:1 | 171 | 267 | 1.174E-04 | 5.830E-05 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 25:1 | 159 | 247 | 1.203E-04 | 6.699E-05 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 28:1 | 172 | 269 | 1.143E-04 | 3.667E-05 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 30:1 | 183 | 285 | 1.132E-04 | 1.965E-05 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 40:1 | 174 | 272 | 1.132E-04 | 1.821E-05 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 49:1 | 127 | 199 | 1.143E-04 | 3.479E-05 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 50:1 | 161 | 251 | 1.132E-04 | 1.770E-05 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 55:1 | 156 | 243 | 1.132E-04 | 1.755E-05 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 70:1 | 128 | 201 | 1.132E-04 | 1.729E-05 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 100:1 | 52 | 77 | 1.132E-04 | 1.708E-05 | 10 / 5 | 1.6 | 3.28 |
| 017PLX | 160:1 | 181 | 283 | 1.132E-04 | 1.812E-05 | 14 / 7 | 2.2 | 3.77 |
| 017PLX | 280:1 | 183 | 286 | 1.132E-04 | 1.725E-05 | 14 / 7 | 2.2 | 3.77 |
| 017PLX | 400:1 | 185 | 286 | 1.132E-04 | 1.706E-05 | 14 / 7 | 2.2 | 3.77 |
| 017PLX | 550:1 | 165 | 257 | 1.132E-04 | 1.705E-05 | 14 / 7 | 2.2 | 3.77 |
| 017PLX | 700:1 | 136 | 212 | 1.132E-04 | 1.705E-05 | 14 / 7 | 2.2 | 3.77 |
| | | | | | | | | |
| 023PLX | 3:1 | 380 | 594 | 1.194E-03 | 4.866E-04 | 6 / 3 | 1.8 | 2.66 |
| 023PLX | 4:1 | 360 | 562 | 9.502E-04 | 3.113E-04 | 6 / 3 | 1.8 | 2.66 |
| 023PLX | 5:1 | 331 | 518 | 9.044E-04 | 2.064E-04 | 6 / 3 | 1.8 | 2.66 |
| 023PLX | 5.5:1 | 317 | 496 | 8.969E-04 | 1.746E-04 | 6 / 3 | 1.8 | 2.66 |
| 023PLX | 7:1 | 263 | 411 | 8.880E-04 | 1.100E-04 | 6 / 3 | 1.8 | 2.66 |
| 023PLX | 10:1 | 119 | 179 | 8.846E-04 | 5.471E-05 | 6 / 3 | 1.8 | 2.66 |
| 023PLX | 15:1 | 396 | 619 | 9.044E-04 | 2.355E-04 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 16:1 | 376 | 587 | 9.502E-04 | 3.287E-04 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 20:1 | 378 | 591 | 9.044E-04 | 2.175E-04 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 22:1 | 380 | 594 | 8.969E-04 | 1.838E-04 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 25:1 | 347 | 543 | 9.044E-04 | 2.110E-04 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 28:1 | 384 | 600 | 8.880E-04 | 1.157E-04 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 30:1 | 408 | 639 | 8.846E-04 | 6.200E-05 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 40:1 | 388 | 607 | 8.846E-04 | 5.749E-05 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 49:1 | 286 | 447 | 8.880E-04 | 1.098E-04 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 50:1 | 361 | 564 | 8.846E-04 | 5.586E-05 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 55:1 | 347 | 542 | 8.846E-04 | 5.543E-05 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 70:1 | 288 | 450 | 8.846E-04 | 5.460E-05 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 100:1 | 110 | 164 | 8.846E-04 | 5.393E-05 | 10 / 5 | 2.8 | 3.48 |
| 023PLX | 160:1 | 404 | 631 | 8.846E-04 | 5.723E-05 | 14 / 7 | 3.8 | 4.27 |
| 023PLX | 280:1 | 409 | 640 | 8.846E-04 | 5.449E-05 | 14 / 7 | 3.8 | 4.27 |
| 023PLX | 400:1 | 406 | 608 | 8.846E-04 | 5.388E-05 | 14 / 7 | 3.8 | 4.27 |
| 023PLX | 550:1 | 368 | 575 | 8.846E-04 | 5.386E-05 | 14 / 7 | 3.8 | 4.27 |
| 023PLX | 700:1 | 303 | 473 | 8.846E-04 | 5.385E-05 | 14 / 7 | 3.8 | 4.27 |
| | | | | | | | | |
| 034PLX | 3:1 | 1285 | 2008 | 4.901E-03 | 4.672E-03 | 6 / 3 | 7.0 | 4.19 |
| 034PLX | 4:1 | 1219 | 1905 | 2.522E-03 | 2.833E-03 | 6 / 3 | 7.0 | 4.19 |
| 034PLX | 5:1 | 1148 | 1795 | 2.115E-03 | 1.875E-03 | 6 / 3 | 7.0 | 4.19 |
| 034PLX | 5.5:1 | 1113 | 1740 | 2.040E-03 | 1.585E-03 | 6 / 3 | 7.0 | 4.19 |
| 034PLX | 7:1 | 935 | 1461 | 1.955E-03 | 9.983E-04 | 6 / 3 | 7.0 | 4.19 |
| 034PLX | 10:1 | 552 | 828 | 1.923E-03 | 4.961E-04 | 6 / 3 | 7.0 | 4.19 |
| 034PLX | 15:1 | 1381 | 2158 | 2.115E-03 | 2.033E-03 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 16:1 | 1315 | 2055 | 2.522E-03 | 2.824E-03 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 20:1 | 1324 | 2069 | 2.115E-03 | 1.869E-03 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 22:1 | 1333 | 2083 | 2.040E-03 | 1.580E-03 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 25:1 | 1244 | 1945 | 2.115E-03 | 1.810E-03 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 28:1 | 1346 | 2103 | 1.955E-03 | 9.952E-04 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 30:1 | 1430 | 2235 | 1.923E-03 | 5.355E-04 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 40:1 | 1364 | 2132 | 1.923E-03 | 4.946E-04 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 49:1 | 1015 | 1587 | 1.955E-03 | 9.417E-04 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 50:1 | 1267 | 1980 | 1.923E-03 | 4.799E-04 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 55:1 | 1232 | 1925 | 1.923E-03 | 4.759E-04 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 70:1 | 1027 | 1605 | 1.923E-03 | 4.684E-04 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 100:1 | 507 | 761 | 1.923E-03 | 4.623E-04 | 10 / 5 | 8.0 | 5.31 |
| 034PLX | 160:1 | 1424 | 2226 | 1.923E-03 | 4.905E-04 | 14 / 7 | 9.0 | 6.53 |
| 034PLX | 280:1 | 1445 | 2258 | 1.923E-03 | 4.668E-04 | 14 / 7 | 9.0 | 6.53 |
| 034PLX | 400:1 | 1458 | 2278 | 1.923E-03 | 4.615E-04 | 14 / 7 | 9.0 | 6.53 |
| 034PLX | 550:1 | 1311 | 2048 | 1.923E-03 | 4.613E-04 | 14 / 7 | 9.0 | 6.53 |
| 034PLX | 700:1 | 1090 | 1703 | 1.923E-03 | 4.613E-04 | 14 / 7 | 9.0 | 6.53 |
| | | | | | | | | |

ALL SPECIFICATIONS SUBJECT TO CHANGE.


Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

# PL SERIES: PRIME™ PLANETARY GEARHEADS

## SINGLE, DOUBLE, TRIPLE STAGE

| | | TORQUE RATING | | INERTIA | | BACKLASH | GEARHEAD | L |
|---|---|---|---|---|---|---|---|---|
| MODEL | RATIO | $T_C$ | $T_{PEAK}$ | INPUT PINION | GEARHEAD | STD/ LOW | WEIGHT | GEARHEAD |
| | | *IN LBS.* | *IN LBS.* | *0Z IN SEC²* | *0Z IN SEC²* | *ARC MINUTES* | *LBS.* | *LENGTH* |
| 042PLX | 3:1 | 2301 | 3597 | 1.680E-02 | 1.641E-02 | 6 / 3 | 11.5 | 4.73 |
| 042PLX | 4:1 | 2195 | 3430 | 1.032E-02 | 1.049E-02 | 6 / 3 | 11.5 | 4.73 |
| 042PLX | 5:1 | 2079 | 3249 | 9.201E-03 | 6.945E-03 | 6 / 3 | 11.5 | 4.73 |
| 042PLX | 5.5:1 | 2021 | 3159 | 8.997E-03 | 5.878E-03 | 6 / 3 | 11.5 | 4.73 |
| 042PLX | 7:1 | 1711 | 2673 | 8.766E-03 | 3.704E-03 | 6 / 3 | 11.5 | 4.73 |
| 042PLX | 10:1 | 1122 | 1684 | 8.680E-03 | 1.841E-03 | 6 / 3 | 11.5 | 4.73 |
| 042PLX | 15:1 | 2485 | 3884 | 9.201E-03 | 7.783E-03 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 16:1 | 2379 | 3717 | 1.032E-02 | 1.101E-02 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 20:1 | 2397 | 3745 | 9.201E-03 | 7.286E-03 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 22:1 | 2414 | 3772 | 8.997E-03 | 6.156E-03 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 25:1 | 2263 | 3536 | 9.201E-03 | 7.101E-03 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 28:1 | 2438 | 3811 | 8.766E-03 | 3.875E-03 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 30:1 | 2579 | 4032 | 8.680E-03 | 2.050E-03 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 40:1 | 2473 | 3865 | 8.680E-03 | 1.925E-03 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 49:1 | 1867 | 2918 | 8.766E-03 | 3.706E-03 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 50:1 | 2308 | 3606 | 8.680E-03 | 1.879E-03 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 55:1 | 2250 | 3516 | 8.680E-03 | 1.866E-03 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 70:1 | 1890 | 2953 | 8.680E-03 | 1.843E-03 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 100:1 | 1031 | 1547 | 8.680E-03 | 1.823E-03 | 10 / 5 | 18.0 | 6.36 |
| 042PLX | 160:1 | 2587 | 4044 | 8.680E-03 | 1.931E-03 | 14 / 7 | 18.5 | 7.93 |
| 042PLX | 280:1 | 2627 | 4105 | 8.680E-03 | 1.844E-03 | 14 / 7 | 18.5 | 7.93 |
| 042PLX | 400:1 | 2651 | 4142 | 8.680E-03 | 1.824E-03 | 14 / 7 | 18.5 | 7.93 |
| 042PLX | 550:1 | 2400 | 3750 | 8.680E-03 | 1.823E-03 | 14 / 7 | 18.5 | 7.93 |
| 042PLX | 700:1 | 2009 | 3140 | 8.680E-03 | 1.823E-03 | 14 / 7 | 18.5 | 7.93 |
| | | | | | | | | |
| 056PLX | 3:1 | 5169 | 8078 | 5.794E-02 | 7.141E-02 | 6 / 3 | 28.0 | 7.39 |
| 056PLX | 4:1 | 4946 | 7730 | 3.123E-02 | 4.524E-02 | 6 / 3 | 28.0 | 7.39 |
| 056PLX | 5:1 | 4693 | 7335 | 2.647E-02 | 2.991E-02 | 6 / 3 | 28.0 | 7.39 |
| 056PLX | 5.5:1 | 4567 | 7137 | 2.564E-02 | 2.527E-02 | 6 / 3 | 28.0 | 7.39 |
| 056PLX | 7:1 | 3888 | 6076 | 2.470E-02 | 1.590E-02 | 6 / 3 | 28.0 | 7.39 |
| 056PLX | 10:1 | 2767 | 4150 | 2.435E-02 | 7.899E-03 | 6 / 3 | 28.0 | 7.39 |
| 056PLX | 15:1 | 5619 | 8781 | 2.647E-02 | 3.315E-02 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 16:1 | 5396 | 8433 | 3.123E-02 | 4.702E-02 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 20:1 | 5439 | 8500 | 2.647E-02 | 3.105E-02 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 22:1 | 5482 | 8567 | 2.564E-02 | 2.621E-02 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 25:1 | 5143 | 8038 | 2.647E-02 | 3.026E-02 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 28:1 | 5542 | 8661 | 2.470E-02 | 1.648E-02 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 30:1 | 5850 | 9142 | 2.435E-02 | 8.708E-03 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 40:1 | 5627 | 8794 | 2.435E-02 | 8.184E-03 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 49:1 | 4273 | 6677 | 2.470E-02 | 1.576E-02 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 50:1 | 5253 | 8210 | 2.435E-02 | 7.986E-03 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 55:1 | 5127 | 8012 | 2.435E-02 | 7.932E-03 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 70:1 | 4328 | 6763 | 2.435E-02 | 7.830E-03 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 100:1 | 2543 | 3814 | 2.435E-02 | 7.746E-03 | 10 / 5 | 43.0 | 9.53 |
| 056PLX | 160:1 | 5904 | 9227 | 2.435E-02 | 8.201E-03 | 14 / 7 | 58.0 | 11.63 |
| 056PLX | 280:1 | 5998 | 9374 | 2.435E-02 | 7.835E-03 | 14 / 7 | 58.0 | 11.63 |
| 056PLX | 400:1 | 6055 | 9463 | 2.435E-02 | 7.749E-03 | 14 / 7 | 58.0 | 11.63 |
| 056PLX | 550:1 | 5486 | 8574 | 2.435E-02 | 7.747E-03 | 14 / 7 | 58.0 | 11.63 |
| 056PLX | 700:1 | 4616 | 7213 | 2.435E-02 | 7.746E-03 | 14 / 7 | 58.0 | 11.63 |
| | | | | | | | | |
| 075PLX | 3:1 | 13339 | 20009 | 1.936E-01 | 2.930E-01 | 6 / 3 | 77.0 | 9.11 |
| 075PLX | 4:1 | 12713 | 19868 | 6.554E-02 | 1.889E-01 | 6 / 3 | 77.0 | 9.11 |
| 075PLX | 5:1 | 12748 | 19923 | 4.403E-02 | 1.254E-01 | 6 / 3 | 77.0 | 9.11 |
| 075PLX | 5.5:1 | 12765 | 19950 | 4.015E-02 | 1.062E-01 | 6 / 3 | 77.0 | 9.11 |
| 075PLX | 7:1 | 10809 | 16892 | 3.574E-02 | 6.702E-02 | 6 / 3 | 77.0 | 9.11 |
| 075PLX | 10:1 | 7016 | 10524 | 3.410E-02 | 3.335E-02 | 6 / 3 | 77.0 | 9.11 |
| 075PLX | 15:1 | 15924 | 24048 | 4.403E-02 | 1.372E-01 | 10 / 5 | 116.0 | 11.99 |
| 075PLX | 16:1 | 15298 | 23907 | 6.554E-02 | 1.928E-01 | 10 / 5 | 116.0 | 11.99 |
| 075PLX | 20:1 | 15430 | 24113 | 4.403E-02 | 1.279E-01 | 10 / 5 | 116.0 | 11.99 |
| 075PLX | 22:1 | 15561 | 24318 | 4.015E-02 | 1.083E-01 | 10 / 5 | 116.0 | 11.99 |
| 075PLX | 25:1 | 15333 | 23962 | 4.403E-02 | 1.246E-01 | 10 / 5 | 116.0 | 11.99 |
| 075PLX | 28:1 | 15746 | 24608 | 3.574E-02 | 6.831E-02 | 10 / 5 | 116.0 | 11.99 |
| 075PLX | 30:1 | 16632 | 25155 | 3.410E-02 | 3.629E-02 | 10 / 5 | 116.0 | 11.99 |
| 075PLX | 40:1 | 16006 | 25014 | 3.410E-02 | 3.398E-02 | 10 / 5 | 116.0 | 11.99 |
| 075PLX | 49:1 | 11968 | 18704 | 3.574E-02 | 6.523E-02 | 10 / 5 | 116.0 | 11.99 |
| 075PLX | 50:1 | 14447 | 22577 | 3.410E-02 | 3.314E-02 | 10 / 5 | 116.0 | 11.99 |
| 075PLX | 55:1 | 14464 | 22604 | 3.410E-02 | 3.291E-02 | 10 / 5 | 116.0 | 11.99 |
| 075PLX | 70:1 | 12134 | 18962 | 3.410E-02 | 3.247E-02 | 10 / 5 | 116.0 | 11.99 |
| 075PLX | 100:1 | 6447 | 9671 | 3.410E-02 | 3.212E-02 | 10 / 5 | 116.0 | 11.99 |
| | | | | | | | | |

ALL SPECIFICATIONS SUBJECT TO CHANGE.

**NOTES:** Other ratios are also available, consult factory.
$T_C$: Output torque is rated at 3000 RPM, and a minimum life of 10,000 hours.
Bearing load ratings are based on a minimum life of 10,000 hours.


Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

**Artisan Technology Group** is an independent supplier of quality pre-owned equipment

## Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

## Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP