

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

**Artisan Technology Group**
(217) 352-9330 | sales@artisantg.com | artisantg.com

**Full-service, independent repair center**
with experienced engineers and technicians on staff.

**We buy your excess, underutilized, and idle equipment**
along with credit for buybacks and trade-ins.

**Custom engineering**
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

**Expert team | Trust guarantee | 100% satisfaction**

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

**Visit our website - *Click HERE***

# PAA Series

# AC-DC Adaptor, 30W-60W

## Features

- Single, 30W - 60W, Output
- AC Universal Input, 90Vac - 264Vac
- IEC 320 C6 or C14 Input Receptacle
- Build in CV, CC, CP mode for charger
- Power Saving meet Blue Angle Specs
- High MTBF and High Efficiency design
- OVP, OPP (Auto Recovery), and Short
- Portable, Compact Size with Low Profile
- Multiple Choice of Output Plug and Cable
- Operating Temperature Range 0°C to 40°C
- UL/cUL, TUV, CCC, CB, and more certified



## Electrical Specifications

### AC Input

- Input Voltage 90 264 VAC
- Input Current 2.5A max.
- Input Frequency 47 63 Hz
- Efficiency 70/80% @ full load, nominal line
- Inrush Current 80A max @ cold start
- Leakage Current 0.75mA max. @ 240Vac input

### DC Output 30W-60W Max

| Model Number | Power | Voltage | Current | Ripple/Noise | Regulation |
|---|---|---|---|---|---|
| PAA030B | 30W | 5V | 6.00A | 1% | < 3% |
| PAA030C | 30W | 6V | 5.00A | 1% | < 3% |
| PAA045E | 45W | 9V | 5.00A | 1% | < 3% |
| PAA040F | 40W | 12V | 3.33A | 1% | < 3% |
| PAA050F | 50W | 12V | 4.16A | 1% | < 3% |
| PAA060F | 60W | 12V | 5.00A | 1% | < 3% |
| PAA060H | 60W | 15V | 4.00A | 1% | < 3% |
| PAA060I | 60W | 16V | 3.75A | 1% | < 3% |
| PAA060J | 60W | 18V | 3.33A | 1% | < 3% |
| PAA060K | 60W | 19V | 3.16A | 1% | < 3% |
| PAA060L | 60W | 2-V | 3.00A | 1% | < 3% |
| PAA060M | 60W | 24V | 2.50A | 1% | < 3% |
| PAA060P | 60W | 30V | 2.00A | 1% | < 3% |

## Mechanical Dimension

- W x L x H = 65 x 108 x 31 mm / 2.56 x 4.25 x 1.22 inch

**Artisan Technology Group** is an independent supplier of quality pre-owned equipment

## Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

## We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

## Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP