



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)



# VMEbus

## 32MB TO 512MB HIGH-SPEED VME, VSB, & VME64 PARITY MEMORY FOR VMEbus SYSTEMS



### CI-VME80

The CI-VME80 is a high-speed, high-capacity DRAM memory board with VME, VSB and VME64 interfaces. The CI-VME80 is optimized for Block Transfer Cycles yielding a bus transfer rate up to 80 megabytes per second. The memory module has cycle times of 95 nanoseconds and access times of 30 nanoseconds during block cycles. The CI-VME80 is an excellent choice for high-speed DMA and dedicated data acquisition devices that require maximum memory transfer rates into large memory capacities. The CI-VME80 fully supports the current ANSI/VITA 1-1994, ANSI/VITA 1.1-1997 and VSB Rev. C Bus Specifications. Flexible address selections allow the CI-VME80 to be placed into any VMEbus environment. The CI-VME80 has low power requirements of 2.5A (typical) at +5 volts.

#### FEATURES:

- \* Up to 80MB per second bus transfer rates
- \* 32MB to 512MB in one 6U VMEbus slot
- \* ANSI/VITA 1-1994, ANSI/VITA 1.1-1997
- \* 64 bit data path for higher data transfer rates
- \* Byte Parity Error Detection
- \* Addressable in 24 or 32 bit through 4 Gigabytes
- \* Memory start and end addresses selectable on 1MB boundaries
- \* LED indicators for VMEbus, VSB, D64, ALU access, and parity ERROR status

*Chrislin Industries, Inc.*



# SPECIFICATIONS

## CI-VME80

CHARACTERISTIC	SPECIFICATION
Capacity	32, 64, 128, 256, 512 megabytes
Cycle Time	95ns BLOCK CYCLE, 195ns SINGLE CYCLE
Access Time Write/Read	30/30ns BLOCK CYCLE, 90/140ns SINGLE CYCLE
Word Size	8, 16, 24, 32, or 64 bits
Memory Addressing	32 or 24 bits, 4 GB maximum selectable on 1 MB boundaries
CSR Addressing	16bit,selectable on 256byte boundaries using VMEbus SHORT I/O
Modes of Operation MEMORY CSR	READ, WRITE, READ-MODIFY-WRITE, BLOCK TRANSFERS, UNALIGNED TRANSFERS READ, WRITE
ANSI/VITA 1-1994, ANSI/VITA 1.1-1997 Compatibility	SLAVE, A16, A24, A32, D8, D16, D24, D32, D64, RMW, BLT, MBLT, UAT, AD0
VSB Rev. C Compatibility	SLAVE, D32, A32, SAS, ATLAS, AD0, BLT(32)
Address Modifiers	Responds to AM Codes 3F,3E,3D,3B,3A,39,0F,0E,0D, 0B,0A,09,2D, & 29, AM Codes are programmable, ALU Cycles are selected with AM Codes 10-1F
Refresh	Internal, Distributed
Parity/Error Handling	Byte Parity
1 RED, 4 GREEN LED Indicators	RED - Parity Error, GREEN - VME, VSB, D64 & ALU cycles
Designed Temperature Range	Operating: 0 deg. C to +50 deg. C non-condensing Storage: -20 deg. C to +70 deg. C non-condensing
Power Requirements +5 Volts	TYPICAL    MAXIMUM 2.5A        2.9A        64MB Option
Dimensions	160mm x 233.35mm, 6U form factor

**Chrislin Industries, Inc.**  
**31312 Via Colinas, #108**  
**Westlake Village, CA 91362**

**Tel: (818) 991-2254**  
**Fax: (818) 991-3490**  
**Sales: (800) 468-0736**

*Chrislin Industries, Inc.*



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)