

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction


All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Comtrol 99344-5* at our website: ***Click HERE***

ROCKETPORT® UNIVERSAL PCI
MULTIPORT SERIAL CARDS

HIGHLIGHTS

- RoHS Directive 2002/95/EC compliant
- Universal PCI design supporting 3.3 and 5.0 Volt PCI bus architectures—ensures compatibility with all current PCI bus architectures
- I/O mapping capabilities—simplifies installation, eliminates memory conflicts, and enables plug-and-play compatibility
- Multiport serial expansion using a single slot—DB25 fan-out octacable provides cost-effective, compact and flexible serial connections
- On-board dedicated 36MHz RISC processor—minimizes “host” CPU utilization
- RS-232 communications support—enables transmit-and-receive speeds up to 460 Kbps
- Transmit buffers 16 times larger, and receive buffers 64 times larger than a 16550 UART—helps ensure smooth, efficient data transfer
- Robust driver support—enables card to work seamlessly with popular operating system



Part Number
993445

RocketPort uPCI Octa DB25

The RocketPort uPCI Octa/DB25 serial port expansion card is compatible with all current 3.3 and 5.0 Volt PCI bus architectures. It provides eight “native” serial ports utilizing a single 32- or 64-bit PCI card slot. The serial ports with DB25 connectors support RS-232 serial communications at speeds up to 460 Kbps. RocketPort products are designed with larger transmit-and-receive buffers than those available in a standard 16550 UART found in standard PC serial ports and low-end serial cards, enabling them to handle the transmission of large amounts of data reliably and efficiently.

They also utilize an on-board 36MHz processor, minimizing host CPU utilization. RocketPort products do not require the assignment of interrupts, simplifying installation and eliminating conflicts with other server cards. Drivers are available for popular operating systems.The product is fully compliant with the RoHS directive 2002/95/EC.

COMTROL®

SPECIFICATIONS

HARDWARE

Product Weight	0.23 Lbs
Packaged Shipping Weight	2.80 Lbs
Maximum Cards/System	4
Surge Protection	15KV @ 200A for 1n

ELECTRICAL SPECIFICATIONS

Device Requirements	+5V 294mA
Device Consumption	4.26 Watt

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature	0° to 45°C
Storage Temperature	-20° to 85°C
Relative Humidity	20% to 80%
Altitude	0 to 10,000 Ft
Heat Output	5.1 BTU/Hr
MTBF	25.6 Yr

DEVICE DRIVERS

QNX 6.X
QNX 4.X
SCO OpenServer 5
Free BSD 4
Free BSD 5
Linux
Microsoft® Windows® 7
Microsoft® Windows® 2008 Server
Microsoft® Windows® Vista
Microsoft® Windows Server® 2003
Microsoft® Windows® XP
Microsoft® Windows NT® 4.0 (Legacy)
Microsoft® Windows® 2000 (Legacy)

SERIAL COMMUNICATIONS

Bus Interface	3.3 or 5.0V PCI
Serial Interfaces	RS-232
Baud Rates	300 to 460.8 Kbps
Serial Connectors	(8) DB25 Male
Data Bits	7 or 8
Parity	Odd, Even, None
Stop Bits	1 or 2
Flow Control	Hardware/Software

REGULATORY APPROVAL MARKS


CE Mark, C-Tick, UL & CUL Recognized,
FCC Part 15 Subpart B Class B,
Canadian EMC Requirements, RoHS
2002/95/E


REGULATORY STANDARDS

Immunity: EMC Directive 89/336/EEC, EN55024,
IEC1000-4-2, IEC 1000-4-3, IEC 1000-4-4,
IEC 1000-4-5, IEC 1000-4-6, IEC 1000-4-8,
IEC 1000-4-11
Emission: ICES-003, CISPR-22/EN55022
Safety: UL/CUL 6095

COMTROL®

DB25M Serial Pinout Assignments





RocketPort uPCI Connectivity

ORDERING INFORMATION

99344-5 RocketPort uPCI Octa DB25

PRODUCT SUPPORT & SERVICE INFORMATION

Warranty Information
Comtrol offers a 30-day satisfaction guarantee and 5-year limited warranty.

Sales Support
+1.763.957.6000
sales@comtrol.com

Technical Support
+1.763.957.6000
www.comtrol.com/support

Email, FTP, and Web Support
info@comtrol.com
ftp.comtrol.com
www.comtrol.com

© 2012 by Comtrol Corporation. All Rights Reserved. Printed in the U.S.A. All trademarks used herein are the property of their respective trademark holders. Specifications are subject to change without notice. LT1326C

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP