ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.


Find the *Comtrol 95050-9* at our website: ***Click HERE***

COMTROL®

ROCKETPORT

RocketPort® uPCI 8-Port RS-232/422 Surge Interface

Part Number: 99385-8



KEY FEATURES AND BENEFITS

- DB25M connectors
- RS-232/422
- Works with RocketPort uPCI cards
- RoHS 2 compliant under CE

PRODUCT DESCRIPTION

25KV ESD protection – The industry standard is anywhere from 6KV to 15KV. This added protection allows more protection against damage from static discharge and near miss lightning strikes.

RS-232/422 switch-selectable ports – Allows versatility and easy configuration of ports to match diverse installations.

Biased termination of the RS-422 – Prevents unconnected port generating random data due to floating inputs.

25-pin male connectors – This provides connectors that conform more closely to the industry standard for PC serial connections.

MADE IN USA

connect. communicate. control.

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

ROCKETPORT SPECIFICATIONS

HARDWARE

Board Dimensions	5.8" x 0.6" x 5.3"
Product Weight	17.1 oz

ELECTRICAL SPECIFICATIONS

ESD Surge Protection
Provides minimum of 25KV for a duration of 10ns@400A

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature	0 to 60°C
Storage Temperature	-20 to 85°C
Operating Humidity	
NonCondensing	5% to 95%
Altitude	0 to 10,000 Ft

SERIAL COMMUNICATIONS

Connector Type	(8) DB25M
Software Interfaces	RS-232/RS-422
Baud Rate	300 to 230.4Kbps

EXPORT INFORMATION

Packaged Shipping Weight	1.59 lbs
Package Dimensions	8.25"x 3.25"x 9.5"
UPC Code	7-56727-99385-8
Country of Origin	USA
ECCN	EAR99
Schedule B Number	8471.80.1000

REGULATORY APPROVAL MARKS

RoHS CE C c UL us

REGULATORY STANDARDS

Emissions
European Standard EN55022
FCC Part 15 Subpart B
Class B limit
CISPR-22

Immunity
European Standard EN50082-1
IEC 801-2: ESD
IEC 801-3: RF
IEC 801-4: Fast Transient


Safety
IEC 60950/EN60950
CSA C22.2 No. 60950/UL60950 Third Edition

Country of Origin USA

FEATURES

5 Year Warranty

PINOUT DIAGRAMS



COMTROL®

Warranty Information
Comtrol offers a 30-day satisfaction guarantee and 5-year limited warranty.

Sales Support
+1.763.957.6000
sales@comtrol.com

Technical Support
+1.763.957.6000
www.comtrol.com/support

Email, FTP, and Web Support
info@comtrol.com
ftp.comtrol.com
www.comtrol.com

© 2013 by Comtrol Corporation. All Rights Reserved. Printed in the U.S.A. All trademarks used herein are the property of their respective trademark holders. Specifications are subject to change without notice. LT1518B

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP