

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*

	Representative microplate (Corning Cat. #)	Well Volume (uL)	Well Depth (mm)	Well Diameter (top/bottom) (mm)	Plate Length (mm)	Plate Width (mm)	Plate Height (mm)	A1 Row Offset (mm)	A1 Column Offset (mm)	Well center to well center spacing (mm)	Flange or skirt height (mm)	Stack Height	Well Bottom Elevation (mm)	Well Bottom Thickness (mm)	Well Bottom Area (cm^2)	Distance to bottom of plate
96 Well Microplates																
Solid black, white, and clear polystyrene plates																
96 well flat bottom	3650, 3916, 3915, 3361, 3590, 9018, 3591, 9017, 3641, 3628, 3370, 2507, 2509, 2503, 3841, 3600, 3362, 3917, 3912, 9017, 9018, 3641,3925, 3922, 3596, 3977, 3598, 3599, 3585, 3595, 3300, 3474, 3841	360	10.67	6.86 / 6.35	127.8	85.5	14.2	11.2	14.3	9	6.096	12.97	3.53	1.27	0.3165	2.26
96 well round bottom	3366, 3797, 3360, 3367, 3788, 3795, 3798, 3605, 3789, 3792, 3799, 7007	360	11.3	6.86 / 6.35	127.8	85.5	14.2	11.2	14.3	9	6.096	13.04	3.53	1.14	N/A	1.76
96 well V-bottom	3896, 3897, 3898, 3894, 3342, 3347	320	11.12	6.86 / 6.37	127.8	85.5	14.2	11.2	14.3	9	6.096	13.04	4.29*	N/A	N/A	
96 well Easy-Wash™ bottom	3368, 3369	360	10.67	6.86 / 4.57	127.8	85.5	14.2	11.2	14.3	9	6.096	13.02	3.55	1.27	0.1639	2.26
96 Half Area flat bottom	3686, 3688, 3690, 3693, 3694, 3695, 3697, 3696, 3875	190	10.54	5.00 / 4.50	127.8	85.5	14.2	11.2	14.3	9	6.096	12.96	2.28	1.27	0.1586	2.39
96 well A/2 UV plate	3679	205	11.47	5.0 / 4.5	127.8	85.5	14.2	11.2	14.3	9	6.096	12.49	2.75	0.381	0.1586	2.349
Black/white with clear bottom, polystyrene plates																
96 well flat bottom	3603, 3604, 3610, 3631, 3632, 3651, 3843, 3842, 3903, 3904, 3601, 3635, 3340, 3842,3843	360	10.67	6.86 / 6.35	127.8	85.5	14.2	11.2	14.3	9	6.096	13.12	3.57	0.5	0.3165	3.03
96 well Half Area flat bottom	3880, 3881, 3882, 3883, 3884, 3885, 3886, 3887, 3679	205	11.47	5.0 / 4.5	127.8	85.5	14.2	11.2	14.3	9	6.096	12.49	2.75	0.381	0.1586	2.349
96 Well Special Optics plate	3614, 3615	360	10.67	6.86 / 6.35	127.8	85.5	14.2	11.2	14.3	9	6.096	13.12	2.75	0.127	0.3165	3.403
96 well Black Clear Bottom Ultra-Web Synthetic Surface	3872xx1, 3873xx1	366	10.69	6.86 / 6.35	127.8	85.5	14.2	11.2	14.4	9	6.1	13.08	3.46	0.295	0.317	3.27
Polypropylene plates																
96 well flat bottom	3364	360	10.67	6.86 (top)	127.8	85.5	14.2	11.2	14.3	9	6.096	130.2	N/A	N/A	N/A	
96 well round bottom	3355, 3356, 3359, 3365	360	11.3	6.86 (top)	127.8	85.5	14.2	11.2	14.3	9	6.096	12.18	N/A	N/A	N/A	
96 well V-bottom	3357, 3363	320	11.13	6.86 (top)	127.8	85.5	14.2	11.2	14.3	9	6.096	13	N/A	N/A	N/A	
96 well ClearPro round bottom plat	3371	360	11.3	6.86 / 3.22	127.8	85.5	14.2	11.2	14.3	9	6.096	12.18	N/A	N/A	N/A	
Polypropylene blocks																
96 well 0.5 mL V-bottom block	3956, 3957	500	25.3	6.86 (top)	127.8	85.5	27.56	11.2	14.3	9	6.096	24.49	N/A	N/A	N/A	
96 well 1 mL round bottom block	3958, 3959	1000	40.28	6.86 (top)	127.8	85.1	42.2	11.2	14.3	9	6.096	38.81	N/A	N/A	N/A	
96 well 2 mL V-bottom block (square well)	3960, 3961	2000	42.03	8.15 (top width)	127.8	85.9	43.8	11.2	14.3	9	6.096	41.35	N/A	N/A	N/A	

A1 Row Offset (mm) = Distance from top of plate to center of A1 well; A1 Column Offset (mm) = Distance from left edge of plate to center of A1 well
Note: For additional microplate information, please visit our web site www.corning.com/lifesciences or contact us at 1-978-635-2200 (1-800-492-1110 for U.S. customers)
*Does not include V portion

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP