



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)

# OM-400 Series Optical Power Meter

A LANscape® Solutions Product

Corning  
Cable Systems

## Applications

- Installation, testing and troubleshooting of LAN, telco, CATV and FTTx networks

## Description

The Corning Cable Systems OM-400 Series Optical Power Meter provides accurate, user-friendly and economical power throughput and attenuation testing capabilities for incoming inspections, maintenance, troubleshooting, and system verification. The OM-400 features an ergonomic design that is rugged enough to withstand the harshest testing environments. This meter can be coupled with a Corning Cable Systems optical light source to create an attenuation test set.

The OM-400 is a multifunctional optical power meter with 10 calibrated wavelengths and associated reference values. Calibrated wavelengths range from 830 nm to 1625 nm, making the OM-400 ideal for testing both single-mode and multi-mode fiber optic installations. Preferred testing wavelengths can be stored in a list of favorite wavelengths. Two power level ranges are also offered to meet a wide variety of applications.

The OM-400 Series Power Meter offers signal modulation detection settings for 270 Hz, 1 kHz, 2 kHz, CW (unmodulated) and Auto signals. A modulation detection setting of Auto allows the OM-400 to automatically detect the wavelength being transmitted by a compatible Corning Cable Systems source. Additionally, the OM-400 can be configured to receive a reference power level from a compatible source over a long distance, allowing a remote reference to be set without the source and meter being at the same location.

The OM-400 Series Power Meter includes a screw-on type connector adapter which allows the user to adjust the meter for the desired connector type under test in the field with no tools. A wide variety of industry-standard adapters is available.



OM-400 Series Optical Power Meter | LAN631

## Features / Benefits

- Rugged and compact handheld meter
- Calibrated for 10 wavelengths from 830 nm to 1625 nm
- Two power level ranges available
- FTTx ready with wavelengths calibrated at 1310 nm, 1490 nm, and 1550 nm
- Field-interchangeable connector adapters
- Remote power level referencing with compatible sources
- Frequency modulation and automatic wavelength detection modes
- Automatic offset nulling under normal temperature and humidity conditions
- AC and battery operation with battery life of greater than 300 hours



Product Specifications

# OM-400 Series Optical Power Meter

A LANscape® Solutions Product

Corning  
Cable Systems

## Specifications<sup>1</sup>

	OM-410	OM-420
Power Meter Port	Ge	GeX
Power Range (dBm) <sup>2</sup>	10 to -60	26 to -50
Range Displayed (dBm)	Down to -65	Down to -50
Number of Calibrated Wavelengths <sup>3</sup>	10	10
Power Uncertainty <sup>4</sup>	± 5% ± 1 nW	±5% ± 10 nW
Resolution (dB)	0.01 <sup>5</sup>	0.01 <sup>6</sup>
Automatic Offset Nulling <sup>7</sup>	Yes	Yes
Warmup Time <sup>8</sup> (s)	0	0
Display Units	dB/dBm/W	dB/dBm/W
Automatic Wavelength Recognition <sup>9</sup>	Yes	Yes
Screen Refresh Rate (Hz)	3	3
Tone Detection (Hz)	270, 1K, 2K	270, 1K, 2K
Battery Life Typical (hours)	> 300	> 300
Warranty (years)	1	1
Recommended Calibration Interval (years)	3	3
Size	18.5 x 10.0 x 5.5 cm (7.25 x 4 x 2.125 in)	
Weight	0.4 kg (0.9 lb)	
Operating Temperature	-10° to 50° C (14° to 122° F)	
Storage Temperature	-40° to 70° C (-40° to 158° F)	
Relative Humidity	0% to 95% non-condensing	

### Notes:

<sup>1</sup> Guaranteed unless otherwise specified. All specifications valid at 1550 nm and 23° C ±1°C, with an FC connector.

<sup>2</sup> In CW mode; sensitivity defined as 6 x rms noise level.

<sup>3</sup> Wavelengths: 830 nm, 850 nm, 980 nm, 1300 nm, 1310 nm, 1450 nm, 1490 nm, 1550 nm, 1590 nm, and 1625 nm.

<sup>4</sup> Traceable to NIST; OM-420: up to 20 dBm.

<sup>5</sup> From 10 dBm to -50 dBm.

<sup>6</sup> From 26 dBm to -35 dBm.

<sup>7</sup> Power of > -40 dBm for OM-410 and > -25 dBm for OM-420.

<sup>8</sup> For ± 0.05 dB and temperatures of > 18° C.

<sup>9</sup> At 850 nm, 1300 nm, 1310 nm, 1490 nm, 1550 nm and 1625 nm; power of > -50 dBm for OM-410 and > -40 dBm (typical) for OM-420.



# OM-400 Series Optical Power Meter

A LANscape® Solutions Product

Corning  
Cable Systems

## Ordering Information

Part Number	Description
OM-410-XX	Optical Power Meter with standard measurement range of 10 to -60 dBm; one connector adapter of choice, AC adapter, wrist strap and alkaline batteries included
OM-420-XX	Optical Power Meter with extended measurement range of 26 to -50 dBm; one connector adapter of choice, AC adapter, wrist strap and alkaline batteries included
Connector Code (XX)	SC = SC, ST = ST® compatible, FC = FC, LC = LC, Rj = MT-Rj

## Accessories

Part Number	Description
OA-SC	Power Meter Connector Adapter, SC
OA-ST	Power Meter Connector Adapter, ST compatible
OA-FC	Power Meter Connector Adapter, FC
OA-LC	Power Meter Connector Adapter, LC
OA-MTRJ	Power Meter Connector Adapter, MT-RJ
OS-403D-XX	Source with 850/1300 nm LED
OS-404XD-YY	Source with 1310/1550 nm laser
OS-4MDS-XX-YY	Source with 850/1300 nm LED and 1310/1550 nm laser
OS-407T-YY	Source with 1310/1490/1550 nm laser
OS-850V-52	850 nm VCSEL Source with fixed SC connector port
CASE-HH-400	Hard-Shell Transit Case for two 400 Series instruments
PS-9-1	AC Power Adapter for 120 VAC
TJK-XXXX-XX-STD	Test Jumper Kits available in a variety of configurations – Contact Customer Service for available options



# OM-400 Series Optical Power Meter

A LANscape® Solutions Product

Corning  
Cable Systems

Corning Cable Systems LLC • PO Box 489 • Hickory, NC 28603-0489 USA

1-800-743-2675 • FAX: +1-828-901-5973 • International: +1-828-901-5000 • <http://www.corning.com/cablesystems>

Corning Cable Systems reserves the right to improve, enhance, and modify the features and specifications of Corning Cable Systems products without prior notification. LANscape is a registered trademark of Corning Cable Systems Brands, Inc. Discovering Beyond Imagination is a trademark of Corning Incorporated. ST is a registered trademark of Lucent Technologies. All other trademarks are the properties of their respective owners. Corning Cable Systems is ISO 9001 certified. ©2005 Corning Cable Systems. All rights reserved. Published in the USA.  
LAN-627-EN / June 2005 / pdf



**CORNING**  
Discovering Beyond Imagination

**LANscape®**  
Fiber Cabling Solutions for Premises Networks



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)