

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Visit our website - *Click HERE*





DP1007

PROXIMITY PROBE, 11 MM PROBE TIP DIAMETER, WITH 1/2-20, 3/8-24, M14X1.5, OR M10X1 CASE THREAD

Measure shaft vibration and displacement on machinery with fluid film bearings

Durable PPS over-molded probe tips withstand harsh conditions when monitoring critical machinery such as turbines and compressors

For use with PRO Proximity Probe Drivers Only

DATASHEET

PRODUCT MANUAL

MARKETING RESOURCES

RATINGS & APPROVALS

COMPLIANCE INFO

Know your Part Number? Type it here:

Submit

Probe

11 mm Probe Tip Diameter

Case Thread

Reverse Mount, 3/8-24 Threaded Case, Integral FEP Jacketed Cable

PN: DP100705

Overall Case Length

1.7 in.

Unthreaded Case Length

None (0 in.), Case Fully Threaded

Fastest Delivery Option

No Additional Charge

Total Length of Probe & Integral Cable

The Total Length of Probe & Integral Cable is an important factor in choosing your System Length. System Length is measured from the probe tip to the connector on the driver. The system length is factored into the proximity probe driver calibration. The length of a proximity probe (plus extension cable if applicable) must equal one of allowable System Lengths. Click the help button learn more.

1.0 m

Connector

SecureLock Connector With Protector

Select this option if your SecureLock connector could be exposed to metal on metal contact in order to avoid grounding issues.

Regulatory

DP100705-00-18-10-01-00

DP1007 Series Proximity Probe, 11 mm Probe Tip Diameter; Reverse Mount, 3/8-24 Threaded Case, Integral FEP Jacketed Cable; No Unthreaded Case Length (0.0 in.); 1.7 in. Overall Case Length; 1.0 m Total Length; SecureLock Connector With Protector; CE Certified

Price (USD) $515.84

Qty: 1

Total: (USD) $515.84

***Prices do not include duties, taxes & shipping**

Add To Cart

Add To Quote

CONTACT US

7939 Rae Boulevard
Victor, NY 14564 USA

+01 585.924.5900

Send POs To:
orders@ctconline.com

Contact a Sales Rep:
sales@ctconline.com

CONNECT

OPPORTUNITIES

Become a CTC Distributor
Careers at CTC

FOR CUSTOMERS

Meet the CTC Sales Team
CTC Website & Portal Terms of Use
CTC Website & Privacy Policy
California Privacy Notice
Do Not Share my Information
Product Discontinuation Notices
Software Downloads
Blog
Report Website Error
Leave us a Review
ConnectView™ App Privacy Policy
ConnectView™ App End User Agreement

FOR EMPLOYEES

Required Postings for NYS Employees

© 2025 Connection Technology Center

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP