



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com



DELTA TAU
Data Systems, Inc.



NEW IDEAS IN MOTION...

CORPORATE

PRODUCTS

SALES

SUPPORT

SYSTEMS

Systems >> Compact UMAC >> Compact UMAC Turbo CPU Board >> ACC-24C2A



ACC-24C2A

Compact UBUS 4 Axis Analog Servo Card

Part Number: 3A0-603611-10X

[Enlarge](#)

The ACC-24C2A Axis Expansion Board is a single-slot module providing the interface circuitry for four axes, either analog interface for torque or velocity mode amplifiers or pulse and direction output for stepper motor drives. It has a slave Compact-UBUS interface on its J1 connector and the servo interface signals are on the J2 connector. Opto isolation is maintained between the analog circuitry and the digital circuitry to isolate the main axis flags.

The ACC-24C2A is part of the CPCI family of expansion cards and these accessory cards are designed to plug into an industrial CPCI rack system. The information from these accessories is passed directly to either the UMAC Turbo CPCI CPU via the high speed Compact UBUS.

Features

Options

Manuals

- Supports a wide variety of servo and stepper interfaces:
 - Analog +/-10V velocity commands
 - Analog +/-10V torque commands
 - Sinusoidal analog +/-10V phase current commands
 - Pulse-and-direction commands
 - Eight 12-bit ADC inputs
- Each channel of servo interface circuitry includes the following:
 - Two output command signal sets, configurable as either:
 - One pulse-and-direction
 - Two DAC outputs
 - Three-channel differential/single-ended encoder input
 - Sixteen input flags, four Amplifier enable outputs

Features

Options

Manuals

Axis Interface Options

ACC-24C2A OPT-1 - Second +/- 10V 18-bit analog output per axis

ACC-24C2A OPT-2 - 4 channels on-board 12-bit 0-5V analog inputs

Features

Options

Manuals

ACC-24C2A - Compact UBUS 4-Axis Analog Servo Card

Info

- [Find a Product](#)
- [Printable Version](#)

Product Index

- + Board Level
- Systems
 - UMAC
 - **Compact UMAC**
 - Geo Brick Drive
 - Brick Controller
 - Turbo PMAC2 Realtime Express
 - Adv 400 Pack
 - + MACRO
 - + Amplifiers
 - + Software
 - + CNC



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com