ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Dewetron DEWE-3010* at our website: *Click HERE*





DEWE-3000 - Ultra Compact

good measurement starts with measuring inverters.

THE CONCEPT

Portable has never been as compact as with the ultra-compact DEWE-3010 series.

A good measuring system consists of 3 main components; Computer, A / D card and perhaps most important the measured value inverters / isolation amplifiers. The Dewetron DEWE-3010 and the larger DEWE-2010 are all-in-one instruments that meet these conditions.

As software, you can choose almost any data package on the market such as; DASYLab ® , Labview ® , Agilent VEE ® , DEWESoft ® , DEWE - FFT ® , C ++, Delphi, Visual Basic etc ... etc ...

The modules can be chosen from the DAQN and DAQP series and the multi-channel PAD models.

ROBUST

A normal laptop computer can not cope with robust use in the field. The Dewetron systems are resistant to harsh conditions and that is no coincidence. They are designed according to MIL-STD 810C for shocks and vibrations.



DEWE-3010 side view with CD-ROM drive and interfaces (RS-232, ethernet, parallel, keyboard ...)

DIFFERENT VERSIONS

Various versions are available, so that there is a solution for every application

Fashion model	*Standard A / D*	*Inputs*	*Internal modules*	*Other entrances*
DEWE-3010	12-bit - 200kHz	16	8	8 via sub-d
DEWE-3010-64	12-bit - 1.25MHz	64	8	8 + 16 + 16 +16
DEWE-REC	12-bit - 200kHz	16	16 x diff input	---
DEWE-IPC	2 x free PCI slot	via external rack	---	---



Some Specifications and Options:






- DEWE-3010 is available in various 16 - 32 and 64 channel versions
- Various power supplies possible: 85..265VAC, 9 ... 30VDC, UPS
- Large and bright TFT color screen: 12 "and 250cd / sqm
- Standard 12-bit A / D card (200kHz), more bits and faster in option
- Pentium processor >700Mhz, 128MB RAM, low-mass harddisk, CD-ROM, Windows 98/NT/2000
- Diverse interfaces: RS232, parallel, ethernet, USB, Keyboard, Muis/Trackball....
- Mogelijkheid van extern TFT beeldscherm voor gebruik in de auto
- Bijzonder: de standaard CD-ROM kan vervangen worden door een CD-RW 'brander' (standaard bij DEWE-3010-64)
- .....speciale wensen of andere opties nodig?.....bel ons !

DEWE-3010

16 analoge ingangen met ruimte voor 8 meetwaarde omvormers in een ultra-compacte behuizing. Sluit het keyboard, met

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

geïntegreerde trackball aan, kies uw favoriete software, en de meting kan beginnen. Zie ook bij specificaties voor een globaal overzicht van de mogelijkheden.



DEWE-3010-64



DEWE-3010 op sub-d con meetwaarde

Een kompleet 64 kanaals meetsysteem in een ultra-compacte behuizing!!!. 56 ingangen zijn bedraad naar de 4 sub-d connnectoren en 8 ingangen zijn aangesloten op het interne RACK van de DEWE-3010-64. Sluit het keyboard, met geïntegreerde trackball aan, kies uw favoriete software, en de meting kan beginnen. Zie ook bij specificaties voor een globaal overzicht van de mogelijkheden. Dit systeem is voorzien van de snelle 1.25MHz A/D kaart van National Instruments (tm) waardoor compatibiliteit met vele software gewaarborgd is.

Indien voor de resterende ingangen meetwaarde omvormers of isolatie versterkers gewenst zijn, dan kan men op de sub-d connectoren de bekende DEWE-RACKS aansluiten. Kortom een flexibel 64-kanaals systeem dat klaar is voor uw huidige en toekomstige applicaties.

DEWE-3010-REC

Papierloze recorder met 16 analoge ingangen. De Dewetron 30100-REC is geschikt voor iedereen die metingen wil verrichten zonder specifieke meetwaarde omvormers, maar met diffentieele ingangen (±5 tot ±50Volt) en een overspanningsbeveiliging van ±100V.

The system is suitable for almost all software such as DasyLab ® and LabView ® , DEWESoft and more ...



DEWE-3010-64 side view: 56 inputs on sub-d connectors and space for 8 measured value inverters

DEWE -2010

Need more space? Then look at the DEWE-2010 series in which up to 16 modules can be placed.

Questions or remarks about this website: webmeester@dewetron.nl
© 2000/2001 Dewetron Benelux Last revision: 13 March 2001

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP