



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com


The Digital View ACG-1024 interface controller for OEM monitor and packaged LCD solutions.

Panels: 1024x768, 800x600, 640x480 TFT colour LCD

Input: Analog XGA, SVGA, VGA

The ACG-1024 is a multi-sync interface providing direct analog connection for a wide range of TFT LCD panels with a resolution of 1024x768, 800x600, 640x480. It allows full screen expansion of lower resolution image onto a higher resolution panel. The ACG-1024 is a compact high performance single board solution.

Key features of Digital View flat panel interface controllers include excellent picture quality, ease of use, extensive features and cost effective performance.



XGA

SVGA

VGA

Features

- **Panel Connectivity:** Designed for VGA,SVGA, XGA resolution TFT panels.
- P/N 4167200-XX for XGA panel support
- P/N 4167201-XX for SVGA panel support
- P/N 4167202-XX for VGA panel support
- **Input signals:** Analog XGA SVGA, VGA, with separate sync.Vertical refresh rate up to 75Hz at XGA resolutions.
- **Computer graphics modes:** XGA ,SVGA, VGA mode. Non-interlaced.
- **Panel power:** 3.3V & 5V
- **Panel signal:** TTL, LVDS & TMDS option (Add-on board)
- **Colors:** Up to 8 bit per colour, ie 16.7 million colors (even on 3 x 6 bit panels).
- **Functions display:** On Screen Display (OSD) of functions
- **Functions control:** Buttons
- **Image control:** Brightness, Contrast, RGB adjust, Image position, Image horizontal size, Auto setup, Auto Balance, Auto Center, Auto phase, Phase
- **Other features:** System Information, OSD timeout, OSD position, Color temperature, Load factory default.
- **Multi-language:** 2 languages (English or French) option for OSD menu display.
- **Dimensions:** 107mm x 92mm (4.2" x 3.6") approx.
- **Mounting holes & layout:** Digital View standard.
- **Connectors:** Embedded & external type.
- **Power requirements:** 12V DC.
- **Power saving:** VESA DPMS compatible.
- **Inverter support:** 5 & 12V, Enable pin.
- **Plug & Play:** DDC 1, 2/b compatible
- **Status indicator:** Dual colour LED support.

Panel Compatibility Guide

Ref	Panel type
AU Optronics	TFT
LG	TFT
Sharp	TFT
Samsung	TFT
Fujitsu	TFT
Hyundai	TFT
CHI MEI	TFT
Mitsubishi	TFT
NEC	TFT
Toshiba	TFT


Order Information

Item	Description
1	ACG-1024 controller P/N 4167200-XX for XGA panel support P/N 4167201-XX for SVGA panel support P/N 4167202-XX for VGA panel support
2	Panel signal cable & connector kit
3	Backlight inverter & cables kit
4	Function controls & cables kit
5	Status LED kit
6	PC to controller graphics cable
7	AC/DC adapter with +12V DC output
8	LVDS, TMDS interface options

Support for the above panels (and more as they become available) is being introduced progressively, please check at time of placing order for specific compatibility.

Connection for VGA, SVGA, XGA resolution TFT type LCD panels.

Consistent mounting holes, connector types and general layout with other Digital View controllers



Connection for panel backlight inverters.

User buttons control options

Input connectors for both embedded and external type connection.

Connector reference

CNA1	Auxiliary power output: JST B4B-XH-A	LED1	Dual colour status LED: 3-pin header
CNB1	Backlight inverter: JST B5B-XH-A	P1	15 way VGA signal input
CN2	Panel signal: Hirose DF11-28DP-2DSA	PP1	Power input: 5.5mm jack for 12V supply
CN3	Panel signal: Hirose DF11-32DP-2DSA		
CN4	Panel signal: Hirose DF11-20DP-2DSA		
CN8	Pin Header 6x1 (Reserved for factory use)		
CNC1	Function controls: JST B12B-XH-A		

Notes:

- Dimensions are in mm.
- PCB mounting holes connect to ground.
- PCB mounting holes are 3.2mm.
- Other mounting holes for inverter are not grounded.
- Drawing is not to scale.

ASIA

Digital View Ltd
19 th Floor, Tai Tung Building,
8 Fleming Road, Wanchai,
Hong Kong.

Tel: (852) 2861 3615
Fax: (852) 2520 2987
Email: hksales@digitalview.com

USA

Digital View Inc
18440 Technology Drive,
Building 130, Morgan Hill,
California, CA95037, USA.

Tel: (1) 408-782 7773
Fax: (1) 408-782 7883
Email: ussales@digitalview.com

EUROPE

Digital View Ltd
36 Mortimer Street,
London W1W 7RG,
United Kingdom.

Tel: (44) (0) 20-7631-2150
Fax: (44) (0)20-7436-1299
Email: uksales@digitalview.com

Please visit our Web site for more information: www.digitalview.com



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com