ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Diversified Technology XMC3410* at our website: *Click HERE*


>> DATA SHEET

Providing a Cohesive Approach to Embedded Solutions

XMC3410



Multi-Interface Gigabit Ethernet XMC Card



Diversified Technology's XMC3410 Gigabit Ethernet XMC module supports many different types of SFP modules allowing the board to be used in diverse ways and is ideal for use in optical networks. By supporting both RJ45 and SFP ports the XMC3410 can be used in both current Optical and Copper networks. The XMC3410 uses the PCI Express Standard for interconnecting to the carrier board.

Mechanical
• Conforms to VITA 42.0 XMC Standards.

Power Usage
Max Power Dissipation:
SerDes – No Link: 3.37W Link: 5.28W
Copper – No Link: 2.73W Link: 4.95W

Environmental
Operating
• Temperature: -5° to 55°C
• Humidity (RNC): 10% to 85% non-condensing
• Altitude: 4,572m / 15,000 ft
• Shock: 50g
• Vibration: 5-500MHz @ .5g RMS random

Storage and Transit
• Temperature: -40° to 70°C
• Humidity (RNC): 10% to 90% non-condensing
• Altitude: 15,240m / 50,000 ft
• Shock: 50g
• Vibration: 5-500MHz @ .5g RMS random

Reliability and Serviceability
• MTBF: 682,423 hours
• 2 year limited warranty

Regulatory Compliance
• CE Certification EN55024:1998
• Safety : UL/cUL 60950-1, EN/IEC 60950-1, GR-63-CORE-12
• EMC
• FCC Part 15, Subpart B; Industry Canada ICES-003-I3:1997
• EN 61000-4-2; EN 61000-4-3; EN 61000-4-4; EN 61000-4-5
• EN 61000-4-6; EN 61000-4-11; GR-1089-CORE-I3

PRODUCT FEATURES

VITA 42.0 XMC Specification

VITA 42.3 PCI Express Standard

RJ45 Ethernet interface:
• (2) 10/100/1000 Ports
• EMI Shielding

SFP Optical Ethernet interface:
• (2) 2Gbps Optical Ports

SerDes to Copper Mode Selectable
• Manual Switch
• Software configurable
• Future Support Mixed mode

Xilink FPGA Solution

Voltage Health Monitoring

Integrated FRU record

www.diversifiedtechnology.com • atca@dtims.com • 1.800.443.2667

Diversified Technology® An Ergon Co.

Rev 1.1 • 9-24-2008

All trademarks and tradenames are the property of their respective owners.

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP