



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)

**DOCUMENT NUMBER:** 809698  
**REVISION:** A  
**DATE:** Aug 27/02

**PRODUCT**

**RELEASE NOTE**

**DPMC-700-100**

DY 4 Systems  
333 Palladium Drive  
Kanata, Ontario, Canada  
K2V 1A6  
TEL: (613) 599-9199  
FAX: (613) 599-7777

**REVISION NOTICE**

<b>Rev</b>	<b>Title</b>	<b>Description of Changes</b>	<b>By</b>	<b>Affected Pages</b>	<b>Date</b>
-	Product Release Note, DPMC-700-100	Production Release	PS		June 25, 2001
A	Product Release Note, DPMC-700-100	Update to PWB 31016-001	JT	3, 4	August 27, 2002

## 1. Introduction

This document describes the options and features specific to the DPMC-700-100. Briefly this product consists of the following:

- 33/66 MHz/32-bit standard PCI Mezzanine Card, compliant with IEEE P1386.1
- Permedia®3 Graphics Accelerator
- DVI (PanelLink®) digital video output supporting resolutions up to 1280 x 1024 @ 60Hz
- 32 Mbytes of SDRAM graphics memory
- Non Interlaced, Analogue RGB video output capable of providing resolutions up to 1920 x 1600 @ 60Hz refresh
- X11/OpenGL programming interface

## 1.2 Related Documents

901504-002 superseded by 901504-103	Circuit card assembly, DPMC-700-100 superseded by PD CCA DPMC-700-100/200 PWB 311016-001
809789	Hardware Users Manual, PMC-700

## 2. Requirements

### 2.1 Configuration Requirements

#### 2.1.1 Hardware Requirements

- Mezzanine assembly components are plastic devices
- Mezzanine assembly is configured via 0 Ohm resistors

#### 2.1.2 Software Requirements

- There are no software requirements for this product

### 2.2 Test Requirements

- For Acceptance Test Procedure refer to product BOM

### 2.3 Other Requirements

- None

### 3. Compliance to Ruggedization Guidelines

**Note:** The table below details the compliance of the DPMC-700-100 to the environmental conditions listed, when it is installed on a Dy 4 Systems DMV level 100 basecard.

HEADING	REQUIREMENT FOR DMV LEVEL 100 CCA	COMPLIANT
BOARD TEMPERATURE	Operating -40°C to 71°C Card edge temp	YES
	Storage -55°C to 85°C	
HUMIDITY	Operating 0 to <100 % non-condensing	YES
	Storage 0 to <100% non-condensing	
VIBRATION	Sine 10G peak, 15-2KHz	YES
	Random 0.1g2/Hz, 15-2KHz	
SHOCK	40 g peak half sine 11ms	YES
CONFORMAL COAT	Yes	YES

### 4. Optional Configuration

#### 4.1 Optional Devices

- No optional devices

#### 4.2 Strapping Explanation

- No user configurable jumpers

### 4.3.2 Circuit Card Modifications

- None

## 5. Memory Map

### 5.1 Local Memory Map

#### PCI Address Regions

Region	Address Space	Description	Size
Config	Configuration	PCI Configuration	256 bytes
Zero	Memory	Control. Registers	128 Kbytes
One	Memory	Memory Aperture One	64 Mbytes
Two	Memory	Memory Aperture Two	64 Mbytes
Three	I/O	Indirect Access I/O	16 bytes
ROM	Memory	Expansion ROM	64 Kbytes
VGA	Memory & I/O	VGA Access	---

**Note:** The PMC-700's PCI interface has seven base address regions as shown above. For a complete address map refer to the Permedia3 Reference Guide available from 3Dlabs.

### 5.2 VME Slave Memory Map

- Not applicable for this product

## 6. Firmware

- Not applicable for this product



## Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

### SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

### *InstraView*<sup>SM</sup> REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at [www.instraview.com](http://www.instraview.com) ↗

### WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. [www.artisanng.com/WeBuyEquipment](http://www.artisanng.com/WeBuyEquipment) ↗

### LOOKING FOR MORE INFORMATION?

Visit us on the web at [www.artisanng.com](http://www.artisanng.com) ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

**Contact us:** (888) 88-SOURCE | [sales@artisanng.com](mailto:sales@artisanng.com) | [www.artisanng.com](http://www.artisanng.com)