ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Edmunds Gages E7002A* at our website: *Click HERE*

Introducing **Accu-Touch™**

Simple Gaging Is Defined!

* 5.7” Hi-res Flat Panel
* 1, 2, or 4 input models
* Easy to Use
* Air or electronic by channel, your choice.
* Up to 4 measurements in 1 unit.
* Inch or metric.
* 2 to 6 decimal resolution.
* Dial display with compliance indicator.
* Absolute or deviation
* Live, + Peak, - Peak, and T.I.R. functions.
* One touch selections.
* Data off-load with RS-232 or serial.
* Expandable with Pre-programmed Apps.
* Docking A/E modules
* 110 - 230 VAC, 50-60 Hz operation.
* Made in the USA.



Accu-Touch™ main display with (2) features being displayed

Leave it to Edmunds Gages to develop the most easy to use, expandable dimensional measurement amplifier for your production and lab requirements. Accu-Touch™ uses a highly durable transparent touch screen and easy to read menu prompting to provide a simple visual display of your measurement results. The Accu-Touch™ is fully configured for virtually any dimensional gaging application with the touch of a single finger.

Multi-Sensor, Multi-Dimensional

The inputs are individually selectable for Edmunds electronic or air-to-electonic sensors, and its available in multiple input quantities to suit your budget too. The optional air-to-electronic transducers dock to the main enclosure for a convenient compact footprint.

Easy to Use

All menus, selections, and operation are simple touches to the screen. From the main display, touching the “set-up” key allows you to configure Accu-TouchTM

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com



2-channel A/E shown "docked"



Typical single measurement applicaiton

Docking Air-to-Electronic

1, 2, 3, and 4 input air-to-electronic transducer enclosures dock with the main unit for a compact bench top footprint. The A/E's incorporate Edmunds ratio-metric design for stable measurement and feature "adjustable" magnification of our time proven, dual mastered, back pressure bleed air gaging circuitry.

Popular Apps & Data Storage

More sophisticated applications can be easily configured from optional "Touch Flash" application sticks that the hastle out of complex programming.

And measurement data can be stored or off-loaded to our memory stick, or any of the output ports that you desire.



Touch-Flash App stick

Specifications:

Basic Units:
includes (1) RS-232C and (2) USB ports

E7001	Single input basic unit
E7002	Dual input basic unit
E7003	4-Input basic unit

Base for Auto-Air Savers:
includes Auto-Air connection, (1) RS-232C and (2) USB ports

E7001A	Single input basic unit with limited connectivity
E7002A	Dual input basic unit with limited connectivity
E7003A	4-input basic unit with limited connectivity

Base Unit for Full Connectivity:
includes Auto-Air connection, (1) RS-232C, (2) USB, and (1) Ethernet ports

E7001B	Single input connectivity unit
E7002B	Dual input basic unit with full connectivity
E7003B	4-input basic unit with full connectivity

Docking A/E Units

E7030	Single Input A/E unit w/internal regulator & cable
E7040	Dual Input A/E unit w/internal regulator & cables
E7050	4-input, 3-A/E w/internal regulator & cables
E7060	4-input A/E w/internal regulator & cables

Accessories

P-NUM-F32E-04AM	Coalescing Filter
4570641	Memory Stick
7950520	Auto-Air shutoff (for use with A& B series unit only
7950907	USB Footswitch (for use with A &B series units only)

Pre-Programmed "Apps"

ATTF001	Touch Flash App Stick: Top/Btm/Taper
ATTF002	Touch Flash App Stick: Top/Btm/Approach/Taper
ATTF003	Touch Flash App Stick: Top/Mid/Btm/Shape
ATTF004	Touch Flash App Stick: I.D./O.D./Clearance
ATTF005	Touch Flash App Stick: Sq A/Sq B/Perpendicularity
ATTF006	Touch Flash App Stick: Flat A/Flat B/Flat C/Static Flatness

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP