ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Educated Design and Development GC-1000* at our website: *Click HERE*

GROUND CONTINUITY TESTING

Introducing the GC 1000
ED&D's new automatic tester from the Millennium Series

GC1000 Ground Impedance Tester



Introducing the world's fastest, easiest, and most affordable Automated digital Ground Continuity tester. Simply put, the new Millennium Series GC1000 tester from ED&D makes all others obsolete. This is the only such tester available produced by experts in Product Safety!

SPECIAL FEATURES

- Meets UL, CSA, TUV, CE, EN and IEC requirements
- 1 Button Testing - Just plug in and press Start !
- Conveniently located custom front panel AC receptacle accepts 120 and 240 plug configurations.
- Digital LED Display reads out in Ohms
- Selectable Test Current: 25 or 30 amps
- Selectable Test Time: 1 second or 60 seconds
- Display holds data after test. Visible and audible fail indication.
- Special Feature: Zero feature allows you to "zero-out" the test lead impedance (return lead and products power cord).

CE

ALSO AVAILABLE WITH UNIVERSAL RECEPTACLE (Accepts most plug configurations)!



Test Current	25A or 30A (Selectable)	**Accuracy**	± 2%
Input Current	1A	**Weight**	15 lbs
Input Frequency	50 - 60 Hz	**Input Voltage**	100-120 or 200- 220 VAC (Order as Desired)
Test Time	1 sec. / 60 sec. (Selectable) 2 sec. available	**Dimensions**	12" W x 11" D x 5" H
Failure Indication	0.1 ohm trip setting (0.2 ohm available)		

Technical Note: In the standards, the 0.1 ohm limit is for the product under test's grounding system only, not including the power cord impedance. Our "zero" feature allows you to zero out the cord impedance. This insures no false failures and extremely accurate results!

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP