ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.


- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *ElectroSwitch 33206A* at our website: ***Click HERE***

STYLE SJL
MIL-S-21604/3



General Specifications


Interrupt Ratings:	5 amps @ 125 volts a.c. 60-400 cps 5 amps @ 28 volts d.c. resistive
Continuous Rating:	10 amps @ 125 volts a.c.
Dielectric Strength:	1200 volts rms minimum
Insulation Resistance:	200 megohms
Contact Resistance:	.01 ohms maximum
Electrical Life:	40,000 operations make and break
Available Sections:	1 to 10
Available Poles:	1 to 20
Positions:	8; adjustable stops for 2-8 positions
Contact Type:	shorting and non-shorting
Indexing Angle:	45 degrees positive detent
Mounting Type:	bushing mount, single hole
Panel Thickness:	to .19 inch
Rotor (Moveable Contact)	Silver overlay, phosphor bronze
Terminal (Stationary Contact)	Silver overlay copper with screw type terminals
Spacers:	Glass filled alkyd

How to Order

33 2 02 A
- A — Handle
- 02 — No. of Decks
- 2 — Assemblage
- 33 — Style SJL

Option Codes:

77 Style SJL with Spring Return




All assemblies are shown with handle in 0° position (12 o'clock)


No. Sec.	Navy Type	Catalog Number	No. Sec.	Navy Type	Catalog Number	Sec. No.	Navy Type	Catalog Number	Weight oz.	Torque lb-in.	Dim. X in.
1	S2JL1	33201A	1	S3JL1	33301A	1	S4JL1	33401A	6	6	1 1/32
2	S2JL2	33202A	2	S3JL2	33302A	2	S4JL2	33402A	7	7	1 17/32
*3	S2JL3	33203A	*3	S3JL3	33303A	*3	S4JL3	33403A	8	8	1 29/32
4	S2JL4	33204A	4	S3JL4	33304A	4	S4JL4	33404A	9	9	2 9/32
*5	S2JL5	33205A	*5	S3JL5	33305A	*5	S4JL5	33405A	10	10	2 21/32
6	S2JL6	33206A	6	S3JL6	33306A	6	S4JL6	33406A	12	13	3 3/4
7	S2JL7	33207A	7	S3JL7	33307A	7	S4JL7	33407A	13	14	4 1/8
8	S2JL8	33208A	8	S3JL8	33308A	8	S4JL8	33408A	14	15	4 17/32
9	S2JL9	33209A	9	S3JL9	33309A	9	S4JL9	33409A	15	16	4 29/32
*10	S2JL10	33210A	*10	S3JL10	33310A	*10	S4JL10	33410A	16	17	5 9/32


* Standard switches are shown on MIL-S-21604/3

Assemblage 4 not shown



PANEL DRILLING DIMENSIONS





HEX SEAL NUT SUPPLIED FOR ALL DRIP PROOF MOUNTS PART # 02017-8

ELECTROSWITCH • SWITCHES & RELAYS

UNIT OF ELECTRO SWITCH CORP. • 180 KING AVENUE • WEYMOUTH, MASSACHUSETTS 02188 • TELEPHONE: (617) 335-5200 FAX: (617) 335-4253

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP