



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com

Thermo Scientific Finnpiquette® Focus Multichannel Plus Pipettors



Bringing accuracy, speed, and comfort to microplate pipetting!

- Super blow-out ensures accurate and complete liquid delivery at 1 to 10 µL volumes
- Color-coded volume adjustment knobs with click-lock mechanism for fast volume setting
- Improved finger rest and handle shape offer support for your hand
- Soft-touch tip ejection is more efficient and requires less effort during long periods of repetitive pipetting
- 5-year warranty with Web registration

These multichannel pipettors feature super blow-out for 1 to 10 µL volumes for precise and fast dispensing into microplates. The ergonomic design makes them more comfortable and less tiring to use over long periods of repetitive pipetting. Color-coded volume adjustment knobs make it easy to distinguish between volume ranges. Order pipette tips separately from table or pages 1368–1370.



25012-72

5 year warranty

Specifications

Tip ejector: yes, soft-touch Calibration: user Autoclavable: yes, fully

Pipettors								Pipette tips						
Catalog number	Volume (µL)	Increments	Accuracy†		Reproducibility†		Color code	Price	Catalog number	Finntip® series	Tip volume range (µL)	Tip length	Package	Price
			µL	%	s.d.‡ µL	CV%‡								
Eight-channel pipettors														
R-25012-70	1 to 10	0.1 µL	±0.24	±2.4	0.16	1.6	Pink		R-25010-51	10	0.2 to 10	3.2 cm	Bag of 1000	
R-25012-72	5 to 50	0.1 µL	±0.75	±1.5	0.35	0.7	Yellow		R-06247-83	250 Univ	0.5 to 250	5.2 cm	10 racks of 96	
R-25012-74	30 to 300	1 µL	±3.0	±1.0	0.9	0.3	Orange		R-25001-50	300	5 to 300	5.2 cm	10 racks of 96	
Twelve-channel pipettors														
R-25012-76	1 to 10	0.1 µL	±0.24	±2.4	0.16	1.6	Pink		R-25010-51	10	0.2 to 10	3.2 cm	Bag of 1000	
R-25012-78	5 to 50	0.1 µL	±0.75	±1.5	0.35	0.7	Yellow		R-06247-83	250 Univ	0.5 to 250	5.2 cm	10 racks of 96	
R-25012-80	30 to 300	1 µL	±3.0	±1.0	0.9	0.3	Orange		R-25001-50	300	5 to 300	5.2 cm	10 racks of 96	
Sixteen-channel pipettor														
R-25012-82	5 to 50	0.5 µL	±0.75	±1.5	0.35	0.7	Turquoise		R-25001-56	50	0.2 to 50	4.8 cm	Bag of 1000	

†Accuracy and reproducibility at full-scale volume. ‡s.d. = standard deviation, CV = Coefficient of Variation

Eppendorf® Titermate™ Multichannel Pipettors

Easily switch between 8- and 12-channel manifolds

- Volume adjustment lock helps prevent user error

Titermate pipettors feature 8- and 12-channel manifolds that are interchangeable within each volume range. Manifolds are autoclavable—ideal for sterile applications. An air interface separates the sample from the pipettor to help prevent sample contamination—only the tips contact the reagent.

Pipettors include one manifold, a reagent reservoir, and an adapter to attach to the optional stand. An O-ring on each nose cone ensures tips fit properly. All models accept polypropylene tips (sold separately on pages 1364–1371).



Digital display is easily viewed during use.



24553-00

Specifications



Tip ejector: separate button Autoclavable: manifolds only, not pipettors

Catalog number	R-24553-03	R-24553-07
Channels	8	12
Volume range	30 to 300 µL	
Increments	0.2 µL	
Accuracy	±1.5% at 30 µL ±1.0% at 150 µL ±0.4% at 300 µL	
Reproducibility	≤0.8% at 30 µL ≤0.5% at 150 µL ≤0.2% at 300 µL	
Price		
Additional manifolds		
Catalog number	R-24553-15	R-24553-17
Price		

GO to page(s) 1371

For Eppendorf pipette tips.

Accessories

- R-24503-50 Pipettor stand
- R-24553-50 Replacement reagent reservoir, PP, 75-mL capacity; autoclavable. Pack of 10 /pk



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com