

ARTISAN®
TECHNOLOGY GROUP

Your **definitive** source for quality pre-owned equipment.

Artisan Technology Group
(217) 352-9330 | sales@artisantg.com | artisantg.com

Full-service, independent repair center
with experienced engineers and technicians on staff.

We buy your excess, underutilized, and idle equipment
along with credit for buybacks and trade-ins.

Custom engineering
so your equipment works exactly as you specify.

- Critical and expedited services
- In stock / Ready-to-ship
- Leasing / Rentals / Demos
- ITAR-certified secure asset solutions

Expert team | Trust guarantee | 100% satisfaction

All trademarks, brand names, and brands appearing herein are the property of their respective owners.

Find the *Etel DSMAX2* at our website: ***Click HERE***

RACK SYSTEM
RACK FRAME - DSO-RAC

Key points:

- Compatible with multi-axis motion controllers (DSMAX2), multi-axis gateways (DSGAT) and position controllers (DSCDL, DSCDM, DSCDP and DSC2P)
- Variety of models available with or without ventilation
- Ready to use: back panel print included
- HF shielding

Reference	Fans	Max. Number of DSCxxxx1-xxx (10 F)	Max. Number of DSCxxxx2-xxx (14 F)	Number of power supply included	Internal size
DSO-RAC611 **DSO-RAC612** **DSO-RAC613**	No 230 VAC 110 VAC	7	-	1	84 F wide (*) 6 U high (*)
DSO-RAC621 **DSO-RAC622** **DSO-RAC623**	No 230 VAC 110 VAC	4	2	1	
DSO-RAC631 **DSO-RAC632** **DSO-RAC633**	No 230 VAC 110 VAC	–	5	1	
DSO-RAC811 **DSO-RAC812** **DSO-RAC813**	No 230 VAC 110 VAC	2	2	1	63 F wide (*) 6 U high (*)

*1 U = 43,63 mm 1 F = 5,08 mm







Configuration example



1 x DSORAC-813	Rack frame (84 F)
1 x DSO-PWS	Power supply (10 F)
1 x 1122E-080-15	Front plate (4 F) (needed on the left of the power supply)
3 x DSC2Pxx2	Position controllers (14 F)
1 x DSC2Pxx1	Position controller (10 F)
1 x 1122E-080-15	Front plate (4 F) (needed on the left of the position controller)
1 x DSMAX2x1	Multi-axis motion controller (10 F)
1 x 1122E-080-15	Front plate (4 F) (Needed on the left of the motion controller)

POWER SUPPLY - DSO-PWS

Key points:

- 80-280 VAC power input
- 120-400 VDC output voltage
- Current: 40 Arms continuous / 100 Arms peak
- 10 F width rack format
- Built-in RFI filters

Front panel

Any space remaining opened in the rack case (no controller present) must be closed by a font panel

Reference	Width
1122E-080-12	1 F
1122E-080-13	2 F
1122E-080-14	3 F
1122E-080-15	4 F
1122E-080-16	6 F
1122E-080-17	10 F
1122E-080-18	12 F
1122E-080-19	14 F

Artisan Technology Group - Quality Instrumentation ... Guaranteed | (888) 88-SOURCE | www.artisantg.com

Artisan Technology Group is an independent supplier of quality pre-owned equipment

Gold-standard solutions

Extend the life of your critical industrial, commercial, and military systems with our superior service and support.

We buy equipment

Planning to upgrade your current equipment? Have surplus equipment taking up shelf space? We'll give it a new home.

Learn more!

Visit us at **artisantg.com** for more info on price quotes, drivers, technical specifications, manuals, and documentation.

Artisan Scientific Corporation dba Artisan Technology Group is not an affiliate, representative, or authorized distributor for any manufacturer listed herein.

We're here to make your life easier. How can we help you today?

(217) 352-9330 | sales@artisantg.com | artisantg.com

ARTISAN® TECHNOLOGY GROUP