



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com



EXC-1553PCI/Px

MIL-STD-1553

General Specifications

Supports 1553A/B, F-16
Handles 4 μ sec. Intermesssage Gap (all modes)
32K bytes dual-port RAM (per channel)
Board setup modifiable in real time
Programmable Interrupts
Variable amplitude transceivers
Direct or Transformer Bus coupling
Programmable Time Tag resolution (RT & MON)
Error Injection (BC & RT)

Host Interface

PCI: Target 8 / 16 bit
Memory space occupied: 32K x 8 per channel
Interrupt: INTA#
Power (/P1): +5V \pm 5% @ 1.2A

Physical Characteristics

Mechanical format: 175mm x 107mm
Weight (/P): 135 grams

Operating Environment

Temperature: 0° - 70°C
Humidity: 5% - 90% noncondensing
MTBF: 96,000 hours at 25°C, G_F

Software Support

C Drivers with source code
Merlin+ Windows software for Windows 9x/NT/2000

Bus Controller

Programmable Intermesssage delay
Programmable RT Response Time Out
Programmable Frame Time
Loop and single-shot modes

Remote Terminal

Up to 32 RTs
Selectable Broadcast Mode
Programmable Mode Code Subaddress ID
Programmable Status Word
Programmable RT response time

Bus Monitor

Three operational modes: Fixed-block, Link-list,
Look-up Table
Three Storage Modes: Store All, Store Only,
Store After
Programmable Triggers and Masks
Concurrent Monitor supports sequential operation only

Ordering Information

EXC-1553PCI/Px: Multi-channel 1553 Interface for PCI
bus (up to 4 modules)
EXC-1553PCI/Px-E: Extended temp., ruggedized model
(with or without -M option)
EXC-1553PCI/PMx(-E): Supports concurrent BC/RT/BM
for each channel
EXC-1553PCI/Px - 1760: 1760 protocol support
(with or without -M option)
Note: "x" specifies the number of MIL-STD-1553 channels required

1-800-MIL-1553

www.MIL-1553.com



Artisan Technology Group is your source for quality new and certified-used/pre-owned equipment

- FAST SHIPPING AND DELIVERY
- TENS OF THOUSANDS OF IN-STOCK ITEMS
- EQUIPMENT DEMOS
- HUNDREDS OF MANUFACTURERS SUPPORTED
- LEASING/MONTHLY RENTALS
- ITAR CERTIFIED SECURE ASSET SOLUTIONS

SERVICE CENTER REPAIRS

Experienced engineers and technicians on staff at our full-service, in-house repair center

*InstraView*SM REMOTE INSPECTION

Remotely inspect equipment before purchasing with our interactive website at www.instraview.com ↗

WE BUY USED EQUIPMENT

Sell your excess, underutilized, and idle used equipment. We also offer credit for buy-backs and trade-ins. www.artisanng.com/WeBuyEquipment ↗

LOOKING FOR MORE INFORMATION?

Visit us on the web at www.artisanng.com ↗ for more information on price quotations, drivers, technical specifications, manuals, and documentation

Contact us: (888) 88-SOURCE | sales@artisanng.com | www.artisanng.com